

BIG BOOK

SPRING 2015

www.SecurityInfoWatch.com

THE SECURITY INDUSTRY'S PRODUCT GUIDE

EIZO's FlexScan EV3237 4K Monitor

EIZO's FlexScan EV3237's 4K UHD resolution and 60Hz refresh rate offers incredible versatility for viewing up to four HD inputs on one screen.

A non-glare panel customary to all EIZO displays is included for optimal viewing in any environment, no matter the ambient lighting conditions.

The display provides both Picture in Picture (PiP) and Picture by Picture (PbP) so that multiple input signals can be viewed on the same screen easily.

An overdrive circuit minimizes ghosting or blurring in moving images so that they always look clean and sharp. An IPS panel has wide viewing angles exhibiting minimal changes in contrast and hue when viewed from off center so that multiple people can look at the same screen without losing any detail.

Its energy-saving features make it a great choice for 24/7 operations like a presence sensor that prompts the monitor to switch to power save mode when you are not in front of it and power back on when you return.

Request more information:
www.SecurityInfoWatch.com/12071039



www.eizo.com/products/flexscan/ev3237



Bolide's BN1008FE 360° Camera with 6MP Resolution

The BN1008FE from Bolide is the ideal solution to get a perfect 360° view of any place. It covers a wide-ranging area and avoids the use of several cameras normally required to monitor similar areas. It provides the best panoramic recording of events and the most detailed image with the 6MP resolution.

All images registered by the BN1008FE are de-warped to give an all angle view from a single 1048x1024 pixel stream in real time.

It delivers full 25/30fps no matter the orientation, and can record at either 180° or 360°. When it records in 180°, it is also possible to deliver from e-PTZ or ROI (Region of Interest) panoramic wall stream @2048x1024 pixels.

The BN1008FE is a widely favoured solution that suits all technical and aesthetic needs. This network camera has ONVIF compliance that maximizes its performance when compatible with additional software available.

Request more information:
www.SecurityInfoWatch.com/12070003



www.bolideco.com



Next-Generation Multi-Family and Small Business Access Solutions from Yale

Yale Locks & Hardware introduces a suite of next-generation solutions for the multi-family and small business markets that offer flexible, scalable lock management tailored specifically for the needs of these market segments. The multi-family solution includes nexTouch™, the next generation of the Yale InTouch™ access control lock, Yale Real Living™ digital deadbolts, and user-friendly, cloud-based software specifically designed for managing multi-family properties. The small business solution includes the same locks plus integration with interactive service platforms, such as Alarm.com, Honeywell and iControl.

Yale's innovative new solutions provide security integrators with an easy entrance into new business segments, with an opportunity to provide greater value to their customers by solving specific challenges within these markets. The solutions are easy to deploy and integrate with many burglar alarm systems, giving these service providers the ability to introduce access control to their customers.

These solutions also offer a multitude of benefits for building owners and developers, including reduced maintenance, easy management of access rights, and increased security. The hardware is easy to deploy and provides scalability to adapt to changing requirements. Cloud-based software minimizes investment for property owners/developers.

Small business owners gain an easy and affordable solution for unattended delivery, employee access and attendance, monitoring of business hours, and managing remote locations.

Request more information:
www.SecurityInfoWatch.com/12072419

www.intelligentopenings.com/nexTouch



Theia Technologies' SL/TL410 4K Lens

Theia Technologies' new SL/TL410 4K lens is designed for the popular 1/1.7" 4K image sensor or smaller and provides 12 megapixel resolution performance. The 4-10mm varifocal lens boasts the fastest F number in the industry for that sensor at f/1.4 for excellent light gathering ability. The lens is IR corrected for use with true Day/Night cameras and maintains its crisp image in near IR light. And

the lens is the most compact available in the 4K category to date. At only 64mm long and 59mm in diameter, the lens is designed to fit in dome cameras.

The lens will be offered in numerous configurations, including with motorized focus, zoom, and IR cut filter, photo-interrupters, manual, DC auto- and P-iris options, and CS, C and D25 board mount versions. Production units will be available in the third quarter of 2015. The lens is part of a family of 4K 12 megapixel Day/Night lenses designed for the 1/1.7" sensor, with the SL/TL1250 12-50mm compact telephoto lens to follow in Q4 of 2015. For more information, contact us on +1 (503) 570 3296, or email us at info@theiatech.com.

Request more information:
www.SecurityInfoWatch.com/12070575



www.theiatech.com



THE NEW FIRE RATED SOLUTION FOR RIM PANIC EXIT DEVICES

WE RE-ENGINEERED OUR 4800 & MADE IT BETTER
TAKE THE GUESS WORK OUT OF PRODUCT SELECTION

A FIRE RATED ELECTRIC STRIKE AT A NON-FIRE RATED PRICE*
FIRE RATED FOR FREE



4800F

A GAME CHANGER

*When compared to the list price of a H.E.S.® 9600

4850ITL
INSTALLATION TOOL



FOR INSTALLING THE 4800 SERIES

SEE THE VIDEO!

SEARCH '4850ITL' ON

FOR PRICE AND INFORMATION GO TO:
TRINEONLINE.COM/4850ITL.PHP

FOR INFORMATION ON THE ENTIRE
ONE BOX SOLUTION SERIES

GO TO: WWW.TRINEONLINE.COM

Request information:
www.SecurityInfoWatch.com/10215438

2G is almost a thing of the past. Don't let your accounts die off too.

Tradeup to Universal StarLink Radios, 3G/4G GSM or New CDMA
Under \$49.95^{NET}



Here's How the Radio Upgrade Offer Works:

1. Buy a StarLink 3G/4G or CDMA Radio for \$99.95 (Sugg. Dealer Price)
2. Register & activate it online
3. Send us the 2G SIM Card from the Old Alarm Radio plus the StarLink Upgrade Form, Online
4. We'll Credit Your Account \$50

That's \$99.95 - \$50 = \$49.95
Unlimited Radios



We'll help you pay to upgrade 2G accounts on ALL panel brands**
with StarLink Universal GSM or CDMA Radios with \$50 Back:

- \$99.95 Everyday Low Price on StarLink 3G/4G GSM or CDMA Models
- Work with any panel brand and central station, anywhere in US
- Get \$50 Tradeup Incentive with old SIM & New StarLink Radio activation*

That's just \$49.95^{NET}
On Unlimited StarLink Radios



For More: Call 1.800.645.9445 and see full details online at
www.napcosecurity.com/contact/StarLink4GUpgrade link or scan Code above.

* "Radio upgrade" Promotion from Napco requires purchase plus online prior registration /activation of StarLink SLE-GSM3/4G or SLE-CDMA Radio Models only. (Unlimited Radios)** Supports any panel using Contact ID or 4/2. StarLink is a trademark of Napco. Promotion may be ended without notice. Void outside US &/or where prohibited. Suggested Dealer Pricing, quoted in USD. Verizon Network Certified is a trademark of Verizon.



Original StarLink GSM 3/4G and New StarLink CDMA Radio, SLE-CDMA, Verizon® Network Certified



Table of Contents

BIG BOOK Spring 2015

- B6–B11** Video Surveillance

- B12–B22** Access Control & Door Hardware

- B22** Enterprise Security & Integrated Systems

- B23** Keys, Key Controls & Automotive Accessories

- B24–B25** Alarms & Intrusion Detection

- B26** Fire & Life Safety, Installation Tools & Equipment

ADVERTISER NAME	PAGE	WEBSITE URL
Akron Hardware	B19	www.securityinfowatch.com/12071932
CCL Security Products	B11	www.securityinfowatch.com/10213160
D&D Technologies	B5	www.securityinfowatch.com/10929523
Detex Corporation	B17	www.securityinfowatch.com/10213445
DKS Door King Systems	B7	www.securityinfowatch.com/10213482
JLM Wholesale	B26	www.securityinfowatch.com/10214128
LockState	B9	www.securityinfowatch.com/12023740
Marks USA	B21	www.securityinfowatch.com/10214311
Monitoring American Alarm	B24	www.securityinfowatch.com/10490593
Napco Security Systems Inc	B3	www.securityinfowatch.com/10215125
Platinum Tools	B4	www.securityinfowatch.com/10216200
SDC-Security Door Controls	B27	www.securityinfowatch.com/10214991
Security Lock Distributors	B15,B28	www.securityinfowatch.com/10215009
Select Products	B25	www.securityinfowatch.com/10215943
STRATTEC Security Corp.	B23	www.securityinfowatch.com/10215947
Trine Access	B2	www.securityinfowatch.com/10215438
Yale Locks & Hardware	B13	www.securityinfowatch.com/10215674

This index is supplied as a service to our readers. The publisher assumes no liability for omissions or errors.



The Big Book

is a publication of Cygnus Business Media USA
 Phone: (631) 000-0000 • Fax: (631) 000-0000
 and is a supplement to *Locksmith Ledger*,
Security Dealer & Integrator and
Security Technology Executive magazines.

Editorial

Editor, *The Big Book* Paul Rothman
 Editorial Director Steve Lasky
 Editor, *Locksmith Ledger* Gale Johnson
 Editor, *Security Dealer & Integrator* Paul Rothman
 Editor, *Security Technology Executive* Steve Lasky

Art & Production

Art Director Bruce Zedler
 Production Manager Jane Pothlanski

Publishers

Group Publisher Nancy Levenson-Brokamp
nancy.brokamp@cygnus.com

Sales Contacts

Northeast U.S. & Eastern Canada,
SD&I, STE, SIW.com Janice Welch
janice.welch@cygnus.com
 Western U.S. & Western Canada,
SD&I, STE, SIW.com Bobbie Ferraro
bobbie.ferraro@cygnus.com
 Midwest, *SD&I, STE, SIW.com* Brian Lowy
brian.lowy@cygnus.com
 Sales, *Locksmith Ledger* Brian Lowy
brian.lowy@cygnus.com
 Classified Sales Kristy Dziukala
kristy.dziukala@cygnus.com

SecurityInfoWatch.com Contacts

Editor Joel Griffin
joel.griffin@cygnus.com

Other Contacts

List Rental Elizabeth Jackson
ejackson@meritdirect.com

Subscriptions Customer Service

Toll-Free (877) 382-9187; Local (847) 559-7598

Reprints

To purchase article reprints please contact Nick Iademarco at
 Wright's Media: 1-877-652-5295 ext.102 or by e-mail at
niademarco@wrightsmedia.com

Cygnus Business Media

Chief executive officer Paul Bonaiuto
 Chief financial officer Ed Tearman
 President Chris Farrell
 EVP, public safety & security Scott Bieda
 VP Events, public safety & security Ed Nichols
 VP, human resources Ed Wood
 VP, production operations Curt Pordes
 VP, technology Eric Kammerzelt



10Gig Termination Kit!

Meets 10-Gig performance for streaming high bandwidth data, audio or video across Cat6E/A7 Cable. Includes TeleTitanXg™ Crimp Tool, 10-Gig Cat6A connectors, Cable Jacket Stripper and External Ground Crimper in a handy Kit. P/N 90170



Net Prowler™ Advanced Network Tester

Identify, Monitor & Test LAN Issues
Networks – Displays IP addresses, tests throughput
PoE – Load testing to determine voltages
VDV Cables – Verify lengths, & map cable terminations
All in full color and memory to output results.
 Made in USA P/N TNP700



EZ-DataLock™

Prevents Cable Disconnects
 The Snag-Proof Locking strain relief protects and secures a data network 24/7. Prevents inadvertent and malicious cable disconnects, downtime, and tampering. The cable remains locked until the 'Key-Holder' unlocks it.



Since 1997, we have provided the finest wire and cable installation tools, connectors and testers. Including cutters, strippers, crimpers, EZ RJ45® CAT5&6 & coax



connectors and accessories. Today, we are the first choice for low-voltage network installers that cut, strip, terminate and test. 805.384.2777 www.platinumtools.com

Custom Electronics Security Datacom Telecom Electrical

Request information: www.SecurityInfoWatch.com/10216200

ARCHITECTURAL
RECORD

Record
Products
2014

WINNER



SUREClose®

Hydraulic Gate Closer and Hinge

Learn why SureClose is your best option for self-closing hi-traffic or larger gates!



External mount

Self-closes gates
up to 260 lbs



Internal mount

- Powerful hydraulic closer & hinge in one small package!
- Dual bearing glide system for consistent superior performance
- High strength aluminum – tested to 500,000 cycles
- ADA compliant
- Visibly small footprint
- Multiple adjust options – closing speed and final snap action
- Adjusts vertically and horizontally
- Mounting options include fastened and welded
- Highly tamper resistant
- Maintenance free – no messy grease



D&D Technologies
World's most trusted gate hardware



P: (714) 677-1300

E: info@ddtechusa.com

www.ddtechglobal.com

Request Information: www.SecurityInfoWatch.com/10929523

Theia Technologies' TL936 4K-Compatible Motorized Telephoto Lens



Theia Technologies' new TL936 4K Compatible Motorized Telephoto lens works with 1/2.3" 4K image sensors and smaller. The 9-36mm telephoto lens provides 5+ megapixel resolution performance. The f/1.5 lens is excellently IR-corrected to work with true Day/Night cameras in the near IR spectrum, maintaining its crisp resolution even at night.

At only 50mm long and 54mm in diameter, the lens is very compact for a telephoto lens, allowing it to fit in dome cameras. The combination of high resolution performance, excellent IR correction, and

compact size make it ideal for high-detail applications such as traffic monitoring and License Plate Recognition.

The lens will be offered in numerous configurations, including with motorized focus, zoom, and IR cut filter, photo-interrupters, DC auto- and P-iris options, and CS and D25 board mount versions. Production units will be available the third quarter of 2015. For more information, phone us at +1 (503) 570 3296, or email us at info@theiatech.com.

Request more information:
www.SecurityInfoWatch.com/12070577

Theia
TECHNOLOGIES

www.theiatech.com

ComNet's CopperLine®



The All-New ComNet CopperLine® Ethernet over copper line has a completely new look and is now form and fit compatible with all ComNet products. With a greater focus on providing PoE power to devices on the network, the CLFEXPOE line can act as power sourcing equipment (PSE) injecting IEEE 802.3at PoE+ to powered devices as well as support for pass-through POE+ from a different source.

Available in single, 4-, 8- and 16-port models, the CLFEXPOE can be used over twisted pair cable or over coax. The CLFEEOC line is the upgrade to the existing CopperLine® products, offers extended distance transmission with pass-through PoE meeting the IEEE802.3af standard.

The second line, the CLFEPOE series can act as a PoE power source (PSE).

These products are designed for applications where existing copper media, such as coaxial cable or twisted pair (UTP), is currently installed and are a cost-effective alternative to installing new media. All are lifetime guaranteed and made in the USA.

Request more information:
www.SecurityInfoWatch.com/12053675

comnet
Communication Networks

www.comnet.net



Bolide's MVR9004-3G Mobile Video Recorder Solution

The MVR9004-3G from Bolide is a digital video recorder designed for all mobile applications, including ground, air and sea. Our latest innovative design far exceeds current industry specifications. Its embedded GPS enables the ability to identify a vehicle's position with superior accuracy and is accessible through the DVR's integration with Google Maps and its own Central Vehicle Management Software (CVMS).

Built-in shock absorbers prevent damage done by vibration and protect the recorder and its internal components while in motion. The MVR9004-3G uses a 2.5-inch SATA or Solid State Drive, which features faster data transfer speeds and less moving parts, making them more suitable for mobile applications. The device's GPRS (3G) transmission makes it ideal for wireless data transmission and is compatible with most data carriers. An optional 4G

functionality is also available for improved data transmission.

Additionally to the real-time reports this device delivers with the status of the vehicle as position, speed and virtual boundaries, the MVR9004-3G is compatible with useful accessories as ultrasonic gas sensor, panic button, contactless card reader and intercom.

Available in 8-channel compact models with SD support up to 132GB (total), the complete mobile solution works with cameras up to 800TVL and 7-inch monitors.

Request more information:
www.SecurityInfoWatch.com/12069987

BOLIDE
TECHNOLOGY GROUP

www.bolideco.com



EIZO's FDF2304W-IP Monitor

EIZO's FDF2304W-IP is the industry's leading 23-inch IP-ready monitor that requires no additional software or computer to display images directly from your camera.

This solution easily allows for users to interact with live views or playback on the monitor directly instead of fumbling with software or other integrated hardware, saving you time and effort.

With our smart technology, Smart Insight, see what has been hidden in the shadows. Our unique technology adjusts each pixel to display what could be hidden

due to challenging lighting conditions. Smart Resolution makes pixel by pixel adjustments to reduce noise when enlarging (zooming in) on an image so you can see details more accurately. Connect to up to 16 cameras seamlessly.

Request more information:
www.SecurityInfoWatch.com/12070527

EIZO

www.eizo.com/products/duravision/fdf2304w-ip



Enhanced VMS from Exacq

Exacq Technologies' exacqVision 7.0 VMS features enhancements to EasyConnect for faster, easier connections to IP cameras. With EasyConnect, IP cameras are not only discovered through the exacqVision client, they can also be assigned IP addresses and then automatically connected to a recorder — all from the same place. Also with exacqVision 7.0, users can now use VideoPush to push camera views, layouts, tours and groups between the exacqVision client and Exacq Mobile app. The latest version of Enterprise System Manager, a health monitoring program for use with exacqVision Enterprise networked video recorders (NVRs), offers configuration export and import to exacqVision recorders.

www.exacq.com

Request more information:

www.SecurityInfoWatch.com/12053051



Supernova SAN Storage System from BCDVideo

The architecture of the BCDVideo BCD2760 storage system makes it easy to use and install. This system is well suited for any smaller office, as well as any enterprise environment in which minimizing cost and complexity is critical. It fits seamlessly into any application-driven storage environment, with multiple host interfaces, drive technologies, and disk shelf options. The BCD2760 incorporates worry-free technology to minimize ongoing management and maintenance. The streamlined design of the BCD2760 is well suited for a wide range of workloads. It provides high bandwidth and IOPS levels for today's applications, with an architecture built to drive optimal performance.

www.bcdvideo.com

Request more information:

www.SecurityInfoWatch.com/12053255

www.SecurityInfoWatch.com

Multi-Sensor Panoramic Dome from Axis Communications

The AXIS Q3709-PVE provides situational awareness of a large area, making the camera ideal for city surveillance applications, as well as in installations in stadiums, airports and train stations. Installation is easy, reliable and cost-efficient. No focusing is required since the lenses are factory-focused. The camera comes in a stylish and discreet design with a removable weather shield that protects against rain, snow and sunlight that can also be easily repainted to blend in with the environment. The camera provides a 180° overview in up to 33 megapixel resolution. It offers a video streaming performance of 3 × 4K at 30 fps or 3 × 11 megapixels at 20 fps. The camera is outdoor-ready with IP66 and NEMA 4X ratings, and is vandal-resistant with IK10 rating. www.axis.com
Request more information: www.SecurityInfoWatch.com/12067459



In the ever changing world of communications, the DKS 1830 Series of Telephone Entry Systems has adapted to allow both voice and data to be sent via simple copper lines or through the air to cell towers. Form and Function that evolves with today's technology.

Get Voice and Remote Programming via:



Cellular Wireless

Easy to install and setup, with instant access. No telephone lines or ethernet cable to install or maintain.



Voice over IP

DKS telephone entry systems now work with most VoIP to provide for reliable two-way voice communication and data transfer using your internet connection.



Wireless 2.4 GHz point to point

Excellent solution when trenching is not an option.



POTS Copper Phone Lines

Easy plug and play with our IM-Server interface.



For more information:

doorking.com/connect

800-673-3299 info@doorking.com

Request information: www.SecurityInfoWatch.com/10213482

Parking Control Access Control Telephone Entry Gate Operators

Member: AFA, DASMA, NAA, IDA, NOMMA, NPA, SIA, SSA

AT&T 4G LTE logo and all other AT&T marks contained herein are trademarks of AT&T Intellectual Property and/or AT&T affiliated companies.

Video Surveillance



Bolide's Angelo BC1109AVAIR AH High Definition Camera over Coaxial

The dome BC1109AVAIR AH is part of a new High Definition over Coaxial series of cameras manufactured by Bolide Angelo HD. This line of cameras delivers HD 720P image quality and includes a 1-megapixel SONY sensor. These HD cameras can utilize existing infrastructure and deliver quality that is far superior to traditional analog CCTV with a cost-effective solution to upgrade your analog system to an HD-quality product.

Angelo HD cameras deliver very detailed high definition images with no compression artifacts or transmission-related delays. Angelo HD line of cameras can be easily integrated into an existing 960H/

D1 system, making the BC1109AVAIR AH dome with varifocal lens 2.8-12mm, and IR 20M distance IR LEDs totally versatile for different projects and installations.

Angelo Series also offers bullet cameras models and different dome casings to fit the requirements of many different installations.

Request more information:
www.SecurityInfoWatch.com/12069994



www.bolideco.com



EIZO's FlexScan EV3237 4K Monitor

EIZO's FlexScan EV3237's 4K UHD resolution and 60Hz refresh rate offers incredible versatility for viewing up to four HD inputs on one screen.

A non-glare panel customary to all EIZO displays is included for optimal viewing in any environment, no matter the ambient lighting conditions.

The display provides both Picture in Picture (PiP) and Picture by Picture (PbP) so that multiple input signals can be viewed on the same screen easily.

An overdrive circuit minimizes ghosting or blurring in moving images so that they always look clean and sharp. An IPS panel has wide viewing angles exhibiting minimal changes in contrast and hue when

viewed from off center so that multiple people can look at the same screen without losing any detail.

Its energy-saving features make it a great choice for 24/7 operations like a presence sensor that prompts the monitor to switch to power save mode when you are not in front of it and power back on when you return.

Request more information:
www.SecurityInfoWatch.com/12071039



www.eizo.com/products/flexscan/ev3237



Wi-Fi Video Monitoring Camera from FLIR

FLIR Systems has released FLIR FX, a compact, versatile Wi-Fi-enabled HD camera that integrates unique cloud-based analytics and flexible application-specific mounts.

Optional accessory mounts facilitate use in an array of applications including in-home monitoring, outdoor security, sports activity, vehicle dash-camera recording and more. Users have the ability to stream live HD video to a smartphone or tablet with or without an internet connection, record video to a removable Micro-SD card, review events that are recorded utilizing motion detection algorithms, communicate with two-way audio, and quickly review hours of video with FLIR's Cloud-based RapidRecap capability. A SmartZone feature allows users to identify specific areas within the camera's field of view for movement detection, which in turn triggers an instant alert to a user's mobile device of choice. www.flir.com/fx

Request more information: www.SecurityInfoWatch.com/12063198

Bosch's AUTODOME IP 4000 and AUTODOME IP 5000 PTZ cameras

With the launch of its new AUTODOME IP 4000 and AUTODOME IP 5000 models, Bosch extends its family of pan-tilt-zoom (PTZ) cameras. These new models of motion control cameras help to locate, track and zoom in on details, providing relevant information that enable operators to react instantly and make accurate decisions. They add precise identification of objects of interest over large distances and hands-on control to all kinds of video surveillance solutions. Typical applications are large retail stores, shopping malls, convention centers and casinos. The cameras feature Intelligent Defog to considerably improve the camera's visibility when viewing foggy or other low contrast scenes. Intelligent Dynamic Noise Reduction reduces bitrates by up to 50 percent to significantly reduce storage costs and network strain. <http://us.boschsecurity.com>

Request more information: www.SecurityInfoWatch.com/12063300



Pelco's VideoXpert Video Information Management System

Pelco by Schneider Electric has launched VideoXpert, a new experience in video information management systems. Designed with a powerful, intuitive user interface, it features a plug-in architecture for system expansion and third-party integration, providing the flexibility



to grow and expand in functionality for many types of facilities and applications. VideoXpert features include: Scalability to support security infrastructures of any size; the ability to aggregate existing VMS networks and manage all video through a unified interface; Microsoft Windows-based for easy installation and management; embedded mapping interface; the ability to create user interfaces with up to six monitors, each capable of displaying 16 video streams; Extensible user interface plugin framework to associate video with other information content; and support for digital PTZ in live or in playback views. www.pelco.com

Request more information: www.SecurityInfoWatch.com/12063280

4K Security Camera from Sony

Sony has added 4K imaging to its line of security technologies, with the SNC-VM772R camera, which combines the enhanced resolution of 4K with low-light sensitivity leveraging 1.0 type back illuminated Exmor R CMOS image sensor, bandwidth optimization features, and intelligent scene capture capability to adopt the best picture quality. The unit is ideal for city surveillance, transportation, railway, traffic monitoring and airport surveillance applications. 4K technology gives security users the ability to capture content at four times the resolution of Full HD (1080p). With the exceptional detail provided by 4K technology, security professionals can expand their wide area surveillance and still capture, magnify and examine the smallest parts of a scene like a face or a car license plate number — all with a single camera. www.sony.com/4Ksecurity

Request more information: www.SecurityInfoWatch.com/12063294





IP Surveillance Line from Vitek Industrial

Vitek Industrial recently showcased an IP surveillance line at ISC West, including: On Cue IP, a real-time NVR with the simple, award-winning interface and CMS; Alpha IP cameras, including the VITEK Alpha 2.38 MP Bullet Camera with 3.6 mm Fixed Iris Lens and the VITEK Alpha 2.38 MP Dome

Camera with 3.6 mm Fixed Iris Lens; and the Enhanced Network Video Integration (ENVI) series IP cameras and network devices, which are all ONVIF Profile S standard in addition to their direct integration with some of the industry's most popular enterprise software and network camera products. ENVI features include Dual Streaming H.264/MJPEG transmission, PoE options, and a variety of cost effective, practical designs. www.vitekccctv.com
Request more information: www.SecurityInfoWatch.com/12053382

Network Video Management System from American Dynamics



American Dynamics, part of the Security Products business unit of Tyco, has introduced the latest release of its VideoEdge Network Video Management System with a deep feature set designed for the active surveillance power user in the enterprise space. The latest release adds a new transcoding engine, which provides 14 video streams per NVR for superior bandwidth utilization as well as CPU resource optimization and memory usage. This allows users to pool NVRs to provide up to 84 dynamic H.264 video streams per NVR cluster without the need for any dedicated transcoding server. An IOS mobile app or web client is available via any HTML 5.0 browser. Analytics include queue length, crowd forming, and color recognition. www.americandynamics.net
Request more information: www.SecurityInfoWatch.com/12057395



Bolide's BN1008FE 360° Camera with 6MP Resolution

The BN1008FE from Bolide is the ideal solution to get a perfect 360° view of any place. It covers a wide-ranging area and avoids the use of several cameras normally required to monitor similar areas. It provides the best panoramic recording of events and the most detailed image with the 6MP resolution.

All images registered by the BN1008FE are de-warped to give an all angle view from a single 1048x1024 pixel stream in real time.

It delivers full 25/30fps no matter the orientation, and can record at either 180° or 360°. When it records in 180°, it is also possible to deliver from e-PTZ or ROI

(Region of Interest) panoramic wall stream @2048x1024 pixels.

The BN1008FE is a widely favoured solution that suits all technical and aesthetic needs. This network camera has ONVIF compliance that maximizes its performance when compatible with additional software available.

Request more information: www.SecurityInfoWatch.com/12070003



www.bolideco.com



IP Dome Cameras from Toshiba

Toshiba Surveillance & IP Video Products has introduced IK-WR31A and IK-WD31A IP dome cameras. Both provide crystal-clear 3MP resolution video enhanced by built-in adaptive IR LEDs, H.264 Smart Codec video compression, and a Hallway View feature that rotates the camera's standard view 90° to portrait orientation for the effective monitoring of long, narrow spaces such as alleys, warehouse and grocery aisles, or school hallways. In addition, the IK-WR31A is ruggedized for outdoor deployment with an IP66 rating, and for vandal prone areas with an IK10 rating. The IK-WD31A is for indoor use only. The cameras are ONVIF compliant for seamless integration with Toshiba and other ONVIF compliant recording solutions. www.toshiba.co.jp
Request more information: www.SecurityInfoWatch.com/12060777

DISCOVER THE POWER of CLOUD BASED COMMERCIAL ACCESS SOLUTIONS



REMOtelock ACS FROM LOCKSTATE



SCALABLE SYSTEM — LOWER YOUR COSTS — INCREASE SECURITY

The RemoteLock ACS is a cloud-based access management system that integrates external door controllers with internal stand-alone WiFi connected locks for a complete access solution.



Remotelock ACS FROM LOCKSTATE

www.RemoteLock.com/remotelockacs-1 (877) 254-5625

Request information: www.SecurityInfoWatch.com/12023740

Video Surveillance



Bolide's BN6035M4 Featuring 4MP Image in Real Time

The BN6035M4 from Bolide is a bullet camera with the best characteristics for indoor and outdoor installations thanks to its IP66 and IK5 rated protection.

This bullet camera delivers HD image of 2688(H) X 1520(V) with a forensic level of video — the quality level and detailed information needed in many specific applications and infrastructure projects.

With Super Flux IR LEDs of up to 25mts irradiation distance, this bullet camera will also offer clear images 24/7 and permanent backup in case of any loss in the network, thanks to the local SDcard storage that support up to 64GB capacity.

The new line of cameras with 4 Megapixel resolution is also available in dome and box casings and is a competitive option in the security market.

Request more information: www.SecurityInfoWatch.com/12070011



www.bolideco.com



Theia Technologies' SL/TL410 4K Lens

Theia Technologies' new SL/TL410 4K lens is designed for the popular 1/1.7" 4K image sensor or smaller and provides 12 megapixel resolution performance.

The 4-10mm varifocal lens boasts the fastest F number in the industry for that sensor at f/1.4 for excellent light gathering ability. The lens is IR corrected for use with true Day/Night cameras and maintains its crisp image in near IR light.

The lens is the most compact available in the 4K category to date. At only 64mm long and 59mm in diameter, the lens is designed to fit in dome cameras.

The lens will be offered in numerous configurations, including with motorized focus, zoom, and IR cut filter, photo-interrupters, manual, DC auto- and P-iris options, and CS, C and D25 board mount

versions. Production units will be available in the third quarter of 2015.

The lens is part of a family of 4K 12 megapixel Day/Night lenses designed for the 1/1.7" sensor, with the SL/TL1250 12-50mm compact telephoto lens to follow in Q4 of 2015. For more information, contact us at +1 (503) 570 3296, or email us at info@theiatech.com.

Request more information: www.SecurityInfoWatch.com/12070575



www.theiatech.com

Digital Watchdog's Analog High Definition Cameras and NVRs

Digital Watchdog has unveiled a line of AHD (Analog High Definition) products. The VMAX AHD CORE DVR and STAR-LIGHT AHD Cameras offer 1080P images and recording and have been engineered to utilize an existing analog structure, increasing ROI while reducing installation time and complexity to provide an HD surveillance solution in minutes. The STAR-LIGHT cameras use existing coaxial cables to transmit crystal-clear detailed 1080p images. AHD technology leverages the robustness of analog signal infrastructure for a seamless upgrade to the details and clarity of 1080p high definition resolution. The cameras offer 2.1MP resolution and powerful features such as P-Iris Lens, Double Shutter Wide Dynamic Range (WDR) and True Day/Night with Mechanical IR Cut Filter.

www.digital-watchdog.com

Request more information: www.SecurityInfoWatch.com/12063973



Arecont Vision's MicroDome IP Megapixel Cameras

New MicroDome G2 cameras from Arecont Vision have been enhanced with the added convenience of remote focus and three-axis adjustment to facilitate ease of installation and set-up. This is the second generation of the company's popular all-in-one ultra-low profile MicroDome family. The 1.2MP model features NightView low-light technology and an integrated 2.8mm lens. The cameras are also available with optional Wide Dynamic Range (WDR) in 1080p and 3MP resolutions. They employ true mechanical day/night IR cut filters for excellent low light performance, and also feature dual H.264 (MPEG-4 Part 10) and JPEG encoding, fast frame rates, on-camera privacy masking, motion detection, bit rate control, multi-streaming, and forensic zooming. The cameras are IP66 (-S models) and IK-10 rated for use in challenging environments.

www.arecontvision.com

Request more information: www.SecurityInfoWatch.com/12064357



Samsung Wisenet Lite IP Cameras

Samsung Techwin America has introduced a new series of Wisenet Lite IP Cameras that includes 1.3 MP and 2 MP Full HD IP cameras available in a number of configurations and feature sets. The 10 cameras in the new line includes four camera styles: Indoor domes (SND-L5013 and SND-L6013); Indoor domes with infrared illumination (SND-L5083R, SND-L6013R and SND-L6083R); Outdoor domes with infrared illumination (SNV-L5083R and SNV-L6083R); and Bullet cameras (SNO-L5083R, SNO-L6013R and SNO-L6083R). The cameras feature 60dB Digital Wide Dynamic Range (DWDR) and Lens Distortion Correction (LDC), which compensates for image distortion that can occur with wide angle lenses. The cameras also offer the ability to record anytime and anywhere via built-in SD card slot or NAS direct recording capability.

www.samsung-security.com

Request more information: www.SecurityInfoWatch.com/12064423

Video Recording Platform from NUUO

NUUO has launched the Titan Pro Platform for its Linux-based VMS solution. Designed for mid-scale systems, it provides customers with powerful recording capabilities and features to achieve system scalability, seamless integration. The unit ramps up recording performance throughput to 550Mbps with a maximum of 32TB embedded storage and 48TB in the future. Features such as boost recording, selectable recording duration by camera and the ability to assign individual cameras to a volume group help manage recording storage space. A newly developed Help Manager is an embedded Linux diagnostic tool to help the integrator collect system performance data over time, receive notifications when a fault condition occurs and to aid in resolving system issues in a timely manner. www.nuuous.com

Request more information: www.SecurityInfoWatch.com/12064454





Genetec's Security Center v 5.3

Genetec's Security Center version 5.3 features a way to help end users attain greater performance with their system to efficiently view ultra-HD and megapixel resolutions via GPU-accelerated video decoding capabilities. Leveraging off-the-shelf video graphics cards, Security Center will be able to display more high-resolution streams and enhance the fluidity of video playback, while minimizing investment in additional workstations. Additionally, new Incident Recording capabilities in Security Center will enable seamless export and sharing of archived incidents. It will allow operators to storyboard complete incidents following the sequences in which they occurred by simply dragging cameras of interest within Security Center monitoring tiles, reducing time spent compiling video exports. www.genetec.com
Request more information:
www.SecurityInfoWatch.com/12053727



High Quality Analog (HQA) Products from Honeywell

Honeywell has added High Quality Analog (HQA) to its Performance Series lineup, a video surveillance solution that provides high-resolution images on analog infrastructures, reducing the time and costs typically associated with installing new IP or hybrid HD systems. Honeywell HQA uses high-definition over coax (HDoC) technology – allowing dealers to use existing analog cable to get HD quality without the need to design new infrastructure or rip and replace wires. Additionally, a choice of nine different cameras and nine DVRs make it a more cost-effective solution than IP products. HDoC technology enables 720p or 1080p high-definition analog cameras at short and long range. Incorporating True Day/Night features, they can be added to existing non-HD analog cameras without network interference to minimize downtime. www.honeywellvideo.com
Request more information:
www.SecurityInfoWatch.com/12059714
www.SecurityInfoWatch.com

HD Dome Camera from LILIN

LILIN Americas is now shipping the IPS4304E outdoor 1080P HD PTZ Dome IP camera with 30x optical zoom. It includes Wide Dynamic Range, allowing it to deliver full HD picture quality in challenging lighting conditions by capturing highlights and shadows simultaneously, eliminating the appearance of pixilation or smear. When combined with built-in 3D noise reduction technology and adaptive tone reproduction, the contrast of images in bright or dark areas is dramatically improved for accurate subject identification. A Defog feature uses an advanced automatic adjustment using built in DSP to enhance images in foggy environments. It also features a 30x optical zoom lens (4.4 - 132mm) and 12x digital zoom. An on-board processor generates electronically stabilized images in multiple display formats up to 30 frames-per-second. www.LILIN.us
Request more information: www.SecurityInfoWatch.com/12053837



Sesamee® Weather Covered Laminated 450 Series



.....
Now Speaking All Languages
universally-understood color improves security identification



Features:

Designed to protect the lock from the elements such as water, ice, dirt and grime, so it can be used in manufacturing environments, storefront and business gates, and even on truck doors.

- Unique sliding bottom plate to protect the keyway
- Alloy shackle with PVC cover
- 4 pins in the M1 keyway
- Dual ball locking mechanism
- Anti-bumping, anti-picking, anti-drilling cylinder

Contact us for a Distributor near you!
No "Big Box"



A Division of The Eastern Company | Telephone: 800.733.8588 | www.cclsecurity.com



Request information: www.SecurityInfoWatch.com/10213160

Access Control & Door Hardware

Retrofit Access Control for Exit Devices from SDC


SDC's Quiet DUO™ LR 100 Electric Latch Retraction Kit enables electric access control and dogging of mechanical exit devices. When energized, the motor retracts the exit device latch and pulls the pushpad on most devices into the dogged (depressed) position, enabling momentary or sustained push and pull door operation.

The LR 100 retrofits most major exit devices including: Adams Rite, Arrow, Best, Cal-Royal, Corbin Russwin, Design Hardware, Detex, Dorma, Dor-O-Matic, Falcon, Hager, IDC, K2, Marks, Marshall Best, PDQ, PHI, Precision, Sargent, Schlage, SDC, Tell, Town Steel, Von Duprin and Yale. With higher voltage tolerance — up to 26.5 volts — and stronger pulling force, the LR 100 provides quiet, low current durability.

Series features include:

- Motorized electric latch retraction & dogging for fire- & non fire-rated devices;
- Retrofits select exit device brands without removing device from the door;
- Removable latch head cover and end cover plate;
- Low 700mA Inrush, 200 mA Continuous @ 24VDC;

www.sdcsecurity.com/LR100-QUIET-DUO-ELR-Kit.htm



Benefits include: Elimination of costly replacement of existing exit devices; less labor and costs compared to competitive retrofit kits; eliminates costly power supplies with high inrush circuitry; compatibility with UL Listed access control power supplies; 1 Amp SDC brand power supply required for up to 2 exit devices; low current enables longer wire runs with smaller gauge wire; and no door sequencers required for pairs of manual doors.

For more, please call 1-800-413-8783 or visit the link below.

Request more information:
www.SecurityInfoWatch.com/10247238



Trine's 4850-ITL: The Ultimate Installation Tool is Now Being Sold

The ultimate tool for installing electric strikes is now being sold, come to www.trineonline.com to learn how to buy your 4850ITL for use with rim panic devices. As with all Axion strikes from Trine, this tool was designed to install the entire 4800 series line of strikes quickly and accurately the first time making the best installation available today.

The 4850ITL is not just a template, it is made from actual production parts giving the installer the ability to adjust for common door issues such as sagging and misalignment. By placing the ITL on the frame, it allows the installer to "feel" the strike working with the door and panic device allowing for fine adjustments before holes are drilled.

The flexibility and therefore accuracy of the 4850-ITL is derived from our patent pending magnetic holding system built into the body of the tool.

Combine this with a custom center punch that is included with every 4850-ITL used to make perfectly centered marks on the frame, this tool is a must for every installer of electric strikes.



Search "4850ITL" on www.youtube.com to see more.

Request more information:
www.SecurityInfoWatch.com/12071049



CL3100 Series Lock from Corbin Russwin



Corbin Russwin's CL3100 Series is the ideal solution for the toughest environments within education and healthcare

facilities. With unique, patented T-Zone lock construction where the lockbody and latch tube interlock in the critical twist area, the CL3100 will last the lifetime of a facility. Tested to over 15 million cycles and over 3000 inch lbs. of torque, the vandal resistant lock provides strength and durability that easily exceeds ANSI/BHMA Grade 1 requirements for torque and cycle testing. And, because few components are required when changing the lock function, the design simplifies facility maintenance and lowers the cost of ownership.

Available in 18 functions with 12 hardware finishes including an anti-microbial coating to supplement cleaning protocols for healthier environments, the CL3100 Series integrates into most existing

facility's key systems and retrofits most standard 161 cylindrical lock door preps.

In addition, the CL3100 Series contributes to your sustainability effort with less lock replacements due to its long life and high post-consumer recycled content.

Flexible, strong, and durable — this lock can take whatever you give it.

Request more information:
www.SecurityInfoWatch.com/10836842



www.corbinrusswin.com

Loc-Down™ by MARKS USA: Life Safety Classroom Intruder ANSI/BHMA F110 Function Leverset

To answer the challenge of security and life safety in today's classroom environment, Marks USA Custom Lockset Division has developed the Loc-Down™ Classroom Intruder ANSI/BHMA F110 Function Leverset with Clutch Design

(Marks USA Function DB). Marks USA has incorporated all of the standard features of their Survivor Series Locksets (clutch system, super strength retractor, long-life lever support springs and a life test of over 3 million Cycles) with their new Life Safety Classroom Intruder Function.

At the first sign of trouble outside, lock down a classroom instantly with Marks USA's Loc-Down™ Intruder Locksets. Typical Classroom function cylindrical locksets are designed to be locked or unlocked from the



exterior with the interior always in an open position, but allows in emergency life safety situations the teacher to secure the classroom without stepping into the hallway to lock the outside handle. Faculty and students remain safely within the classroom. There is no need to open the door, the exterior lever is disabled by operating the interior lock cylinder.

Request more information:
www.SecurityInfoWatch.com/10889196

www.marksusa.com



Yale Commercial Solutions



Take the next step in security



Introducing nexTouch™, a suite of next generation solutions designed specifically for the multi-family and small business markets. With user-friendly technology and effortless integration into your facility, you can easily increase the security, convenience, and value of your properties.

nexTouch™

Learn how you can take the next step in security

www.intelligentopenings.com/nexTouch

Access Control & Door Hardware

Alarm Lock's Trilogy Series with School Access Control Vulnerability Index

Alarm Lock offers the leading, largest line of electronic PIN/Prox access locks: Trilogy® and network-controlled wireless Trilogy Networx™ for all door types, locks and keypads. Ideal when budgets, time or hardwired-system capacity runs short, you can use the same HID Prox ID cards, yet deploy in an hour, downtime-free, a door at a time, at less than a third of the cost.

Alarm Lock's Trilogy® Access Locks are ideal in case of emergencies, as these advanced wireless locks can provide schools, hospitals and business campuses immediate lockdown by pressing a button on a pocket-sized remote keyfob.

Alarm Lock's DL3200 standalone Trilogy Lock provides keyfob-activated classroom lockdown, from safely inside the classroom, with a typical range of up to 100'.

For a global lockdown solution that also eliminates door-to-door operations, Trilogy Networx™ can be locked down or unlocked campus-wide in under 10-seconds, from a keyfob, wireless panic button or from the school server.



SAVI, the Security Access-Control Vulnerability Index™ was created for security professionals to use as an objective, brand-agnostic audit tool to evaluate any school's access control vulnerability. On an easy electronic form, you simply enter the kinds of security in place to both get their score, plus next steps for improved security. To become a certified SAVI professional, call 1-800-ALA-LOCK for training or email SAVI@alarmlock.com.

Request more information:
www.SecurityInfoWatch.com/11238845



ALARM LOCK

www.alarmlock.com



Sustainable Access Control: EcoFlex and EcoPower from ASSA ABLOY

EcoFlex electrified mortise locks, available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, offer a remarkable 96 percent reduction in energy usage compared to standard electrified mortise locks. The lock is ideal for electronic access control applications whether it's used as a basic electrified lock in conjunction with a wall reader or in an integrated hard-wired lock.

EcoPower, from ASSA ABLOY Group brand Securitron, is a highly efficient power supply designed to work with low-power electrified locks. This small, 4" cube access control power supply reduces standby power consumption to only 8.5mW (0.0085W), a 99% decrease compared to current linear and switching

power supplies.

When used together, the EcoFlex and EcoPower solution is GreenCircle® Certified to reduce power consumption up to 99% in both fail-safe and fail-secure applications, from up to 20W to 0.3W.

This energy efficient solution offers a cost-effective alternative to traditional solutions. Recently recognized with a Top Product of the Year Award from the Environmental Leader Product & Project Awards, the EcoFlex and EcoPower solution showcases ASSA ABLOY's commitment to bringing more sustainable security solutions to the market.

Request more information:
www.SecurityInfoWatch.com/12072782



www.intelligentopenings.com/EcoFlex

SDC's E70 Series Locksets with Bluetooth Software for Programmable Standalone Security

The SDC EntryCheck® E70 Series features Bluetooth-enabled software and 10,000 event audit trails in two new models.

EntryCheck® is a simplified solution requiring no wires, fewer components, less labor and costs for access control of single doors up to 3,000 users.

These indoor/outdoor, standalone, wireless electronic battery powered solutions provide controlled access for basic and multi-level high security requirements. EntryCheck® locksets are keypad programmable, and combine multiple access technology with efficient SDC electrified cylindrical and mortise locksets and exit devices. E75 models can be retrofitted to existing prep for cylindrical locks.

It includes point-and-click Microsoft PC-based software; supports up to 1,000 unique doors; manages up to 3,000 unique users and credentials; and manages individual door parameters, access schedules, user groups, holidays, temporary users, and more.

Other Features

- Keypad Programmable
- 4 to 6 Digit PIN Codes



- 3 Passage Mode Option
- 32 Access Groups, Schedules
- 32 Holidays
- 4 Authority Levels
- Keypad Tamper Lockout
- Mechanical Key Override
- Battery Powered (4AA)
- Blue Backlit Cast Metal Keys
- Weather & Vandal Resistant
- Heavy Duty ANSI Grade 1
- Vandal Resistant Lever Handles

Request more information:
www.SecurityInfoWatch.com/12070565



www.sdcsecurity.com/E70-Standalone-Electronic-Locksets.htm

Corbin Russwin's BHSS Trim for Mortise Locks

Elegant. Strong. Versatile. Today, healthcare facilities are transforming the patient experience, combining safety and reliability with aesthetics. Corbin Russwin's innovative BHSS trim, designed for mortise locks, integrates the lever and escutcheon, creating a superior design that is safe, easy to use and aesthetically pleasing. Its streamlined look and feel brings an elegant style to the most demanding environments and fits perfectly in modern behavioral health areas or school environments.

The ANSI/BHMA Grade 1 BHSS trim features a low profile which eliminates catch points typically found on traditional lever trim. Accepted by NYS Office of Mental Health (OMH) and recommended by the National Association of Psychiatric Health Systems (NAPHS) for use in high risk areas, the BHW trim minimizes risk and contributes to patient safety in behavioral health specific environments.

Available in 36 different functions, including electrified, the BHW trim can also be used in many school applications



including locker rooms, storage rooms and back entryways where carts or other equipment tend to damage the door and its hardware.

Request more information:
www.SecurityInfoWatch.com/12070082



ASSA ABLOY

www.corbinrusswin.com



WE MADE **ANTHONY** AN ACCESS CONTROL ACE

SECURITY LOCK DISTRIBUTORS HOOKED HIM UP WITH THE SMARTEST SOLUTION.

Anthony finally got the PO to upgrade the access control system at his customer's facility. But he wasn't sure where to start. Biometric systems, electronic locks, RFID systems...the options were endless. So he talked to a technical sales expert at Security Lock Distributors, who helped him select a cutting-edge solution that respected the job specs and integrated perfectly with his customer's existing systems.



Evolving technology, expert knowledge.

seclock.com | 800-847-5625



ALLEGION™

Authorized Allegion Distributor



■ *aptiQ*



■ *XceedID*

■ LCN

■ VON DUPRIN



**SECURITY
LOCK DISTRIBUTORS**

INFORMED. IN STOCK. IN DEPTH.

Request information: www.SecurityInfoWatch.com/10215009

Access Control & Door Hardware

SDC's IP Pro™ Door Controller

The world is wired. Internet cable is everywhere. SDC's IP Pro™ IP-based Single Door Access Controller — with embedded software and expandable up to 32 doors — bridges the gap between traditional locking hardware and IT networks. Imagine the savings in cost and installation time not having long cable runs and power supplies for every door by simply tapping into the nearest Ethernet connection or eliminating controllers for powering access control devices.

Until now, IP security systems have focused on networks, software and cameras, without truly addressing the missing link to any complete access control solution: securing the door opening.

The SDC IP Pro™ Controller allows for simple door access control via LAN or internet connected device. The controller installs easily at the door and only requires a single network cable, reducing costs. Expanding to additional doors is as simple as installing a new IP Pro™ door controller and connecting to the nearest network switch. Rounding out our solution are SDC IP Pro™ Injectors and Splitters and low power, PoE Capable Locking Hardware — the same robust, reliable SDC Locking Devices, Access Controls, Egress Devices



and Power Transfer Devices the industry has relied upon for over 40 years. Gone are the days of mixing and matching different brands of hardware, software and IP components. Everything is compatible and guaranteed to work. Customers select each component they need to adapt to their unique door system.

See how IP security has finally reached the door with SDC's IP Pro™ and our PoE solutions at the link below, or call 1-800-413-8783

Request more information:
www.SecurityInfoWatch.com/12053249



www.sdcsecurity.com/ippro

CA3000 Enterprise Security Software from Continental Access

Continental Access, a division of Napco Security Technologies Inc., has released CA3000 version 2.9 software that not only provides robust access control functionality and seamless integration with alarms, locking and a growing list of video systems, but offers a host of many sought-after features, including the ability to run the CardAccess 3000 and associated applications as Windows services and the ability to control access to the CardAccess GUI using Lightweight Directory Access Protocol (LDAP).

Support for the Continental's new and robust Super-Speed 16-door Accelerterm Controller is also available. Plus, more video integration partners have been added to their growing list, now including Pelco, HiTron, Milestone, Dedicated


Micros, as well as Salient and Integral.

New CA3000 v2.9 also includes many enhancements to the existing features, providing the front-end of Napco Fusion, it is the complete seamless interoperable solution for Gemini Intrusion & Fire Systems, access control, video and wireless locks.

The CardAccess 3000 version 2.9 software also provides additional support for sister division, Alarm Lock's Trilogy Network locks, now in both cylindrical and mortise models, with the utilization of a Door position contact and Request To Exit (RTE) button feature.

Continental offers training classes across the country and free online webinars, as well as retrofit rebate programs and cost-saving software upgrade plans.

Request more information:
www.SecurityInfoWatch.com/10834305



www.cicaccess.com

4200: The Electric Strike Game-Changer from Trine

The 4200 from Trine is THE cylindrical lock and deadlatch One Box solution. A 1 1/16" shallow backset works great in tight installations such as aluminum and concrete filled frames. This electric strike comes with 4 different faceplates in the box, which means you will always have the right plate for the job. Our low current draw and ability to accept 12 and 24 DC, 12-24 AC voltage means you never need to worry about power.

Trine has changed the market with the 4200's removable fascia. For decades, changing the faceplate finish (which you see 5% of the time) didn't mean changing the black ramp (which you see 100% of the time). Now the fascia and trim skirt can be changed to match the color of the frame making the best installation possible.

This electric strike has the tallest latch cavity in its class, nearly twice what the competition offers. This provides flexibility for installers with everyday door problems to make adjustments in the field and get off the job quickly. The flexibility of the 4200 is revolutionizing how electric strikes are perceived.



For more information and specifications on the new 4200 electric strike solution, visit the website below.

Request more information:
www.SecurityInfoWatch.com/11416076



www.trineonline.com/4200.php

ASSA ABLOY's EcoFlex™ Energy-Saving Mortise Locks

The EcoFlex™ electrified mortise lock platform from ASSA ABLOY Group brands Corbin Russwin and SARGENT is available with high-security monitoring options and deadbolt functionality.

The EcoFlex mortise lock platform is now available with internal end-of-line resistors for comprehensive monitoring of the circuit between the access control panel and lock. End-of-line resistors are commonly improperly installed at the access control panel or above the door, leaving the wiring to the lock vulnerable to undetected tampering or damage. In addition, the labor to add end-of-line resistors at the site increases installation costs and jeopardizes quality by relying on manual installation.

Integrating end-of-line resistors into the lock not only eliminates the risk of undetected tampering, but reduces installation costs, simplifies specification, and offers the assurance of a factory installed and tested product.

EcoFlex electrified mortise locks are also now available with a deadbolt privacy function that disables remote access control unlocking (such as a keypad) or scheduled unlock when the deadbolt is engaged. This option is ideal for personal privacy areas



such as nursing rooms, on-call doctors' rooms, and restrooms.

With these newly available monitoring options, facilities can now easily apply request-to-exit, door position sensing, and deadbolt monitoring to an electrified mortise lock opening with a single SKU.

EcoFlex electrified mortise locks reduce energy consumption up to 96% compared to standard electrified mortise locks, as certified by GreenCircle.

Request more information:
www.SecurityInfoWatch.com/12070088



www.intelligentopenings.com/EcoFlex



SELECT Geared Continuous Hinge

Do your customers complain about a “problem door?” Chances are, the problem isn’t the door. Or even the lock. Fix the real problem — worn butt and pivot hinges — and deliver total door service with SELECT geared continuous hinges. A SELECT geared continuous hinge surpassed 25,000,000 open/close cycles in laboratory testing — equivalent to 60 years of high-traffic use and 10 times beyond BHMA Grade 1 cycle count. That’s why we can offer the industry’s only Continuous Warranty™, a warranty that never expires. SELECT hinges eliminate hinge repairs forever and are ideal for high-traffic doors in retail storefronts, schools, convention centers, sports facilities, airports and other public buildings. Call 800-423-1174 or visit www.select-hinges.com.

Request more information:
www.SecurityInfoWatch.com/12070571



The Schlage® NDE Series Wireless Lock with ENGAGE™

The Schlage® NDE Series Wireless Lock with ENGAGE™ Technology is perhaps the easiest electronic lock on the market to install, connect, manage and use. Here’s why: NDE locks fit into standard cylindrical door prep to upgrade without replacing doors. They install in minutes using only a Phillips screwdriver, and lever handing is field-reversible in seconds without tools. Electronic credentials are easily issued on cards or smart phones, and users can configure settings, manage users and view audits and alerts with ENGAGE cloud-based web and mobile apps. For upgrading interior doors to electronic credentials, Schlage NDE Locks are THE easiest and most cost-effective solution. For more information, contact Access Hardware Supply, 855-847-5691, or www.accesshardware.com

Request more information:
www.SecurityInfoWatch.com/11621245

www.SecurityInfoWatch.com



custom items. The company employs talented personnel who possess the ability to think “outside the box.” This kind of thinking has given Marks USA its niche in the contract hardware industry. Marks USA’s product lines include architectural grade, BHMA & UL code compliant mortise, cylindrical & tubular locksets, electronic access control, biometrics, hospital/life safety & anti-ligature locksets, ornamental iron locksets, HI-SECURITY™ cylinders, panic devices and door closers. www.marksusa.com
Request more information: www.SecurityInfoWatch.com/10217302

Access Control Solutions from Marks USA

Marks USA was established in 1977 as a mortise lock manufacturing company that would meet the needs of an expanding market. Since then, the company has grown and expanded its’ product line to include residential, institutional and commercial locksets to meet and exceed the most stringent UL and ANSI specifications.

Marks USA has the capabilities to produce both standard and

Detex Works Here.



Where Trust Is Built

Detex offers a wide range of life safety and security door hardware products that are durable, easy to install, innovative, and architecturally designed. Engineered to withstand high use and high abuse, Detex hardware has evolved with the help of customer input, backed by decades of experience in the marketplace. From classroom doors to service entrances and operating rooms to main entrances, every application is covered by Detex.

For more than a century, Detex has earned the trust of millions to secure and protect people and property. Detex, a USA company, designs, manufactures, markets and ships our products from New Braunfels, TX and is recognized as a best-in-class life safety, security and security assurance manufacturer, worldwide.

See how our products and systems will work for your needs. Check out www.detex.com or call us at 1-800-729-3839.

Where Trust is Built™
DETEX®

Life Safety, Security and Security Assurance

800-729-3839 830-629-2900
www.detex.com

Request information: www.SecurityInfoWatch.com/10213445

Access Control & Door Hardware



SARGENT'S 11 Line Bored Lock

SARGENT's 11 Line lock sets a higher standard for Grade 1 bored locks. Its unique, T-Zone construction provides unequalled strength, durability and security by interlocking the lockbody and latchbolt. The direct linkage between the two is the best construction for quietly and effectively operating the latchbolt.

Ideal for the most demanding environments within schools and hospitals to keep occupants and property safe and secure, the 11 Line easily exceeds ANSI/BHMA Grade 1 requirements for torque (2 times the standard) and cycle testing (18 times the standard). The 11 Line will integrate into most existing facility's key systems, accepting all SARGENT key systems including patented Degree and Signature as well

as Schlage® and Medeco LFIC. And, the 11 Line retrofits any standard cylindrical lock door prep.

The 11 Line design, combined with its long lasting components, also simplifies facility maintenance and lowers the cost of ownership by utilizing a single lock body for all functions and requiring fewer inventoried parts. Flexible, durable, reliable – this lock can take whatever you give it.

Request more information:
www.SecurityInfoWatch.com/12070074

SARGENT
ASSA ABLOY

www.sargentlock.com

SDC Power over Ethernet-Capable Locking Hardware

The world is wired. Internet cable is everywhere. Buildings are smart. SDC's low power line of PoE-Capable locking hardware and access controls save time and money by allowing easy integration and connection to an access control system using ordinary Ethernet cable in a PoE enabled network.

SDC's low power, PoE Capable Locking Hardware is the same robust, reliable SDC Locking Devices, Access Controls, Egress Devices and Power Transfer Devices the industry has relied upon for over 40 years. Only now, they can be installed and connected to your access control system via ordinary Ethernet network cables - which facilitate power. In a PoE enabled network, direct electrical current (DC) flows over the network cable together with normal Ethernet data traffic.

From Magnetic Locks, Key and Exit Switches, to Electrified Exit Devices, Strikes and Locksets, and Power Transfer Accessories - even Cabinet Locks, there is a PoE Capable Locking Hardware solution from SDC for your access control system. Gone are the days of pulling power lines when electric power is not within reach and installing power supplies and controllers



for powering access control devices. And, you can use existing Ethernet cables to make powering and connecting even easier and less costly. SDC PoE Capable Locking Hardware is part of our earth-friendly line of low-power, energy efficient products, making them a great green solution to virtually any Access Control application. Everything is compatible and guaranteed to work.

See more at the link below or call 1-800-413-8783.

Request more information:
www.SecurityInfoWatch.com/11416159

SDC
Security Door Controls

www.sdcsecurity.com/PoE


Electrified Compliance For Access Control: SDC's Z7200 Electrified Cylindrical Lockset

SDC's Electra™ Pro Z7200 Electrified Cylindrical Locksets with standard Request-to-Exit Output are ideal for

openings in commercial, industrial and institutional facilities. They provide both the locking and latching features required to maintain all national building/fire life safety code requirements for fire rated office doors, corridor doors, lobby doors, exit doors and stairwell doors, and provide a superior appearance without the need for additional request-to-exit controls.

Available in failsafe and fail secure modes, controlled access and remote control capability is provided while the door stays latched even when unlocked to maintain fire door integrity. The Z7200 incorporates the latest innovative design features, including a vandal resistant lever clutch mechanism. Additional features include:

- Choice of lever handle style
- Six standard architectural finishes



- ANSI Grade 1 Heavy Duty
- CSFM and MEA Listed
- ADA compliant
- UL Listed for 3 Hr 'A' Label Fire Rated Doors

Since 1973 SDC has set the standard for security, safety and performance for electric locksets. Thousands of SDC electrified locksets have been installed in buildings dominating city skylines worldwide. When paired with other SDC access control components, compatibility is guaranteed!

Request more information:
www.SecurityInfoWatch.com/11416151

SDC
Security Door Controls

www.sdcsecurity.com/z7200-Series-Electric-Cylindrical-Lock.htm



Sargent 80 Series Exit Device with Lock/Unlock Indicator

Ideal for use in educational facilities on wood or metal doors, the Sargent 80 Series rim exit device offers an easy way to lock the outside trim from the inside without opening the door and putting people in harm's way, providing the best combination of durability, simplicity, strength, aesthetics and innovation.

The Lock/Unlock Indicator option (49-) provides a visual means of determining if a door has been secured by the cylinder on the inside of the room. Available on new or existing devices with a double cylinder function, the visual display eases concerns about knowing if doors are locked because the indicator reminds the occupants.

The indicator is located on the exit device chassis displaying a red icon when the device is locked and a white icon when the device is unsecured.

The indicator is housed in the chassis cover with no protruding parts and a clear window to protect it from wear and abuse so the indicator cannot be forced or bent or interfere with the function of the device.

Request more information:
www.SecurityInfoWatch.com/12023754

SARGENT
ASSA ABLOY

www.sargentlock.com

SARGENT'S BHW Trim for Mortise Locks

Designed for mortise locks, the BHW trim integrates the lever and escutcheon, creating a superior design that is safe, easy to use and aesthetically pleasing. Its streamlined look



and feel brings an elegant style to the most demanding environments and fits perfectly in modern behavioral health areas or school environments.

SARGENT's innovative ANSI/BHMA Grade 1 BHW trim features a low profile which eliminates catch points, typical on traditional lever trim. Accepted by NYS Office of Mental Health (OMH) and recommended by the National Association of Psychiatric Health Systems (NAPHS) for use in high risk areas, the BHW trim minimizes risk and contributes to patient safety. The BHW trim can be used in many school applications including locker rooms, storage rooms and back entryways or in behavioral health specific environments.

www.sargentlock.com

Request more information:

www.SecurityInfoWatch.com/12070077



CCL Security's 450 Sesamee® Series Padlock

To help customers with security identification efforts for different work site locations, departments and employee identification, CCL Security Products® has introduced seven colors for its durable 450 Sesamee® Series Weather Covered Laminated padlock: black, red, green, yellow, blue, orange and silver. This padlock series includes a unique sliding bottom plate to protect the keyway, alloy shackle with PVC cover, four pins in the M1 keyway, dual ball locking mechanism, and an anti-bumping, anti-picking, anti-drilling cylinder. The 450 Series padlock's weather covering is designed to protect the lock from the elements such as water, ice, dirt and grime, so it can be used in manufacturing environments, storefront and business gates, and even on truck doors. The Sesamee® 450 Weather Covered Laminated Series is available carded or in box pack. They are sold in a Shelf Pack of 6 or Master Carton of 36. www.cclsecurity.com

Request more information:

www.SecurityInfoWatch.com/12070014

www.SecurityInfoWatch.com



Detex EasyKit Systems


The Detex EasyKit catalog number specifies everything you need for virtually any application, with one price and no problems. Illustrated here is the AODx10ERx1S-1 Automatically Operated Door EasyKit, which integrates the Advantex latch retraction exit device with Detex's low energy, automatic operator with pre-wired, built-in latch retraction power supply. Also included are two wireless ADA activation buttons, a power transfer, code-compliant signage and an easy-to-follow wiring diagram, helping make installation easy and mistake-free. The Detex AODx10ERx1S-1 was designed by our customers for applications at assisted living homes, airports, healthcare, shopping centers and any application where access control and a low-energy, automatic operator is required. Choose a pre-wired EasyKit System, or work with Detex to create your custom EasyKit. www.detex.com

Request more information: www.SecurityInfoWatch.com/10217316



POWERFUL. SOLUTIONS.

Akron Hardware has been a force in the builders hardware industry for almost six decades. We've made a name for ourselves by solving our customers' problems. Fast. Knowledgeable. Reliable. Why go anywhere else for the best hardware brands in the industry?



AKRON HARDWARE™

800-321-9602 • www.akronhardware.com/bb

Request information: www.SecurityInfoWatch.com/12071932

Access Control & Door Hardware

ASSA ABLOY IN120 WiFi Locks

The IN120 WiFi lock, available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, offers the ease and flexibility of WiFi in a streamlined design, setting a new standard for aesthetics and performance.

The IN120 enables more cost-effective installations, allowing facilities to expand access control coverage to more doors. Ideal for use in hard-to-wire locations, the IN120 utilizes standard IEEE 802.11b/g/n Wi-Fi connectivity to connect to the access control system, significantly reducing installation costs, and eliminating the need for proprietary equipment. It features integrated ANSI/BHMA Grade 1 hardware, available in cylindrical and mortise lock configurations, with your choice of black or white reader and a broad range of finishes and levers.

The IN120 supports HID Mobile Access® powered by Seos® and uses HID® multiCLASS SE® technology, which provides heightened security and simultaneous support for multiple credential types. The IN120 supports current Wi-Fi security standards including WEP, WPA, WPA2 and 802.1x and utilizes AES 128-bit encryption. In addition, the WiFi radio is



field-upgradeable, making it future proof for evolving Wi-Fi standards.

The IN120 offers a customizable feature set, allowing customers to select only the features they need or add features as requirements grow. The IN120 also offers local lockdown and privacy mode capabilities on both cylindrical and mortise lock configurations. Adding to its versatility, the IN120 works with a broad range of industry-leading access control systems.

Request more information:
www.SecurityInfoWatch.com/12070096



www.intelligentopenings.com/IN120

SDC Digital Card Readers and Keypads

The SDC EntryCheck™ product line includes a variety of standalone digital keypad readers and proximity card readers to accommodate the most basic to sophisticated access control application. Choose from indoor, outdoor and vandal resistant digital keypads to proximity card readers and wireless stand-alone solutions.

The SDC 918 EntryCheck™ is a stand-alone digital keypad designed to control access of a single entry point for facilities with up to 500 users. Each user is assigned a personal identification number (PIN). Keypad entry of a valid one to six digit code activates one or both of the output relays which releases an electric door lock.

The SDC 920 EntryCheck™ series consists of standalone digital keypads designed to control access of a single entry point for facilities with up to 500 users. Each user is assigned a personal identification number (PIN). Keypad entry of a valid one to six digit code activates one or both of the output relays which releases an electric door lock.

The SDC 923 EntryCheck™ Narrow series consists of standalone digital



keypads designed to control access of a single entry point for facilities with up to 500 users. Each user is assigned a personal identification number (PIN). Keypad entry of a valid one to six digit code activates one or both of the output relays which releases an electric door lock. Optional Prox Readers are available for selected 920 and 923 models.

Request more information:
www.SecurityInfoWatch.com/11416153



www.sdcsecurity.com/access-controls.htm



D&D Technology's SureClose Hydraulic Gate Closers

SureClose is D&D Technology's new line of adjustable hydraulic gate closers that combine both the closer and gate hinge in one small, but powerful unit. Created to replace conventional hinges, closers and header arrangements, SureClose is uniquely designed for larger or high traffic gates. This closer and hinge combination is a real workhorse tested to 500,000 cycles with a 1,500 lb. load capacity, and self-closes gates up to 260 lbs.

SureClose offers internal or external mounting and comes with mounting brackets that cover most any square post installation, including steel or aluminum, flush mounted or center mounted, fastened or welded, with adjustable self-closing speed. Models are also available that feature a final snap action for overcoming electric or coded locks found in many security applications. www.ddtechusa.com


Request more information: www.SecurityInfoWatch.com/12070457

Battery Operated Door Prop Alarm from Detex

The Detex Battery Operated Door Prop Alarm is designed for applications where doors may be used but not held open. The door prop alarm sounds when a door is left open longer than the set time and silences when the door is closed. Adding a door prop alarm is a low cost, desirable solution to propped open doors. An intelligent circuit senses the external magnet location automatically, sounding an alarm when the door has been open too long, and automatically rearms when the door has been closed again, requiring key holder. Used to prevent unauthorized entry, encourage the use of access control systems and help prevent energy loss, the door prop alarm times are field adjustable from one second to four minutes.

www.detex.com/LandingPages/EAX-300DoorPropAlarm/tabid/1392/Default.aspx

Request more information: www.SecurityInfoWatch.com/12070495



HES Strikes from Akron Hardware

The HES 9400 series is a slim-line, surface mounted electric strike designed to accommodate rim exit devices with a 1/2" Pullman latch bolt. All components are encased within its 1/2" thick stainless steel housing, so no cutting on the frame is required for installation. The 9500 Series is a 3-hour fire rated, surface mounted electric strike for rim devices with a 3/4" Pullman latch bolt. The 9500 exceeds Grade-1 standards for strength and performance. It's field selectable for fail secure and fail safe operation, and 12 or 24VDC. The 9600 Series is a windstorm rated, surface mounted electric strike designed to accommodate rim exit devices with a 3/4" Pullman latch bolt. Call Akron Hardware for more information and special offers on HES electric strikes. 1-800-321-9602 or visit www.akronhardware.com

Request more information: www.SecurityInfoWatch.com/12069978



DoorKing Entry Systems with 4G-LTE Cellular Wireless Connection

Wireless Access Control! Now connect your DoorKing Access Control and Telephone Entry Systems with our new 4G-LTE Cellular wireless connection! No more trenches to dig, no more wires to run! The DKS cellular connection service provides both voice and high speed data connections, allowing you to program the access control system directly from your PC via the internet with our cellular M2M connection service. Control up to 24 entry locations with our wireless expansion boards. DKS access control systems serve up to 3000 users with up to 8000 card, transmitter or PIN codes. Holiday schedules, hold open time zones, 31 permission levels, elevator control and more! With DoorKing, digging trenches and running wires is a thing of the past! www.doorking.com

Request more information: www.SecurityInfoWatch.com/12070501



Detex ECL-230X-TDB Multi-Point Lock

The Detex ECL-230X-TDB is a maximum security, multi-point lock so big and strong that it stands up to assault by the bad guys. Its heavy-duty, three-bolt construction takes panic hardware to a whole new level of toughness and eases your back-door security worries. Life safety and code compliant, the ECL-230X-TDB is designed with a larger deadbolt that goes deeper into the frame than other locks in the category. Connecting rods are solid steel, rather than the less reliable hollow rod/cable construction. Its low profile meets International Building Code requirement allowing for 4" maximum projection off the face of the door. Independent lab testing proves the ECL-230X-TDB can withstand more than 16,000 pounds of pull force. www.detex.com



Request more information: www.SecurityInfoWatch.com/10271908

RemoteLock ACS from LockState

The RemoteLock ACS from LockState is a cloud-based access management system that integrates external door controllers with internal stand-alone Wi-Fi connected locks for a complete access solution. With an easy to use and intuitive browser-based interface, the

system integrates open architecture hardware from best-in-class manufacturers like Mercury and HID. The RemoteLock ACS not only includes traditional physical access management hardware typically used for perimeter access points, but also integrates internal Wi-Fi stand-alone door locks. Whether you have one door or thousands, the RemoteLock ACS brings solutions to small and mid-sized businesses that were previously out of reach. Purchase kits and components or become a reseller at www.remotelock.com/products/remotelockacs-1

Request more information: www.SecurityInfoWatch.com/12070554



ASSA ABLOY's Aperio Technology: Secure Everything from Doors to Drawers

Aperio is a global wireless platform that allows you to expand your access control footprint – quickly, easily, and affordably – using existing platforms you trust. Available across a broad range of locking hardware from ASSA ABLOY Group brands, Aperio provides the flexibility to address a variety of applications throughout any facility. Aperio wireless devices include: Adams Rite A100 keyless entry control for aluminum and glass doors, HES K100 cabinet locks and KS100 server cabinet locks, Medeco M100 eCylinders, SARGENT IN100 and PR100 commercial and institutional locks, and Securitron AS100 door position sensors and R100 surface mounted readers.

www.intelligentopenings.com/aperio
Request more information:
www.SecurityInfoWatch.com/12023746

ASSA ABLOY offers HID Mobile Access®

ASSA ABLOY offers HID Mobile Access® support across a broad range of access control locks from ASSA ABLOY Group brands Corbin Russwin and SARGENT. This enables the ability to use phones and other mobile devices enabled with Bluetooth® Smart and NFC credentials with the IN120 WiFi lock, Access 700® and Passport 1000 PoE and WiFi locks, and the SE LP10 Integrated Wiegand lock.

HID Mobile Access® powered by Seos® provides an easy, intuitive solution for issuing, delivering and revoking digital credentials on iOS and Android mobile phones and tablets with Bluetooth® Smart and/or NFC technology. Offering comprehensive security, it protects identity data and keeps over-the-air communications between mobile devices and locks private.

According to Peter Boriskin, Director of Product Management, Electronic Access Control, ASSA ABLOY Americas, "Mobile-enabled locks allow customers to extend the convenience and security of mobile access to a wider variety of applications,

while maintaining interoperability with their existing credential base."

Mobile-enabled locks from ASSA ABLOY Group brands are fully compatible with HID Global iCLASS SE® and Seos cards as well as multiCLASS SE® readers configured for HID Mobile Access®.

Request more information:
www.SecurityInfoWatch.com/12070107



www.intelligentopenings.com

LifeSaver™ for Any Door & Building. Extended Line of Anti-Ligature Door Hardware

SS19 CYLINDRICAL & SS55 MORTISE SERIES

- Life Safety Lock Series designed for security in hospitals, behavioral health care institutions and correctional facilities
- Ergonomic shape and construction restricts the attachment of lines, laces, etc. Helps to prevent accidents and sentinel events
- Unprecedented models & functions, including electrified units, ideal for "buzz-in" & man-trap applications; plus antimicrobial finish
- Easy installation and retrofit **ALL** popular preps and door constructions
- Longest Life: ANSI 156.2 Grade 1; UL 3-Hour Fire Rated



MARKSUSA

Value-Engineered Locks for Life. *Contact Marks Today.*

1-800-526-0233 • salesinfo@marksusa.com • www.marksusa.com



Request information: www.SecurityInfoWatch.com/10214311

Access Control & Door Hardware

Energy Efficient PoE Access Control from SARGENT and Corbin Russwin

PoE-enabled access control allows facilities to leverage existing network infrastructure for enhanced security and easier, more cost-effective installations. Bringing the power of the network to access control delivers sustainable access control by improving energy efficiency, reducing infrastructure, and simplifying installations. PoE-based systems can reduce power requirements from 20W to as little as 3W.

ASSA ABLOY offers a broad range of PoE solutions that ensure seamless integration with a facility's existing IT systems and the highest level of security. PoE locks from ASSA ABLOY Group brands Corbin Russwin and SARGENT connect directly to the server via Ethernet cabling.

These PoE locks are not only the most energy efficient solution available, but also



eliminate panels and traditional power supplies, significantly reducing components and materials. Using existing IT infrastructure allows facilities to expand their access control network easily and affordably.

Request more information:
www.SecurityInfoWatch.com/12070114

SARGENT
ASSA ABLOY

Corbin Russwin
ASSA ABLOY

www.intelligentopenings.com/PoE

Next-Generation Multi-Family and Small Business Access Solutions from Yale



Yale Locks & Hardware introduces a suite of next-generation solutions for the multi-family and small business markets that offer flexible, scalable lock management tailored specifically for the needs of these market segments. The multi-family solution includes nexTouch™, the next generation of the Yale InTouch™ access control lock, Yale Real Living™ digital deadbolts, and user-friendly, cloud-based software specifically designed for managing multi-family properties. The small business solution includes the same locks plus integration

with interactive service platforms, such as Alarm.com, Honeywell and iControl.

Yale's innovative new solutions provide security integrators with an easy entrance into new business segments, with an opportunity to provide greater value to their customers by solving specific challenges within these markets. The solutions are easy to deploy and integrate with many burglar alarm systems, giving these service providers the ability to introduce access control to their customers.

These solutions also offer a multitude of benefits for building owners and developers, including reduced maintenance, easy management of access rights, and increased security. The hardware is easy to deploy and provides scalability to adapt to changing requirements. Cloud-based software minimizes investment for property owners/developers.

Small business owners gain an easy and affordable solution for unattended delivery, employee access and attendance, monitoring of business hours, and managing remote locations.

Request more information:
www.SecurityInfoWatch.com/12072419



www.intelligentopenings.com/nexTouch

Enterprise Security & Integrated Systems

Napco's Total Integrated Security Solution

Napco Security Technologies Inc. (NASDAQ: NSSC) is a leading manufacturer of a wide array of innovative security products, engineering advanced technologies for more than three decades. Napco Fusion™ is a "total integrated security solution" that provides seamless, interoperability of intrusion and fire protection, video, access control and locking from Napco's synergistic divisions, Napco Intrusion & Fire, Alarm Lock Networkx™, Continental CardAccess, and Marks USA. One security platform makes operation and deployment easier and more cost-effective than ever, with hardwire, wireless or hybrid technologies for flexible installation in any building/construction. Contact us via phone at 1-800-645-9445. www.napcosecurity.com


Request more information: www.SecurityInfoWatch.com/10711107



Aventura Technologies Command & Control Software

Aventura Technologies Inc.'s BeyondPSIM Command & Control Solution is designed to assist security managers in each and every aspect of providing a platform of total situational awareness. At its most basic functionality, Aventura's BeyondPSIM integrates all disparate security, safety and facilities subsystems on a single platform. Systems include: CCTV, access control, intrusion, fire, intercom, public address, HVAC, building automation, telecommunications, facilities management and more. In addition to subsystems management, it provides integrated tools for total situational awareness, including mass notification, news, weather, geological, radio, emergency, rescue, DHS, health, environmental and CBRNE. For enterprise systems, BeyondPSIM can provide a wealth of information managing thousands of subsystems from a myriad of manufacturers. www.aventuracctv.com

Request more information: www.SecurityInfoWatch.com/12053393



Unified SiteServer from Software House

Software House, part of the Security Products business unit of Tyco, has introduced victor Unified SiteServer, a unified access control and video network appliance. Using a deeply embedded victor unifying client, the system takes a holistic video approach of managing and monitoring access control, video, and intrusion from one database all from one easy-to-use box. The victor Unified Client is a new client choice which can be run in parallel with existing C•CURE 9000 client choices, providing the increased functionality of combined client features. The SiteServer is pre-installed with all the software needed for a convenient, quick and easy way to manage and monitor the various activities related to access control, video and intrusion. www.swhouse.com

Request more information: www.SecurityInfoWatch.com/11706476

Keys, Key Controls & Automotive Accessories



Key Management System from Medeco

Medeco, an ASSA ABLOY Group company, has launched the Medeco T21 Key Management System, a sophisticated stand-alone key management system that utilizes innovative RFID technology to trace and account for every key or keyset that is individually locked in place. The system allows users to secure keys, authorize users, and monitor key use by controlling and recording when a key is used and by whom. Up to 1,000 users may be added to the system. The system requires a pin to be entered in order to remove a keyset. Once the PIN number is entered, the key positions will display two colors: green for those keys which the user may access and red for the keys which the user may not. Audit reports are made available through the cabinet's display screen. www.medeco.com
Request more information: www.SecurityInfoWatch.com/12069129



STRATTEC GM-Compatible RKE Remotes

STRATTEC is pleased to introduce 5 additional GM compatible RKE remotes into the locksmith market. These remotes are 3, 4 and 5 button configurations and replace fobs from 2005 – 2013 vehicles. These "Lear Style" remotes cover Buick, Chevrolet, Pontiac and Saturn vehicles and can generally be programmed with an aftermarket programming tool. Why deal in shells and replacement parts? You can now give your customer a completely new remote. For a complete listing of applications for these remotes go to <http://aftermarket.strattec.com>.

Request more information:
www.SecurityInfoWatch.com/12070574



STRATTEC Ford-Compatible RKE Remotes

STRATTEC is pleased to introduce 2 Ford compatible RKE remotes into the locksmith market. These remotes are both 3 and 4 button configuration and replace fobs from 1995 – 2013 vehicles. These remotes cover Ford, Lincoln, Mercury and Mazda vehicles and can generally be programmed with on-board procedures. Why deal in shells and replacement parts? You can now give your customer a completely new remote. Most Ford vehicles use general on-board programming instructions (where applicable) can be found on our website. Some remotes may require dealer or aftermarket programming tools. All Ford part numbers along with the applications can be found at <http://aftermarket.strattec.com>.

Request more information:
www.SecurityInfoWatch.com/12070573

www.SecurityInfoWatch.com

Don't Roll the Dice!

Reconditioned knock-off fobs are a real crap shoot when it comes to quality and reliability. The sure bet is STRATTEC for genuine replacement fobs! As an authorized aftermarket supplier for Ford, General Motors, Chrysler and many others, our genuine replacement products tell consumers you have a reputation for quality and professionalism.

SUPERIOR QUALITY. STRATTEC genuine replacement fobs are manufactured with the same rigorous quality standards that OE manufacturers demand.

STRONGER SUPPORT. Generations of locksmiths have put their trust in our products. Through our distributor partners and professional locksmith organizations, STRATTEC has the winning hand in training and technical support.



<http://aftermarket.strattec.com>



Put your chips on a winner!
Always insist on STRATTEC
genuine replacement fobs.

STRATTEC™

Request information: www.SecurityInfoWatch.com/10215947

Alarms & Intrusion Detection

NAPCO Commercial Addressable Fire or Gemini Combo Burg/Fire Systems

Napco Security Technologies Inc.'s Commercial Platform is a full line of Commercial Fire or Combo Intrusion/ Fire Systems configurable for wireless, hardwire, analog, addressable or conventional technology devices.

Now offering speedier setup and installation with new Quick-Start faster programming, the UL commercial grade wireless fire & Burglary devices are installed in a fraction of the time. There is a new fire-only program menu and standard fire alarm system preset template you can build on. All you will need to do is enter the quantity and type of devices — they will be auto-inserted, mapping inputs to outputs that are clearly color-coded.

Auto-Learn discovers and identifies addressable devices on loops. It will preload descriptions, e.g., "smoke detector" — and list the quantity of modules, sensors and relays for each. Fast Track Diagnostics automatically distinguish minor warnings from critical errors. Enhanced battery and voltage calculators are also included.

The NAPCO Commercial Platform includes built-in labor savings, incredible power, and



feature-rich value that's easy to plan-out and standardize on for 255, 128 or 32 points of commercial wireless, analog addressable and/or 12V conventional installations; and it is fully compliant with the most rigorous industry standards, including UL864 9th Ed., NFPA72, SIA CP01 and more.

Features include easy AHJ calcs; up to 32AH standby separate for burglar and fire; and remote/onsite uploadable smoke sensitivity reporting.

Request more information:
www.SecurityInfoWatch.com/10524477

NAPCO
www.napcosecurity.com



Optex Redscan RLS-3060H Laser Detector

The REDSCAN RLS-3060SH is an innovative IP or analog laser scan detector that can detect a moving object's size, speed, and distance from the detector and process that information with a unique algorithm.

The REDSCAN can drive a PTZ camera to the point of intrusion, enabling a guard or monitoring center to identify and track an intruder, and the unit is compatible with all major Video Monitoring Software platforms.

In addition, the REDSCAN can tie into any alarm or access control system and can be mounted horizontally or vertically up to 50ft. high. This results in a high-reliability detection of people with minimal false alarms.

Use laser technology from OPTEX to protect your perimeter and all high security assets on your property.

Request more information:
www.SecurityInfoWatch.com/12056120

OPTEX
Sensing Innovation

www.optexamerica.com

BASIC MONTHLY MONITORING

\$3.50

All New Accounts - No Contract Term

Free Services

Customer (Personalized) Telephone Answering
Personalized Dispatch Service
Test Timer (Daily, Weekly or Monthly)
New Account Data Entry
Account Data Change
1st month (or portion thereof on new accounts)
MASWeb (Dealer Access)
Voice mail

Average Response Times

Fire - 7.91 Sec.
Panic/Medical - 7.31 Sec.
Burglary - 12.3 Sec.



918-622-4357 • 800-879-1438 • Fax: 918-663-8897
3025 S. 116 E. Ave. • Tulsa, OK 74129-5223
www.monitoringamerica.com
info@monitoringamerica.com

Request information: www.SecurityInfoWatch.com/10490593

Telguard Universal Alarm Communicator

Telguard's TG-SCI with SafetyNet for the Simon XT/XTi is the industry's first communicator combining broadband with pay-on-demand cellular. It offers the best of both worlds for today's security customers by combining the economics of broadband with the always-on, reliable protection of cellular. Wi-Fi, an opportunistic path for alarm communications, can occasionally become unavailable. SafetyNet, a hot standby cellular pathway that is fully pay-on-demand, ensures that alarm signals are always transmitted to the central station. The TG-SCI is the ideal way to upgrade any installed 2G Simon XT/XTi panels. By simply plugging it into the panel using its 6-pin header, your RMR and your customers are always protected. www.Telguard.com/Safetynet

Request more information: www.SecurityInfoWatch.com/12053388



Smarter Security's PIR Motion Detectors

Smarter Security's SmarterBeam passive infrared (PIR) motion detectors include features to vastly lower its vulnerability to defeat, including a second PIR sensor that eliminates the creep zone. Wireless, self-powered models allow rapid installation of intrusion detection in areas once deemed too challenging or costly to properly secure. The product is available in two wired models and two similar wireless models equipped with Inovonics RF technologies. A unique, downward-facing PIR sensor eliminates the creep zone close to the detector that is a common vulnerability. This provides gap-free coverage and obviates the need for additional technology to cover the creep zone. Additionally, approaches from any side of the unit will be detected and signal an alarm. Security is further enhanced with the addition of sophisticated tamper protection.

www.smartersecurity.com/outdoor-security/smarterbeam
Request more information: www.SecurityInfoWatch.com/12039575





D&D Technologies' MagnaLatch ALERT

D&D Technologies has introduced MagnaLatch ALERT — the ultimate child, pet and pool safety gate latch. MagnaLatch ALERT features an audible alarm and flashing LED lights that provides both visual and audible warnings if a gate is not safely latched. MagnaLatch ALERT's dual alarms will trigger if your gate is not fully and safely latched. Unlike proximity based sensor alarms, which tell you only

if the gate frame has moved, MagnaLatch ALERT senses if the gate is physically latched. MagnaLatch ALERT also features a range of visual safety innovations including a visual lock/unlock indicator and alignment indicators to identify if the latch is in a precise vertical and horizontal alignment. The MagnaLatch is fully adjustable to always ensure it is properly aligned. Its new 6-pin security lock is re-keyable so you can match other locks around the property for added convenience. www.ddtechglobal.com

Request more information: www.SecurityInfoWatch.com/12070448



Takex Wireless Quad Photoelectric Beam

The new TXF-125E battery operated wireless quad photoelectric beam from TAKEX offers a selectable range up to 330' feet. Fully compatible with virtually any brand of universal wireless transmitter available today it allows the alarm company to integrate the sensor into older or new wireless security system applications. The use of 3.6 volt lithium battery design means you can expect many years of sensor

operation. The IP65 housing allows for use in wet and dusty environments while protecting the internal components from the elements. The drip resistant cover and anti-bird spikes help to keep the front cover free of unwanted obstructions. High visibility colors on both the photo beam transmitter and receiver allow for easy optical alignment due to dual ring optical sight.

www.takex.com

Request more information: www.SecurityInfoWatch.com/12052892



Power Series Neo 1.1 from DSC

PowerSeries Neo 1.1 from DSC, a unit of Tyco Security Products, is a hybrid, flexible and modular platform that caters to a wide spectrum of intrusion industry needs, ranging from residential to scalable commercial enterprises. Capitalizing on PowerG, a leading-edge wireless intrusion technology, it offers features such as multi-channel frequency hopping spread spectrum technology which allows the system to hop between wireless frequency channels to ensure the seamless transmission of secure communications between the devices and the control panel. Adaptive transmission power translates into up to eight years of battery life for the system's devices and peripherals, reducing battery replacement costs. High transmission ranges allow for devices to reliably communicate. www.dsc.com

Request more information: www.SecurityInfoWatch.com/12053013

Entry-Level Motion Detector from Honeywell

Honeywell's IS335 hard-wired passive infrared (PIR) motion sensor is designed to reduce false alarms in residential environments. The motion detector uses a series of advanced optics to prevent a range of objects — from large pets, to reflected lights, to tiny insects — from affecting the sensor and tripping an alarm system. Quick and easy to install, it features selectable pet immunity, an always-enabled LED, wall-to-wall coverage with a range of 40X56, and a look that blends with any décor. The IS335 integrates fully with Honeywell Total Connect Remote Services when used with VISTA control panels, providing security dealers with an excellent opportunity to earn RMR. Once in operation, it provides 2,000 lux of white light immunity, which helps reduce false alarms. www.honeywell.com/security



Request more information: www.SecurityInfoWatch.com/12052453



RBtec Buried Unattended Ground Sensor Kits

RBtec Perimeter Security Systems has introduced the Seismo buried sensors solution, sold in kit variations of 1 or 3 sensors with single analyzer to protect strategic areas from intrusion. The system can be battery or DC power operated and each unit can cover up to a 22-ft. diameter. The kits are sold with optional wireless or GSM communication on top of the standard dry contact relay output.

Seismo is an outdoor seismic detector meant to detect intruders on the way in. When an activity is registered in the protected area, the seismic sensor produces a signal which is processed in real time through the advanced algorithm, identifying which type of activity has been registered; walking or vehicle and triggering an alarm based on the sensitivity level.

www.rbtec.com

Request more information: www.SecurityInfoWatch.com/12052718

Tools of the trade

SL57 THE UNIVERSAL RETROFIT HINGE



SELECT HINGES™ 800-423-1174
select-hinges.com/sbb

Request information: www.SecurityInfoWatch.com/10215943

Fire & Life Safety



Potter's PFC-6000 Series Fire Alarm Control Panels

Potter's PFC-6000 Series fire alarm control panels utilize state-of-the-art addressable sensors and control modules that provide flexibility to tackle demanding applications. Every PFC-6000 Series fire panel comes equipped with an on board IP communicator that allows for multiple communication paths without requiring additional expensive hardware and connections. These panels are also email ready and can send and receive email commands, letting you know your current system status, when to schedule your next inspection, or when to purchase new batteries. Potter's own panel configuration software allows custom programming for all points using a network computer if connected to a WAN or LAN, or with a standalone computer. It allows you to fine-tune device behavior characteristics or create mapping zones using a simple drag and drop interface. www.pottersignal.com

Request more information: www.SecurityInfoWatch.com/12024135



Dortronic Emergency Pull Stations

Dortronic Systems' Emergency Pull Station series is ideal for hospitals, schools and industrial facilities, and with a variety of door or access systems. The 6510-S35 features a single pull action to provide instant egress and alarm activation in the event of an emergency situation. The 6510 COV plastic cover discourages improper activation while providing moisture protection during wash-down operations. Designed with dual SPDT switches, one set of contacts breaks the lock power when activated and a second set of contacts allows connection to an alarm or access control system. The unit mounts to a standard single gang electrical box and wiring is accomplished by utilizing the screw terminals on the back of the unit to connect to any system or device. www.dortronic.com

Request more information: www.SecurityInfoWatch.com/12039622

Commercial Fire Communications Radio from Honeywell

Honeywell has introduced a commercial fire radio that meets NFPA72 2013 requirements for sixty minute supervision and can function as the sole path of alarm signal transport. By installing the iGSMCFP4G in place of costly POTS (Plain Old Telephone Service) lines, security professionals have a new stream of RMR. End-users also benefit from the eliminated expense of dedicated phone lines. The UL 864 listed unit sends Contact ID messages from a Honeywell VISTA fire alarm control panel. The integration of the fire radio and the panel from the same, trusted manufacturer is beneficial to both installers and business owners. With the NFPA72 2013 edition, the alarm communications path must be supervised once every sixty minutes and annunciated at the central station within five minutes of any failure. www.honeywellfsg.com

Request more information: www.SecurityInfoWatch.com/11564307



Wheelock Ceiling Notification Appliances

Cooper Notification, a unit of Eaton, has expanded its Wheelock Exceder LED Series to include ceiling models for horns, horn strobes, strobes, speakers and speaker strobes. The Wheelock Exceder Series uses high-efficiency light emitting diodes (LEDs) as the strobe light source to help reduce overall costs in fire alarm and emergency communication systems. Featuring a small footprint in a sleek, modern design, they include dual voltage (25/70 Voltage Root Mean Square), five field-selectable tap settings (1/8 to 2 watts) for speaker models and multiple audible settings for horn models, field-selectable candela (cd) settings (15, 30, 75, 95 cd), and convenient mounting options. www.coopernotification.com

Request more information: www.SecurityInfoWatch.com/11623051

Installation Tools & Equipment



Platinum Tools EZ-Datalock

Platinum Tools features EZ-Datalock, a solution that locks your cables and helps you take control of your network! Protect and secure your data network 24/7. EZ-Datalock is the patented Locking Strain Relief for cables that are not to be disconnected! When locked, it will remain so until the 'KeyHolder' unlocks it. Also doubles as a snag-proof strain relief. The tool prevents: Inadvertent cable disconnects, malicious disconnects, unauthorized access, downtime and tampering. Applications for the EZ-Datalock include: Data centers, military, medical centers, monitoring devices, financial institutions, transit, government, and manufacturing. For more information, 1-800-749-5783 or go to www.platinumtools.com.

Request more information: www.SecurityInfoWatch.com/12070562



Wireless Installation Tool from Axis

Axis Communications' T8415 Wireless Installation Tool simplifies on-site installation of network cameras. Together with a streamlined and easy-to-use mobile app, the tool takes advantage of the convenience and connectivity of today's mobile devices to reduce installation time. The battery-powered handheld device connects directly to a camera and displays live video at the installation site. This makes setting the camera's viewing angle and focus easier than with the use of a laptop or remote computer. With its powerful battery, the unit can power up an Axis PoE camera up to 30 W for several hours. A built-in Wi-Fi function connects it within seconds to an installer's smartphone or tablet. www.axis.com

Request more information: www.SecurityInfoWatch.com/12067449

The Nation's Most Trusted Security Door Hardware Wholesaler



jlmwholesale.com

We Do More Than Just Take Orders and Ship Them Out

We custom engineer:

- wiring diagrams
- system design
- control consoles

Our sales personnel are also our technical staff:

- we help troubleshoot
- we suggest the best-fit hardware for your application

We can furnish:

- templates
- installation instructions
- exploded parts views

MI 800-522-2940
NC 800-768-6050
TX 877-347-5117



Request information: www.SecurityInfoWatch.com/10214128


SPECIFY. MODIFY. ELECTRIFY.

SDC Electrified Locksets and Exit Devices including Modifications of all Major Brands

SDC has a complete line of factory and field installed electric modifications of all major locksets and exit devices. Whether it's our branded 7500 series HiTower® for mechanical locksets, 7800 series Selectric™ for mortise locksets, 7200 series Electra™ for cylindrical locksets, 6000 series Spectra™ and Quite Duo™ LR100 for exit devices, or our Electrification and REX kits, there's an SDC modification for any major brand.



To learn more: <http://sdcsecurity.com/electrified-locksets.htm>



Cal Royal Sargent Town Steel
 Precision Hager
 Von Duprin Schlage Marks
 Tell Falcon
 Best Yale Corbin Russwin K2
 Dorma Dor-O-Matic Adams Rite
 IDC Arrow PDQ Detex
 Marshall Best
 Design Hardware

the lock behind the system





WE MADE ALAN AN ACCESS CONTROL ACE

SECURITY LOCK DISTRIBUTORS HOOKED HIM UP WITH THE SMARTEST SOLUTION.

Alan finally got the PO to upgrade the access control system at his customer's facility. But he wasn't sure where to start. Biometric systems, electronic locks, RFID systems...the options were endless. So he talked to a technical sales expert at Security Lock Distributors, who helped him select a cutting-edge solution that respected the job specs and integrated perfectly with his customer's existing systems.



Evolving technology, expert knowledge.

seclock.com | 800-847-5625



INFORMED. IN STOCK. IN DEPTH.