

FEATURED EXHIBITOR



**Aiphone:
IX-SOFT
PC-Based
Intercom
Software**

Aiphone's new IX-SOFT is capable of transforming any computer into a feature-rich intercom. Whether in small to mid-sized educational facilities and offices, or the more complex needs of an enterprise-level facility, the PC-based intercom solution can be managed remotely by facility managers, or by a security operations center. An interactive map offers a visual layout that allows operators to immediately detect where a call originated and efficiently dispatch security personnel. It is ideal for those with limited space to deploy an enterprise-level system in a compact package.

Request more info at www.securityinfowatch.com/21149107

FEATURED EXHIBITOR

**IPVideo
Corp.:
HALO IOT
Smart
Sensor
2.0**

IPVideo Corp., has added spoken keyword duress, gunshot detection and masking detection to its HALO IOT Smart Sensor. Individuals under duress can use a spoken keyword to send instant alerts to security for help in privacy areas. Gunshot detection audio analytics can trigger a facility lock-down and an emergency call response; and a "masking" signature identification detects individuals who are trying to mask their vaping activity with aerosols. These features are available through the product's firmware 2.0 update.

Request more info at www.securityinfowatch.com/21124115



**AES Corporation:
7705ii MultiNet Receiver**

The AES 7705ii MultiNet Receiver features a faster processor, upgraded hard drive, expanded memory, new and improved Linux operating system, automatic power recovery, improved throughput, higher storage capacity, quicker boot and load times, and enhanced security.

Request more info at www.securityinfowatch.com/21039417



Alarm.com: Smart Gateway

The award-winning Alarm.com Smart Gateway provides a dedicated Wi-Fi network for Alarm.com Wi-Fi video cameras. The integrated access point eliminates the need to update cameras whenever changes are made to the home network's name (SSID), password, or even Internet Service Provider.

Request more info at www.securityinfowatch.com/21151299



**Airship: Enterprise
Management Software
(EMS)**

Airship Industries' Enterprise Management Software (EMS) is a browser-based enterprise federated video management GUI that tailors edge video, advanced sensor integration, edge-based analytics and related metadata. Its software ecosystem runs locally, in the cloud, and in bare metal and virtual operating environments.

Request more info at www.securityinfowatch.com/21124065

Ajax Systems: MotionCam

MotionCam is a motion detector with a camera for visual alarm verification developed by Ajax Systems. The supplier's Wings radio protocol guarantees transmission of images in less than 9 seconds to a distance of 1,700 meters.

Request more info at www.securityinfowatch.com/21149939



**AlarmHive: Alarm Industry
Business Management
Software**

AlarmHive business management software for alarm companies dynamically adapts to match the workflow for every alarm dealer, regardless of how they go about running their business. Launching in the fall of 2020, it will match an alarm company's workflow step by step.

Request more info at www.securityinfowatch.com/21152086



FEATURED EXHIBITOR



Napco: iSecure All-Inclusive Cellular Alarm Systems

iSecure all-inclusive cellular alarm systems by NAPCO give dealers the ability to add new RMR-accounts with low equipment cost and one-hour professional installation. The system is available in three different kits. Options include: Wireless keypad; 4- or 7-inch touchscreen with Z-Wave control; 50-foot wireless PIR; two door transmitters; smart app and notifications; 85dB siren; and RF-receiver. The system also includes the Go-Anywhere Hub with built-in StarLink Cellular/IP LTE alarm reporting, which can be positioned anywhere for best signal reception and less vulnerability to smashing.

Request more info at www.securityinfowatch.com/21125148

FEATURED EXHIBITOR



Viking Electronics: Compact Emergency Phones

Viking's compact emergency phones meet ADA standards for hands-free emergency communication in elevators, areas of refuge, or any place an emergency phone is needed. When the button is pressed, the emergency phone automatically dials a pre-programmed emergency phone number or central station number and will roll to the next number if there is a busy signal or no answer. The units are phone line-powered and feature a red "Call Connected" LED built into the button.

Request more info at www.securityinfowatch.com/21147204

AlertEnterprise: COVID-19 Health & Safety Software

AlertEnterprise's new Workforce Health and Safety Access Governance module helps organizations safely bring employees and visitors back to facilities in a frictionless, controlled and secure way, by automating and enforcing COVID-19 policies and procedures. It uses intelligence and analytics to track confirmed and potentially exposed employees.

Request more info at www.securityinfowatch.com/21152682



Alertus Technologies: Desktop Alert System for Chrome


Alertus Desktop for Chrome is a browser-based desktop alerting application that pushes full screen, pop up, and ticker alerts on computers running Chrome browsers. Users can install the solution from the Chrome Web Store, or an organization can push the extension to all computers.

Request more info at www.securityinfowatch.com/21152061

Allegion: Schlage Mobile Access Solutions

Schlage Mobile Access Solutions include a complete cloud-based ecosystem that enables the use of mobile credentials. It includes the Schlage Mobile Access Credential, Mobile SDK, Smart Locks, wireless locks, Multi-Technology Reader and the ENGAGE-enabled Schlage CTE Controller.


Request more info at www.securityinfowatch.com/21141363



Allied Universal: HELIAUS Health Screening Application

Allied Universal has added a visitor screening application to its HELIAUS technology platform that offers screening questions based on Centers of Disease Control (CDC) guidelines. It implements protocols such as instructing a security officer to take a visitor's temperature or asking a visitor to use hand sanitizer.


Request more info at www.securityinfowatch.com/21152671



Altronix: LINQ8ACM Dual-Voltage Access Power Controller

Altronix's LINQ8ACM Dual-Voltage Access Power Controller with LINQ Network Power Management facilitates myriad locking devices, including magnetic locks and electric strikes, while providing network monitoring, reporting and control of eight independently controlled fuse or PTC protected outputs.

Request more info at www.securityinfowatch.com/21131055



FEATURED EXHIBITOR

ELK Products: Smoke and Heat Detectors




ELK Products has introduced two new life safety products to its Two-Way Wireless line: the ELK-6052 Sound

All Smoke & Heat Detector and the ELK-6053 Sound All Heat Detector. Both detectors feature ELK's Two-Way Wireless technology with encrypted communications, signal acknowledgment, and frequency hopping. ELK's Sound All technology provides wireless interconnectivity for the built-in sounders. When a fire alarm is activated, two-way communication with the detectors enables the ELK M1 Control to activate the built-in sounders of all enrolled smoke and heat detectors.

Request more info at www.securityinfowatch.com/21149991

FEATURED EXHIBITOR

Feenics: Keep Cloud-Based Access Control Platform



Keep, Feenics' cloud-hosted access control platform, is now certified and approved for government and federal agency use in Personal Identity Verification (PIV) credentialing and Physical Access Control Systems (PACS). Feenics attained its listing for all versions of Keep on the GSA Approved Products List after completing the Federal Information Processing Standard (FIPS) 201-2 Evaluation (sometimes called FICAM) Testing Program. FIPS 201 was developed to satisfy the technical requirements of HSPD-12, the Department of Homeland Security's mandated common identification standard and database for credentialing federal employees and contractors.

Request more info at www.securityinfowatch.com/12364899



Alula: Slimline Touchpad

The Slimline Touchpad from Alula controls every aspect of a modern security system, delivering at-a-glance control of video cameras, Z-Wave devices and environmental sensors. The 7-inch color touchscreen automatically speaks zone changes and tells users what is happening in and around their property.

Request more info at www.securityinfowatch.com/21115562

AMAG Technology: Symmetry Mobile

Symmetry Mobile from AMAG Technology is a web credential application designed to be used with its Symmetry Bluetooth readers. It supports COVID-19 and Return to Work guidelines by promoting physical distancing and frictionless setup. Mobile Credential Portal allows central, remote management of credentials.

Request more info at www.securityinfowatch.com/21145188



American Response Technologies: Medical Care Alert mPERS



The Medical Care Alert Home & Away ULTRA mPERS is designed for lone workers, active seniors, real estate agents, or anyone needing discreet

access to emergency services. The 2-ounce cellular device tracks location and provides one-touch access to EMT/EMD Certified operators.

Request more info at www.securityinfowatch.com/21149726

Arcules: Hybrid VMS Solution

Arcules and Milestone Systems have partnered to create a hybrid VMS that combines



Arcules Video Surveillance as a Service (VSaaS) with Milestone XProtect Corporate VMS. The flexible and feature-rich hybrid video surveillance solution is ideal for organizations looking to centralize dispersed video surveillance operations.

Request more info at www.securityinfowatch.com/21125150



AmberBox: Gunshot Detection Platform

Through tri-factor authentication, AmberBox Gunshot Detection provides instant gunfire notification to police and building security in 3.6 seconds. The cloud-based response platform delivers real-time data, with precise gunshot location and timing, perpetrator movement, event type classification, and the option to respond immediately with pre-programmed security feature integrations.

Request more info at www.securityinfowatch.com/12400695

FEATURED EXHIBITOR

**Theia Technologies:
4K Camera Lenses**




Theia Technologies has introduced its family of 4K lenses, the SL410 (4-10mm) and SL1250 (12-50mm). They are compatible with 4K cameras including models from Arecont, FLIR, Hanwha, Honeywell, Dahua and Vivotek. The lenses cover up to 1/1.7-inch 4K image

sensors and resolve the smaller pixels of the 1/2.3-inch 4K sensors. At 64.5mm long by 59mm diameter, they are compact enough to use in domes, bullets and smaller housings, and they are available in motorized, manual, DC auto-iris, P-iris, and CS or D25 board mount versions.

Request more info at www.securityinfowatch.com/12399899

FEATURED EXHIBITOR



First Choice Building Products: Access8 Door Access Control System

The Access8 Door Access Control System provides easy-to-use door security. The system features a “plug-and-play” design that efficiently powers up to eight doors and card readers. In addition to state-of-the-art touch screen technology, the equipment is simple to program and allows for an audit trail and access levels for truly robust control. With support for cards, key fobs and smartphones, the system is a flexible, yet powerful access solution for smaller buildings.

Request more info at www.securityinfowatch.com/21149995

Arteco: Video Content Analytics Solution

The Arteco Video Content Analytics (VCA) solution is an advanced video analytics set that involves the digitalization of video footage and the employment of sophisticated algorithms to classify object types and identify behavior in real time, providing alerts and events to users.



Request more info at www.securityinfowatch.com/21125124

AtlasIED: Atmosphere Digital Audio Platform

AtlasIED’s new Atmosphere platform of digital audio controls help



enable effective and efficient delivery of emergency alerts and daily messages. Featuring touchless control, automation and artificial intelligence, the products include a combination of digital audio processors, amplifiers, graphical user interfaces, programming software and controls.

Request more info at www.securityinfowatch.com/21152632



ASSA ABLOY: IN120 WiFi and IN220 PoE Locks

ASSA ABLOY’s IP-enabled IN120 WiFi and IN220 Power-over-Ethernet models are now available with an optional pushbutton keypad that enables users to configure the locks to support PIN-only access or dual authentication using a contactless credential or mobile device combined with a PIN.

Request more info at www.securityinfowatch.com/21152626

ASSA ABLOY Electronic Security Hardware: Securitron AQL Series

The Securitron AQL Series Intelligent Power Supplies feature real-time monitoring capabilities from LifeSafety Power. The product provides efficient, reliable power to support access control systems – from single-door specs to expansive enterprise systems – and it features remote monitoring and management capabilities.



Request more info at www.securityinfowatch.com/21135535

Athena Security: Body Temperature Detection System

Athena Security has released an iPad kiosk model of its touchless, elevated body temperature detection system, which can scan more than 800 persons an hour as they walk past a blackbody and infrared camera. Real-time elevated temperature alerts can be sent to phones, websites or a VMS.



Request more info at www.securityinfowatch.com/21152676

FEATURED EXHIBITOR




**ASSA
ABLOY:
Medeco
Intelligent
Key
Cabinet**

Medeco's Intelligent Key Cabinet (IKC) is a complete key access control and storage solution. Ideal for keys and other assets that require a high level of security and accountability, the IKC is an electronically controlled steel cabinet that requires Biometric Fingerprint, PIN or Prox Card authentication (optional) for access. Authorized users have access to only specific keys stored in the cabinet. The unit electronically keeps a record of key removals and returns, by whom and when.

Request more info at www.securityinfowatch.com/21151280

FEATURED EXHIBITOR



**IMRON Corporation: UnityIS
Cloud Access Control System**

IMRON's UnityIS cloud application offers complete access management for any vertical. Whether on-site or off-site, connect to the system from any Internet-connected device. Features include: Advanced user assignments; complete door and device control; real-time system events/alarms and alerts for immediate notification; graphical interface and control; granular lockdown capabilities; if/then customizable trigger rules; occupancy control; and advanced reporting. With no software to load, no maintenance to perform, and a simple subscription model, users can stay focused on their business.

Request more info at www.securityinfowatch.com/21121508

AutoGate: Vertical Pivot Gate Operators



AutoGate's Vertical Pivot Gate operators are UL325 and CSA 22.2 No. 247 Listed. The systems are all electrical with built-in battery backup and operate well in all weather conditions, including extreme heat, cold and snowy conditions.

Aesthetically customizable to match project materials, the gates pivot open 90° vertically, so much less space is necessary for installation and use.

Request more info at www.securityinfowatch.com/21149722

**Axis Communications:
C1410 Network Mini Speaker**

The AXIS C1410 Network Mini Speaker is a PoE powered standalone unit. Featuring easy integration with network video, access control systems and Voice over IP (VoIP), a built-in PIR sensor enables audio messages to be delivered in response to detected motion.

Request more info at www.securityinfowatch.com/21151302



Barix: IP Former

IP Former is Barix's newest innovation for adding IP networking capabilities to loudspeakers. Replacing the 70/100V transformer traditionally used with analog loudspeakers, the PoE-powered device provides an IP network interface, audio stream decoder and amplifier front-end for a 2-8-ohm speaker.

Request more info at www.securityinfowatch.com/21124729



**Bird Home
Automation:
DoorBird
D1101V IP
Video Door
Station**

The DoorBird D1101V IP video door station comes in a surface-mounted and flush-mounted version. The smart intercom sends push notifications when the call button is pressed, enables users to see and talk to visitors live via smart-phone, tablet or indoor station, and open the door.

Request more info at www.securityinfowatch.com/21152630



**Boon Edam:
Speedlane
Compact
Optical
Turnstile**

The Speedlane Compact optical turnstile from Boon Edam provides all the fundamental functions needed in a security turnstile and accommodates the smaller spaces often found in older buildings. The cabinets are wide enough to allow for integration with technologies including biometrics and facial recognition.

Request more info at www.securityinfowatch.com/21141376



FEATURED EXHIBITOR

Alvarado Manufacturing: Touchless Motorized Full-Height Turnstile



Alvarado Manufacturing will introduce motorized, touchless versions of its maximum-security, outdoor full-height turnstiles in October 2020. Once a user verifies credentials and enters the turnstile, a presence sensor detects the user and activates rotation. The result is a smooth and secure, completely contactless passage. For facilities with existing Alvarado full-height turnstiles that wish to upgrade to a motorized, touchless version, a field retrofit kit is available. Applications include hygienic employee and visitor access control, time and attendance integration, and unattended entry points.

Request more info at www.securityinfowatch.com/21149981

FEATURED EXHIBITOR



Seek Thermal: Seek Scan Thermal Imaging System

Seek Scan is a low-cost thermal imaging system specifically designed and calibrated to automate temperature screening from a safe social distance. In 1-3 seconds, the system automatically detects a face for measurement and displays an alert if the reading is warmer than the customizable alarm temperature. The system follows FDA guidelines by meeting accuracy specifications, including a reference heat source (blackbody), and by being made for single-person screening at a fixed distance. APIs are available for integrators to deliver access control, VMS integration and other network capabilities.

Request more info at www.securityinfowatch.com/21151286




Bosch: Access Management System 3.0

Bosch's Access Management System 3.0 offers up to 15 configurable threat levels such as lockdown, controlled lockdown, or evacuation – which means safety measures can be initiated quickly in critical situations such as fire or security breach. Users can start small and add extra capacity as necessary.


Request more info at www.securityinfowatch.com/21145189

BriefCam: Video Content Analytics Platform

BriefCam's Video Content Analytics Platform now offers capabilities to help prevent the spread of COVID-19 and support safe re-opening, including proximity identification for contact tracing and social distancing enforcement; as well as functions for face mask detection and occupancy control.



Request more info at www.securityinfowatch.com/21069589



Calipsa: False Alarm Filtering Platform

Using artificial intelligence and machine learning technologies, Calipsa's cloud-based False Alarm Filtering Platform removes over 90% of false alarms; recognizing the cause and filtering out those not caused by human or vehicle movement. It integrates seamlessly into existing monitoring operations.


Request more info at www.securityinfowatch.com/21152439

Carrida Technologies: Automatic License Plate Recognition Camera



The Carrida Cam basic+ 0273 ultra compact Automatic License Plate Recognition camera system features a ruggedized housing that can be used outdoors, with two-cable connection for both network and power/IO. It features a SONY chip.

Request more info at www.securityinfowatch.com/21152075



Cast Lighting: PoE LED Lighting Solution

CAST Perimeter Lighting and EtherWAN have collaborated to provide power to perimeter LED lighting from one switch. The combination of the EtherWAN EX78934E-OVB and the CAST CPOE60W PoE Interface enables users to power low voltage lights, cameras, access control, perimeter intrusion.

Request more info at www.securityinfowatch.com/21149749

FEATURED EXHIBITOR



Bold Group: Manitou Alarm Monitoring Software

Manitou is alarm monitoring software that seamlessly integrates intrusion, video, access control, lone-worker protection, and GPS into a single, web-based user interface. Improve operator efficiency with a customizable dashboard for easier navigation, enhanced action patterns to deliver step-by-step instructions for consistency, and a video control center that seamlessly integrates video and alarm handling. Administrative productivity is improved through accounting integrations and an intuitive customer wizard for data entry accuracy. Your valuable assets are protected with real-time, UL/ULC listed database replication, and the platform is available on-premises or hosted in the Cloud.

Request more info at www.securityinfowatch.com/21151287

FEATURED EXHIBITOR



Adams Rite: P8800 Pullman Rim Exit Device

The P8800 Pullman Rim Exit Device from Adams Rite is designed for applications requiring an exit device with Pullman latching solution. P8800 is Grade 1 certified for the ultimate in strength and security and is available with an array of essential mechanical and electrification options and a wide selection of compatible products to complete a solution. The product is specifically designed for applications where access control is required and high performance is expected.

Request more info at www.securityinfowatch.com/21135534



CEIA USA: Network Management System for Metal Detectors

The CEIA NetID Anywhere network management system is an exclusive cloud-based management solution for the company's walk-through metal

detectors (WTMD) that centralizes access to important statistics, automates monitoring of critical calibration parameters and more.

Request more info at www.securityinfowatch.com/21152467

Clare Controls: ClareOne Wireless Panel

Distributed exclusively by SnapAV, the ClareOne Wireless Security and Smart Home Panel unifies smart wireless security and smart home control, with encrypted security sensors and smart home integrations. A FusionPro back-end management and RMR platform creates a single-point solution for integrators.



Request more info at www.securityinfowatch.com/21145552



Code Blue: CB2-e Wall-Mounted Help Point

The CB 2-e from Code Blue has been redesigned to make it easier to install and more economical without sacrificing durability or visibility. A lightweight, two-piece design makes installation and maintenance easy for a single person. Its 4-inch depth is slim enough to be ADA compliant on any wall.

Request more info at www.securityinfowatch.com/21124337

Commend Inc.: Multi-Sensory Intercom Module

Commend Inc.'s im6 Multi-Sensory Intercom Module can connect equipment such as audio/video, control, and display devices like touchscreen monitors. It is ideal for integrating full-range intercom power to emergency call stations, elevator cars, pedestrian or vehicle gates, pay machines, and other building and control installations.



Request more info at www.securityinfowatch.com/21152670

Connected Technologies: Cloud-Hosted Security Management Platform

Featuring integrations with OpenEye, 2N, ecobee, HALO Smart IoT Sensor, Digital Watchdog, InstantCard



and others, the Connect ONE cloud-hosted platform enables integrators to use one interface to control all integrations, including intrusion, access control, video surveillance, critical environmental monitoring and energy management.

Request more info at www.securityinfowatch.com/21090690

FEATURED EXHIBITOR



**Quantum Corporation:
VS-NVR and VS-A
Storage Appliances**

Purpose-built and available in mini-tower and rack-mount options from 4TB-960TB, Quantum VS-NVRs support every camera project and are certified and pre-installed with the leading VMS packages for easy, fast deployments. Additionally, Quantum's VS-A Analytics and Applications servers include GPU to support the processing demands of video analytics, and deliver high availability with failover for access control, building management and other applications. Proactive health monitoring ensures maximum uptime and reduced maintenance costs.

Request more info at www.securityinfowatch.com/21151290

FEATURED EXHIBITOR



**PROTECH:
Fence-Mounted
Intrusion
Detection with LED lighting**

PROTECH and Cast Lighting have partnered to create a perimeter security solution that identifies when an intruder breaches a fence or active infrared barrier and then illuminates the area to deter them. Working in conjunction with PROTECH's accelerometer-based G-Fence (fence-mounted intrusion detection system) and Maxiris long-range infrared barrier technologies that detect cutting, climbing and lifting of the fence or beam breaks respectively, Cast Lighting's low voltage LED lighting system illuminates the area when an attempted intrusion occurs.

Request more info at www.securityinfowatch.com/21151294



**Cyberlock:
CyberKey Blue 3 Bluetooth Smart Key**


CyberLock's CyberKey Blue 3 gives users flexibility when it comes to updating access permissions. Designed with a mobile workforce in mind, it enhances system security by supporting temporary access and delayed activation, extending precise access control features to remote locations.

Request more info at www.securityinfowatch.com/21125171

**Dahua Technology USA:
Hybrid Thermal Network
Camera**

Dahua's Hybrid Thermal Network camera (DH-TPC-BF5421-T) combines an uncooled VOX 300x400 thermal sensor with a 2 MP visible-light sensor for cost-effective, long-range surveillance. When paired with a blackbody device, it offers a contactless and continuous non-invasive option for detecting elevated skin temperatures.

Request more info at www.securityinfowatch.com/21151318



**Dedrone:
Counter-Drone Systems**

Dedrone's counter-drone system protects against unwanted small drones (sUAS). With flexibility to host in the cloud or on-premise, the SaaS technology combines machine-learning software with sensors and effectors to provide early warning, classification of, and mitigation against all drone threats.

Request more info at www.securityinfowatch.com/21089659

**Deister Electronics: doorLoxx
Digital Locking Systems**



The doorLoxx digital locking system from Deister Electronics makes it easier to change from a



**Databuoy:
ShotPoint Gunshot
Detection System**

Shotpoint from Databuoy provides reliable and accurate gunshot detection and localization. The acoustic sensor network localizes


on the source of gunfire in three dimensions, and a patented sensor fusion technique removes false alarms and echoes.

Request more info at www.securityinfowatch.com/12431077

conventional master key locking system with mechanical keys to an electronic access control system. Installation is very straightforward, no doors are damaged.

Request more info at www.securityinfowatch.com/21151320

FEATURED EXHIBITOR



**Speco Technologies:
O2TML
Temperature,
Mask and Face
Detection**

The O2TML from Speco Technologies is a 100% contactless solution designed to screen for masks, temperature and face detection. It is equipped with an 8-inch LCD screen, dual lens camera and an infrared sensor.

The system can recognize faces

with a mask, will detect when a mask-less face is presented and will trigger a voice alarm when an abnormal temperature is detected. It supports remote live view and two-way audio and is equipped with a wiegand input/output that can be used for access control.

Request more info at www.securityinfowatch.com/21151296

FEATURED EXHIBITOR



DoorKing: 2112evolve Video Telephone Entry System

DoorKing's model 2112evolve cloud-based Video Telephone Entry System can store virtually an unlimited number of phone numbers and entry codes. Operating on a cellular network or internet connection, companion DoorKing apps are available free of charge for both Android and iOS that provide video calling and relay control, programming, event logging, and more for system administrators. It also features broadcast calling, which allows up to four phones to ring simultaneously.

Request more info at www.securityinfowatch.com/21125136

**Delta Scientific:
DSC7090 Beam Barricade**

Delta Scientific's bolt down DSC7090 beam barricade has passed its crash test, garnering an ASTM M30/P1 rating – meaning it will stop a 15,000-pound truck going 30 mph. Raising in only five seconds and lowering in two seconds yields a cycle rate of 100 vehicles per hour.



Request more info at www.securityinfowatch.com/21114117

DeTect Inc.: DroneWatcher RF




DroneWatcher RF is able to detect more than 95 percent of commercially available, consumer and prosumer drones up to two miles, providing data including drone type, ID and more. The compact, portable box can be installed in multiple configurations with only nominal power and network requirements.

Request more info at www.securityinfowatch.com/21152409

**Dice Corp.:
DCSR Alarm
Signal Receiver**

The Dice Corporation Software Receiver (DCSR) is a proprietary ASP hosted alarm signaling solution that enables alarm monitoring companies to aggregate signals in any format, from any alarm panel in a centralized location. It enables central stations to forego investing in receiver infrastructure and maintenance.



Request more info at www.securityinfowatch.com/21152607

**Digital Watchdog:
Spectrum IPVMS v4.1**

DW Spectrum IPVMS v4.1 delivers new features, including: Event push notifications;



health monitoring, including system, camera, storage and server status; full-featured embedded Chromium browser; and video wall failover protection.

Request more info at www.securityinfowatch.com/21109955

**Dirak: MLR 2500KP
Swinghandle for
Racks**



E-LINE by DIRAK's MLR 2500KP swinghandle for rack access control incorporates OSDP protocol combined with LEAF identity. The swinghandle also has a multi-frequency antenna as well as added LED lights that show the status of the handle. Dual-factor authentication is also an option.

Request more info at www.securityinfowatch.com/21124652

FEATURED EXHIBITOR

**HID Global:
HID Location
Services**



HID Location Services combines a hardware and software solution to deliver actionable occupancy data that scales based on the need of the facility. Integration with third-party systems enables users to understand building entry and exit; occupancy of the building on a floor or room; set up virtual security zones; automate alerts or alarms for violations; and locate building occupants in the event of an emergency. Use it as part of an organizational strategy for enabling a safe return to work.

Request more info at www.securityinfowatch.com/12346299

**dormakaba:
Touchless Access
Control Solutions**

Dormakaba's Touchless Access Solutions reduce hand-to-door contact in public areas, such as healthcare facilities, restaurants, schools, offices and restrooms. The solutions, including touchless actuators and RCI switches, can transform any manual opening door into an automatic opening.



Request more info at www.securityinfowatch.com/21151324

**Dortronics: 5278
Series Touchless
Switches**

Dortronics 5278 Series Touchless Switches provide a healthy solution for hands-free access control and various operations. They use Optical Infra-red Technology allowing a simple wave of the hand to activate the switch, and feature an illuminated LED ring for increased visibility.

Request more info at www.securityinfowatch.com/10890745

**D-Tools:
Security Sales
and Design
Software**

D-Tools Cloud is a web-based SaaS application that intelligently guides residential electronic security integrators through managing sales prospects, quoting, browser-based drawings and procurement. Additionally, D-Tools System Integrator software helps integrators with estimating, procurement, project management, installation and ongoing service.



Request more info at www.securityinfowatch.com/21107073

**Ditek:
DTK-LC2 Power Line
Conditioner**

Ditek's Line Conditioning Surge Protective Device (model DTK-LC2) combines 120V power filtering with reliable protection from unnecessary damage caused by electrical surge events. A convenient plug-in design does not require an electrician for installation and can be wall-mounted or set on any convenient surface.

Request more info at www.securityinfowatch.com/2113922



**DMP: DualCom and
CellCom Alarm
Communicators**

DMP's DualCom and CellCom dual path communicators deliver free network communication, plus your customers get smart home automated actions, cameras and more from the Virtual Keypad app. Fully manage old Honeywell or DSC systems with both fire and non-fire options.

Request more info at www.securityinfowatch.com/21151322



**Elatec USA: Compact
RFID Reader Module
and Panel Mount**

The TWN4 Palon Compact RFID Reader Module and Panel Mount from ELATEC are optimized for physical access control (PAC). They read all major RFID transponder technologies, including HID Global, LEGIC and NXP, and mobile ID technologies Near-Field Communication (NFC) and Bluetooth Low Energy (BLE).

Request more info at www.securityinfowatch.com/21124108

**EXPOCAD: ELI Location-
Based Security App**

ELI from EXPOCAD uses intelligent floor plan technology to allow precise location of emergencies. The app overcomes limitations of push-to-talk and walkie-talkie communications, by connecting authorized users to designated first responders, managers and authorized staff using any smartphone.

Request more info at www.securityinfowatch.com/21124164





**Farpointe Data:
CSR-35L Smart
Card Reader**

Farpointe Data's Conekt-compatible mobile access CSR-35L smart card reader deploys a BLE (Bluetooth Low Energy) Field Adjustable

Range (FAR) read range that can be cycled from short to medium to long to maximum to presentation and then back to short again.

Request more info at www.securityinfowatch.com/21149740

**Gai-Tronics:
HUBBCOM IP
Devices**

HUBBCOM IP Devices from Gai-Tronics offer general and point-to-point audio/video intercom, overhead speaker broadcasting, SIP telephone operation, and Web access for seamless communications between various facility areas. The devices are equally suited to providing door entry, information, communications and control.

Request more info at www.securityinfowatch.com/21069470



**Hanwha Techwin
America: Wisenet 7
System on Chip (SoC)**

Hanwha Techwin's next-generation Wisenet 7 SoC (System on Chip) is designed to address the unique

challenges of the security market. New features include enhanced cybersecurity, clear images in all lighting conditions, improved lens distortion correction and more. Cybersecurity protection includes secure boot, OS, storage and JTAG.

Request more info at www.securityinfowatch.com/21148849

**HySecurity:
SmartCNX Gate
Controller**

The SwingSmart and SlideSmart CNX electromechanical gate operators offer full-featured connectivity. Features include: five programmable inputs for sensors, detectors, or any other kind of access control, as well as a smartphone installer app and remote management capabilities.

Request more info at www.securityinfowatch.com/21152598



**ICC: 14-Inch
Residential Plastic
Wiring Enclosure**

ICC's 14-inch Residential Plastic Wiring Enclosure improves Wi-Fi signal range to distribute voice, data, and video cabling within a home. The product

uses a 0.1-inch gauge base to prevent cracking and includes a vented cover to reduce heat caused by highly active equipment.

Request more info at www.securityinfowatch.com/21151432



**Idemia: VisionPass Facial
Recognition System**


Idemia's VisionPass face recognition device for physical access and time-and-attendance control combines AI with 2D, 3D and infrared cameras to offer a hands-free experience. It works in all light conditions, and at various vertical and horizontal angles to cope with users of different heights.

Request more info at www.securityinfowatch.com/21152636

Immix: AI Link

Immix AI Link is a new API that will allow AI technology to seamlessly integrate to the company's central station alarm management software suite to reduce the number of false or nuisance alarms that hit a central station operator queue. It leverages video analytics from Jemez Technology.

Request more info at www.securityinfowatch.com/21152413



**Innovatrics:
SmartFace
Facial
Recognition
Server
Platform**

Innovatrics SmartFace is a scalable facial recognition server platform that detects and tracks faces in parallel video streams from multiple IP cameras in real-time. The facial recognition algorithms rank among the top in NIST benchmarks. The SmartFace Access Controller ensures access is granted only to authorized persons.

Request more info at www.securityinfowatch.com/21151437



**Inovonics:
EchoStream Fire
Transmitter and
Receiver**

The EH4104R single zone fire RF receiver with relays and EH1115EOL single input fire RF transmitter from Inovonics meet UL 864 (Control Units and Accessories for Fire Alarm Systems) and California State Fire (CSFM) regulatory approvals. Create a wireless link for any fire switch with standard contacts.

Request more info at www.securityinfowatch.com/21086632



**Instakey:
Proactive Key Control**

InstaKey's proactive key control program includes user-rekeyable locks that eliminate locksmith fees. A special key is used to rekey, and cylinders can be rekeyed several times before a new core is needed. Keys cannot be copied, so they can be reissued without the need to rekey.

Request more info at www.securityinfowatch.com/21152668

**Intelligent Security Systems:
Safe Return to Work Technology**



Intelligent Security Systems (ISS) is offering three of its software solu-

tions for "Plan for a Safe Return to Work" initiative, including the following SecurOS FaceX applications: Facial recognition for touchless access control; temperature detection; and mask detection.

Request more info at www.securityinfowatch.com/21152448

**Intellithings:
RoomMe
Room Presence
Monitoring System**



RoomMe by Intellithings is an intelligent room presence monitoring system that uses patented Presence Sensing Technology (PST) to add enhanced functionality and peace of mind to smart home security systems. It uses the unique Bluetooth signature of an individual's smartphone or select smartwatch.

Request more info at www.securityinfowatch.com/21152615



**Inxium: IXM TITAN
Thermal Health Kiosk**

Inxium's IXM TITAN thermal solution health kiosk uses an intelligent dual-camera system to screen employees or visitors at entry points. Incorporating machine learning, it conducts automated face recognition and elevated body temperature (EBT) detection measured at the medial canthus (tear duct).

Request more info at www.securityinfowatch.com/12404066

**Johnson Controls:
Illustra Pro Thermal
EST Camera**



The Tyco Illustra Pro Thermal EST camera from Johnson Controls provides rapid scanning at accuracy levels that exceed IEC standards. The 5MP color/thermal camera includes built-in, AI-enabled face detection technology that isolates the forehead and performs a multi-point temperature measurement, accurate to within $\pm 0.2^{\circ}\text{C}/0.4^{\circ}\text{F}$.

Request more info at www.securityinfowatch.com/21147934

**KBC Networks: Fiber Optic
Product Line**



KBC's fiber optic range offers multimode and singlemode solutions for static and PTZ cameras; industrial data systems including RS-485, 232 and 422 telemetry; single and multi-channel contact closure and Ethernet media conversion including Power over Ethernet. Solutions include simple point-to-point transmission links to custom-build, multi-interface modems.

Request more info at www.securityinfowatch.com/21124699



**Keyincode: KIC6510
Electronic Smart Lock**

Keyincode's KIC6510 is an ANSI Grade 1 electronic smart lock that provides entry for up to 800 codes or MiFare Card or Fobs and 50 smartphone users.

Features include: passage mode, timed lock/unlock, remote code assignment, auto-code change and more.

Request more info at www.securityinfowatch.com/21151485

**Knightscope: Security Operations
Center (KSOC)**

The Knightscope Security Operations Center (KSOC) is a web-based interface that provides real-time location-based alerts for suspicious vehicles or devices, persons of interest, thermal anomalies, parking violations and data for post-incident investigations and reporting for Knightscope Autonomous Security Robot (ASR) deployments.



Request more info at www.securityinfowatch.com/21152660

**Legic Identsystems: SM-6310
Programmable Security Module**



Legic's SM-6310 Programmable Security Module is a powerful IoT Edge Processor with embedded ARM Cortex Core, RFID, Bluetooth Low Energy and programmable CC EAL5+ certified Secure Element. The 8x8 mm module ensures secure interaction for smartphone- and smart card-based access, mobility and industrial IoT applications.

Request more info at www.securityinfowatch.com/21151521

**LifeSafety Power: BiTSTREAM
High-Power PoE
for Access Control**

BiTSTREAM from LifeSafety Power includes IEEE 802.3bt-compliant PoE midspan injectors and PoE driven DC power supply/chargers specifically designed for access control. Featuring integrated fire alarm disconnect and remote monitoring, they enable installers to eliminate the need for high-voltage electricians in access control installations.



Request more info at www.securityinfowatch.com/21149792

**Louroe Electronics: TLO-A Two-Way
Communications Device**



TLO-A is a two-way communications device from Louroe featuring an active speaker for high-volume penetration and a microphone for superior sound capture in a single, weather-resistant housing. Its omni-directional microphone detects audio within a 30-foot diameter of the device.

Request more info at www.securityinfowatch.com/21124929

Luxul: ProWatch Cloud Management Platform

Luxul ProWatch enables residential integrators to access their customers' Luxul networks and connected devices at any time in map or list views via web interface or mobile app to get online/offline status of connected devices and the availability of firmware updates.

Request more info at www.securityinfowatch.com/21152658



Moog: Mercury Camera System

Moog's Mercury medium-range camera system includes a continuous zoom mid-wave IR 550mm optic and a 500mm continuous zoom day/night camera. Ideal applications include c-UAS/drone tracking, border security, and perimeter intrusion detection. Optional multi-algorithm video tracking ensures maximum target coverage.

Request more info at www.securityinfowatch.com/21152083



March Networks: Insight Video Health Monitoring

March Networks' Insight service helps security integrators stay up-to-date on the health of their customers' video surveillance networks. The subscription-based service offers a visual overview of an organization's entire video network health, and valuable reporting capabilities via a secure, cloud-based platform.

Request more info at www.securityinfowatch.com/21076126



Morse Watchmans: Key Control Cabinet

The KeyWatcher Touch key control solution from Morse Watchmans offers one-touch key control with an easy-to-use interface. Protect, track and control key usage across an organization or enterprise to help maintain safety and security.


Request more info at www.securityinfowatch.com/10772264



Matrix Systems: APERTA IP Device Controller

The APERTA IP Device Controller from Matrix Systems is designed to support future Internet of Things (IoT) devices. Built on a Linux platform, it includes dual Ethernet connections, USB and HDMI connections, eSATA ports, standard power input or PoE+ support, and OSDP support.

Request more info at www.securityinfowatch.com/21152655



Nexkey: Smart Door Strike

Nexkey Solo is a wireless, battery-powered smart door strike that is cloud connected and managed through a smartphone. Manage access instantly for unlimited users, create access schedules for part-time users, track activity, and get insights with real-time reports.

Request more info at www.securityinfowatch.com/21152077



MaxOut Technology: Wireless Mini Door/Window Sensor

The Wireless Mini Door/Window Sensor from MaxOut Technology delivers the maximum allowable FCC output for maximum signal strength and transmission range. Featuring 360° coverage without "dead spots" or "drop-offs," it comes in 319.5 MHz (compatible with Interlogix and Qolsys) and 345 MHz (Honeywell, 2GIG).

Request more info at www.securityinfowatch.com/21152652



Nortek Security & Control: 2GIG eSeries Security and Control Ecosystem

2GIG encrypted systems provide peace of mind against hacking, while also offering sleek control panels and ultra-intuitive interfaces. Dealers get the added benefit of protecting their business and their RMR by reducing the threat of takeovers. These enhanced security upgrades are no additional cost.

Request more info at www.securityinfowatch.com/21069604



Milestone Systems: XProtect Essential+ and BYOL

Milestone Systems has made its XProtect VMS available via Amazon Web Services (AWS), reducing on-premises hardware and limiting setup and maintenance of on-site VMS. Included is the free XProtect Essential+ and XProtect BYOL (Bring Your Own License), which requires a paid license.


Request more info at www.securityinfowatch.com/21150003



Open Options: FusionX Web-Based Access Control

FusionX, Open Options' web-based access control system, features an enhanced user interface and provides real-time system information along with recent activity and system alarms. It features a wizard-style entry method that walks the operator through the different card options, including assigning access levels.

Request more info at www.securityinfowatch.com/21151443





Openpath: Single Door Controller

The Openpath Single Door Controller supports up to two entries and two Openpath Smart Readers with configurable wet/dry relays. The unit can be configured via Bluetooth, with wired and wireless connectivity options. It is ideal for a small office or remote locations.

Request more info at www.securityinfowatch.com/21152646

Opgal: Sii OP Thermal Imager

The Sii OP by Opgal is a thermal imager with a visual camera for scene awareness. It includes onboard edge video analytics and thermography options. The camera is cybersecurity ready, adheres to NDAA Section 889, and is ONVIF conformant.



Request more info at www.securityinfowatch.com/21152410

Panasonic i-PRO: X-Series Cameras



Panasonic i-PRO X-Series cameras enable analytical applications on the network edge, further optimizing performance, system bandwidth and storage requirements. The cameras employ an AI engine with on-board analytics to detect suspicious changes in scenes, automatically adjust image settings of the scene being analyzed, and optimize video compression.

Request more info at www.securityinfowatch.com/21147005

Parabit Systems: Multi Media Reader with BLE

Parabit's Bluetooth Access Control SDK solution integrates with a financial institution's mobile banking app. The cloud-based SDK door unlock command enables Parabit Multi Media Readers with Beacon Technology to provide contactless access to ATM lobbies and tellerless bank branches.



Request more info at www.securityinfowatch.com/21089649



Par-Kut International: Security Booths

The colonial style, welded steel "Presidential Series" booths from Par-Kut International feature an upscale and traditional look while providing shelter for security officers so they are able to offer visitor assistance and staff check points during all kinds of weather.

Request more info at www.securityinfowatch.com/12360317

Paxton Access: Net2 v6.04 Access Control Management System



Paxton's Net2 v6.04 system features occupancy management functionality, which enables users to limit the number of people in any given area. It also features thermal scan integrations. Both new features are ideal for users who want to help limit the spread of COVID-19.

Request more info at www.securityinfowatch.com/21151316

Pedestal PRO: Customizable Pedestal Solution

Pedestal PRO's 124TOW-PDK-001-304 customizable pedestal solution integrates flush or surface mount devices to improve the beauty of freestanding access control bollards. With a minimal 4.00"D profile, all fasteners are hidden using an internal base plate accessible through a back panel.

Request more info at www.securityinfowatch.com/21152634



Pelco: Spectra Enhanced 7 Series

Pelco's Spectra Enhanced 7 Series of high-speed IP PTZ domes offer 4K resolution with 18x optical zoom for a wider field of view for better detection, classification and identification. It is ideal for clients with challenging lighting conditions and large/broad surveillance areas.

Request more info at www.securityinfowatch.com/21152427



Pivot3: Acuity Software Platform

Pivot3 has added automation and intelligence enhancements to its Acuity software platform to address the system administration, maintenance and availability challenges often faced in large-scale video surveillance deployments. Reduce total cost of ownership, ensure system uptime in large multi-petabyte environments, and automate system lifecycle management.

Request more info at www.securityinfowatch.com/21151455



Platinum Tools: ezEX RJ45 Starter Kit

The Platinum Tools ezEX RJ45

Starter Kit (p/n 90188) is an easy way to make the switch to twisted pair cabling. The kit contains: EXO Crimp Frame with EXO-EX Die; ezEX38, ezEX44 and ezEX48 connectors; and 20 ezEX strain reliefs in assorted colors.

Request more info at www.securityinfowatch.com/21151466




**Power Sonic:
PS Series Batteries**

Power Sonic's PS Series has been designed with AGM (Absorbent Glass Mat) technology to deliver excellent performance in fire protection systems, security systems and emergency lighting systems. Batteries are available in 2V, 4V, 6V and 12V with UL94-HB and UL94-V0 flame retardant casing.

Request more info at www.securityinfowatch.com/21152596


Prodatakey: Touch Bluetooth Reader and Mobile App

ProdataKey (PDK) has updated its "touch" Bluetooth reader and mobile app with a "touch-free" feature designed to support COVID-19 workplace safety. It enables credentialed users to simply wave their hand within 2-3 inches of the reader in order to indicate an intent to enter.



Request more info at www.securityinfowatch.com/21149636

Qolsys: IQ Panel 2 Plus



Make LTE upgrades easy with the Qolsys IQ Panel. The panel can "takeover" legacy wireless sensors already installed, as well as Z-Wave lights, locks, thermostats and other devices like garage openers, video cameras and doorbells.


Request more info at www.securityinfowatch.com/12426538

**Qumulex:
Unified Video/
Access Control
Management**

Designed for security integrators, Qumulex is a Unified Video Management and Access Control System providing both in a simplified browser-based user interface. It provides options for all-cloud, on-premises or a combination, and is an open platform that works with leading camera and access control hardware.




Request more info at www.securityinfowatch.com/21152642



**Raslient Systems:
NFDCloud Enterprise
Storage Solution**

Raslient's NFDCloud products can be building blocks to construct VMS-agnostic video surveillance cloud storage for enterprises. The product line includes NFDEdge VMS agnostic NVRs; the NFDLink AI-enhanced TCP/IP communication software; and the NFDStack fully redundant storage system for central recording.

Request more info at www.securityinfowatch.com/21078310



**Razberi Technologies:
Razberi Monitor 3.0**

Razberi Monitor is a cloud-based platform that enables integrators to offer managed services and

build recurring monthly revenue while remotely managing customer sites with less staff and fewer truck rolls. Integrators can monitor and maintain the health and cybersecurity of multiple customer sites.

Request more info at www.securityinfowatch.com/21124684

**Real Time Networks:
Asset Tracer
Smart Lockers**

AssetTracer Smart Lockers from Real Time Networks enable users to secure, track and control access to valuable assets and equipment, including radios, electronics, firearms and warehouse scanners. Its modular design means any number and size of compartments can be assembled as required.



Request more info at www.securityinfowatch.com/21124931



**Resideo:
ProSeries
Security and
Smart Home
Platform**

Resideo's Honeywell Home ProSeries security and smart-home solution includes a common user interface on its panel, touch-screen and app to make it easy to learn and operate. Featuring built-in voice control and video alarm verification, it works with the company's SiX wireless sensors.

Request more info at www.securityinfowatch.com/21152637

**RS2 Technologies:
AccessIt Security-
as-a-Service (SaaS)**

RS2 Technologies' AccessIt! Universal.NET is a scalable access management software solution now available in a security-as-a-service (SaaS) package for easier installation and management of an organization's operation. The SaaS comes in either a dedicated server deployment or shared server deployment environment.



Request more info at www.securityinfowatch.com/21151492



**Safety Technology
International (STI):
Speaker Guards**

STI's new heavy-duty 9-gauge Speaker Guards are constructed with corrosion-resistant polyester coating and are recommended for areas where abuse is severe. Easy to install, the cages protect speakers and other large devices against theft, vandalism and damage. Brackets, screws and anchors are provided.

Request more info at www.securityinfowatch.com/21147703



Safe Zone: Gunfire Detector

The Safe Zone Gunfire Detection System combines infra-red and sound detection technologies with cloud-based data analysis to respond

within 10 seconds to an active shooter situation, automatically communicating with key personnel including first responders, school administrators and parents.

Request more info at www.securityinfowatch.com/21069600

SALTO Systems: Neo Cylinder

The compact SALTO Neo Cylinder is designed for doors where fitting an electronic escutcheon is not possible or required. Install it on standard doors, server racks, cabinets, electric switches, sliding doors and more. A new clutch system design drops energy consumption to impressively low levels.



Request more info at www.securityinfowatch.com/21145185

Seco-Larm: Enforcer Keypad with Reader

The Enforcer Bluetooth Mullion Keypad with Reader (SK-B241-PQ) from Seco-Larm includes a streamlined, fully app-based setup using integrated Bluetooth wireless technology. Open a door via keypad, card or the SL Access app. The keypad is passcode protected, with AES128 encryption and a solid-state relay.

Request more info at www.securityinfowatch.com/21151508

SecuRam Systems: Smart Deadbolt Lock

The SecuRam Touch enables users to unlock a home using proprietary touch-to-open technology.

The smart deadbolt integrates wireless technology with RF, which allows approved users to unlock the door with their fingerprint. Protected by AES 128-bit encryption.

Request more info at www.securityinfowatch.com/21152434




Securitech: Safebolt Classroom Door Lock

Securitech's Safebolt retrofits to cylindrical lever locks to barricade a classroom door. A press of a button instantly triggers a one-inch locking bolt. Now with a three-hour fire rating, no power, batteries or wiring is required, and it can be unlocked by key from the exterior.

Request more info at www.securityinfowatch.com/12427225



Security and Safety Things: Open IoT Ecosystem



Security & Safety Things' open IoT platform effectively turns cameras into multi-purpose IoT-sensors. The cameras can be equipped with apps, just like smartphones, to provide operational intelligence, including managing building occupancy, optimizing people and vehicle traffic flow, and upholding social distancing or facial covering requirements.

Request more info at www.securityinfowatch.com/21124963

SecurityTronix: ThermScan Non-Contact Forehead Thermometer

The SecurityTronix ThermScan scans forehead surface temperature and alerts by audible and visual alarm if it detects an elevated temperature above 99.1°F. The wall-mounted unit eliminates the need for a dedicated employee to take temperatures at entrances.



Request more info at www.securityinfowatch.com/21151518

Seneca: A-Series Video Analytic Servers



The Seneca A-series video analytic servers include a tiered selection of products for

video analytic software applications that scale to an application's requirements. Purpose-built for deep learning, computer vision and analytic acceleration, it offers GPU acceleration and other compatibility and design features for analytic applications.

Request more info at www.securityinfowatch.com/21151522

Senstar: Ultrawave Intrusion Detection Sensor



Senstar's UltraWave BR100 is an intelligent bi-static microwave intrusion detection sensor featuring a narrow detection field and built-in PoE. Ideal for gates, open areas, rooftops and walls, it creates an invisible electromagnetic field between transmitter and receiver that alarms if it is disturbed.

Request more info at www.securityinfowatch.com/21152635

Shooter Detection Systems: Guardian Wireless Gunshot Detection System



Guardian Wireless from SDS is a patent-pending wireless/battery-powered gunshot sensor. Leveraging the Guardian PoE sensor, it is powered by a lithium battery pack, is 100% wire-free, and includes an optional DC power input for redundant power.

Secure long-range wireless technology ensures optimal uptime.

Request more info at www.securityinfowatch.com/21096111



Sielox: Intelligent Access Controller


Sielox has further expanded the integration of its access control and emergency notification solutions with Allegion to include the new enhanced Schlage NDE wire-

less lock featuring an Interior Push Button (IPB), which can easily lock a classroom door from the inside.

Request more info at www.securityinfowatch.com/12318752

Singlewire Software: InformaCast Fusion & Mobile

Singlewire Software's InformaCast Fusion and Mobile software solutions for emergency notifications now includes Integrated Public Alert and Warning System (IPAWS) mass notification functionality, which can alert and warn users about serious emergencies.



Request more info at www.securityinfowatch.com/12305821



Southwest Microwave: PoE Fence Detection System


The IP-based INTREPID Micro-Point-POE-S Fence Detection

System from Southwest Microwave delivers reliable detection of cut-or-climb attempts to within one meter while ignoring harmless environmental disturbances. TCP/IP network integration is achieved via a single Ethernet cable for power and data transmission.

Request more info at www.securityinfowatch.com/21124310

STid: Mobile ID Open & Global Mobile Access Control

STid Mobile ID enables digitization of access control credentials in a single app to help manage physical access for employees and virtual access to workstations. Virtual visitor credentials also enable temporary access rights for visitors. The system is also now compatible with SIRI on iOS devices.




Request more info at www.securityinfowatch.com/12266354



StoneLock: Biometric Access Solution

The StoneLock GO biometric reader is designed with proprietary "faceless" recognition technology to protect users by safeguarding their privacy without the use of photographs, while eliminating the need to touch. Simplified enrollments are done with QR code or card swipe.

Request more info at www.securityinfowatch.com/21152066



STOPware: PassagePoint Global Visitor Management System

Using STOPware's PassagePoint Global Visitor Management System, users can administer completely contactless daily health screening questionnaires to both employees and visitors before they ever leave home. Using a unique login, users can answer health-related screening questions for COVID.

Request more info at www.securityinfowatch.com/11314179

Tamron: Vari-Focal Lens

Tamron's 4K/8 megapixel resolution 1/1.7" 3.8-17mm F/1.4 Standard Vari-Focal Lens (Model: M117VG3817IR) delivers high-fidelity images over the entire visual and near-IR bandwidth spectrum. The F/1.4 wide aperture renders high sensitivity that enables night-time surveillance in 8 megapixel resolution.



Request more info at www.securityinfowatch.com/21079583

Tane Alarm Products: Wireless Alarm Contacts



Tane Alarm Products 319.5MHz Wireless Contacts (TWC 319.5R) replace most Interlogix and Qolsys wireless alarm contacts operating on the 319.5MHz frequency. The TWC 345R wireless alarm contact replaces Honeywell and 2GiG contacts that use the 345MHz frequency. Both feature a low-profile design and a five-year battery life.

Request more info at www.securityinfowatch.com/21125333

Telguard and AMETEK Land: VIRALERT 3 Human Temperature Screening System

The VIRALERT 3 Integrated Human Body Temperature Screening System from Telguard and AMETEK Land detects body temperatures as people enter a building while maintaining appropriate social distancing. The system includes a camera, thermal imager and fixed blackbody reference source – all on a single mount.



Request more info at www.securityinfowatch.com/21151499

Threshold Visitor Management: eVisitor Software



Threshold's eVisitor visitor management system comes in a desktop version for staff to sign in visitors, or a kiosk version for self-service. The software produces a quality photo, printed badge, visitor log and reports the number of visitors per room, department or facility.

Request more info at www.securityinfowatch.com/11678972



TownSteel: e-Genius Locks

TownSteel e-Genius locks feature a patented design that ensures protection through electronic double-locking technology. Lock the interconnected dead latch and deadbolt simply by lifting the lever and retract both by

pushing down on the lever with credentials.

Request more info at www.securityinfowatch.com/21152428



Vanderbilt Industries: ACT365 Cloud-Based Security Management Software

Vanderbilt ACT365 cloud-based access control and

video management solution that enables users to remotely control and manage access to facilities without a dedicated IT department. It can be scaled to accommodate additional doors or cameras, as well as view live and recorded video, manage users and more.

Request more info at www.securityinfowatch.com/12400279




TRENDnet: PoE+ Smart Surveillance Switches

TRENDnet's Gigabit PoE+ Smart Surveillance Switches come in two models, the 18-Port Gigabit PoE+ Smart Surveillance Switch (TPE-3018LS) and the 12-Port Gigabit PoE+ Smart Surveillance Switch (TPE-3012LS). Camera management functions are available through the switch's GUI.

Request more info at www.securityinfowatch.com/21124120

Verint: Video Xchange

Verint Video Xchange (VX) is a cloud-based video sharing solution designed to enable fraud and security professionals to export video directly to the Verint EdgeVMS Cloud. The confidential and secure solution fully encrypts data during transfer.



Request more info at www.securityinfowatch.com/21149983



Uniview: Face Recognition Access Control Terminal

Uniview's face recognition access control terminal (UNV OET-213H-BTS1-BD) features quick, precise recognition, large storage capacity and non-contact temperature detection technology. Its built-in deep learning dedicated chip features a face recognition accuracy rate greater than 99% and supports local offline use with 10,000-face capacity.

Request more info at www.securityinfowatch.com/21151527

Vanco International: Evolution 4K HDBaseT Extender

With the ability to transmit AV via HDMI and provide complete KVM functionality via USB 2.0 ports over a single Cat5e/6, Vanco's Evolution EVEXKVM2 enables users to control an NVR/DVR, computer, NAS system, or any other component that is controlled by USB.

Request more info at www.securityinfowatch.com/21152081



Viakoo: Camera Firmware Update Manager

Viakoo's Camera Firmware Update Manager (CFUM)

enables users to automatically update firmware on camera

devices from one or more vendors, and perform these updates with a chain-of-trust method that ensures integrity of the firmware. It works with multiple camera vendors and VMS manufacturers.

Request more info at www.securityinfowatch.com/12400265

Video Mount Products: Low Profile Switch & Server Depth Cabinets

VMP's "Switch Depth" (ERVWC-5U20) and "Server Depth" (ERVWC-5U36) low-profile vertical wall cabinets have been designed to securely mount EIA standard rack equipment in an out-of-the-way place that has limited floor space and needs a clean and organized way to secure equipment.



Request more info at www.securityinfowatch.com/21151475

Visual Plan:
3D Visualization Software Platform



The Visual Plan software platform captures “digital twins” using 360° images and videos. With accurate 2D and 3D information, integrators

and consultants can plan and design systems, verify existing conditions, collaborate with stakeholders instantly, and review safety, fire and code compliance virtually.

Request more info at www.securityinfowatch.com/21149988

Vivotek: **180-Degree Panoramic Camera**

Vivotek’s MS9321-EHV 20MP 180-degree panoramic network camera with VAST 2 technology features four 5MP CMOS sensors at 30fps at all resolutions to monitor full 180-degree horizontal views. It includes a Video Alignment feature that enables the adjustment of the positioning and image quality of each sensor.



Request more info at www.securityinfowatch.com/21123010



Vosker: **V300 Wireless Solar-Powered Camera**

The Vosker V300 is a wireless, solar-powered LTE-based stand-alone outdoor camera ideal for remote-area video surveillance, where access to electricity and Wi-Fi network is limited. Features include on-demand live video stream-

ing and motion-activated recording via mobile app.

Request more info at www.securityinfowatch.com/21149759


VuWall: **TRx Video Wall Management Platform**

The TRx Centralized Video Wall Management Platform from VuWall provides a unified visualization experience for organizations with video walls throughout multiple rooms, floors or sites. Configure and operate video walls, multi-viewers, control panels, encoders, and decoders – all from a single centralized platform.



Request more info at www.securityinfowatch.com/21149776

WeSuite: **QuoteAnywhere G2.0 with Digital Site Survey**




WeSuite’s Quote-Anywhere G2.0 now includes digital Site Survey, which automates estimate creation as cameras, card readers and other device icons are dropped in place within a digital canvas. Labor

hours are included automatically at the part level. Generate a proposal and contract documents and sign electronically.

Request more info at www.securityinfowatch.com/12400331

Winsted: **Partitions for Social Distancing**

Winsted’s easy-to-install partition helps reduce exposure and the risk of exposing others



within a control room or operations center. The partitions create an effective level of protection while defining personal workspace, which also reinforces social distancing. The acrylic panels come in clear or frosted options.

Request more info at www.securityinfowatch.com/21149798




Yale: **YRD136 Keypad Deadbolt**

The Yale Pro SL (YRD136) is a key-free keypad deadbolt for professional installers. It offers built-in Z-Wave Plus (500 Series) for a single-step smart home enrollment process and integrates with most popular home alarm systems. Installation on any standard deadbolt takes only minutes.

Request more info at www.securityinfowatch.com/21124294

3xLOGIC: **Vigil Software v.11.5**

VIGIL Server software, now 64-bit, is the core around which all other 3xLOGIC applications are built. An Easy Setup Wizard guides



installation, and it uses proprietary RapidStream Technology and Substream Motion Detection capabilities to provide high resolution over low bandwidth networks.

Request more info at www.securityinfowatch.com/12360331