

BIGBOOK

SECURITY
BUSINESS
The Path to Greater Profits for Security Integrators

SECURITY
TECHNOLOGY EXECUTIVE

LOCKSMITH LEDGER
International

THE SECURITY INDUSTRY'S PRODUCT GUIDE • WINTER 2020



Theia Technologies' Award-Winning 4K Lens Family

Theia Technologies' family of 4K lenses provides full 12 megapixel 300 lp/mm resolution performance for the most demanding applications such as traffic monitoring, ANPR/LPR, and analytics.

Two lenses cover a horizontal field of view of 7 to 112 degrees, with the SL/TL410 lens providing 4-10mm, while

the SL/TL1250 telephoto lens offers a 12-50mm. Both have excellent IR correction with less than a 5µ focus shift in Near IR light for superior Day/Night performance. At f/1.4 the SL/TL410 lens offers excellent light gathering ability in low light conditions. The lenses are designed to cover the larger 1/1.7" 4K image sensors while at the same time resolving the smaller 1.55µ pixels of the 1/2.3" 4K sensors.

With both lenses measuring only 52mm long (64.5mm TTL) they are the most compact of comparable 1/1.7" format 4K lenses available on the market to facilitate use in domes, bullets, small enclosures, as well as on box cameras.

Both lenses feature a slip ring mount that allows the user to position thumb screws for convenient access to focus and focal range adjustments post-installation on the camera.

The lenses are offered in manual, motorized zoom, focus, IR cut filter and motor stops, with DC Auto-iris, P-iris, CS/C and D25 board mount combinations depending on the model.

For full specifications, drawings and CAD files visit the links below or email us at info@theiatech.com for pricing and availability.

www.theiatech.com/4k-resolution-lenses

Theia
TECHNOLOGIES

Request more information: www.securityinfowatch.com/12399899

IMRON UnityIS Cloud Access Control System

IMRON's UnityIS, in the cloud, addresses today's workplace requirements simply and efficiently, for any business security need.

With UnityIS, users can manage not only the fundamentals of access control such as credential management, monitoring and control of all doors, advance reporting, real-time system event transactions and alerts, graphical device display, but also advanced capabilities. These capabilities, already included within the easy to use UnityIS interface, include

Occupancy Control, First Man In/Last Man Out, and Granular Lockdowns.


With Occupancy Control, define limits within a specified area in a facility with alerts to maintain limited capacity. The First Man In/Last Man Out functionality provides a multitude of options that allow, for example, the unlocking of specified doors, turning on lights and HVAC upon a successful entry of designated personnel.

With UnityIS, manage lockdowns/unlocks remotely from a global level down to a single door. This granularity allows for a lockdown or unlock of a single room or multiple rooms, a department, a building, multiple buildings, the entire facility. All of which can be performed with a click of a single button within UnityIS.

UnityIS works with Bluetooth readers to provide a hands-free experience. Additionally, issue guest passes remotely via email straight to a visitor's mobile device, without using physical credentials.

To see how you can use the benefits of UnityIS in the cloud, visit the links below or contact support@imron.com to schedule a demo.

<https://imron.com>



IMRON
CORPORATION
UnityIS

Request more information: www.securityinfowatch.com/21121508

HID Signo Access Control Readers



The future of access control is here.

Meet Signo, the signature line of access control readers by HID Global. HID Signo™ readers offer cutting-edge security technology within a sleek, upscale design.

Versatile – HID Signo readers are highly versatile, providing support for the widest range of credential technologies. This new line of readers is mobile ready with native support for BLE and NFC phones, wall switch or mullion form factors for readers and keypads, and enhanced contactless polling to support credentials in Apple Wallet. Easy to order and install, Signo delivers support for today's credentials along with the ability to upgrade effortlessly.

Secure – Get best-in-class security and unparalleled efficiency with HID Signo with ultra-secure cryptographic keys on certified secure element hardware. Reliable in even adverse conditions with an IP65 outdoor rating and providing protection against brute force attacks, Signo provides optimized performance and read range for powerful access control and a superior user experience and the ability to reduce energy consumption with Intelligent Power Mode (IPM).

Connected – HID Signo readers feature market-leading hardware and are connected to the future out-of-the-box. Signo offers new capabilities through firmware upgrades. With OSDP support for secure bidirectional communication, Signo is designed to be connected and managed remotely. Easily migrate and access the choice and flexibility that comes along with the widest global network of channel partners.

Learn more about Signo at the links below.

www.hidglobal.com/signo

HID

Request more information: www.securityinfowatch.com/21125128

IMRON's UnityIS, in the cloud, addresses today's workplace requirements simply and efficiently, for any business security need.

With UnityIS, users can manage not only the fundamentals of access control such as credential management, monitoring and control of all doors, advance reporting, real-time system event transactions and alerts, graphical device display, but also advanced capabilities. These capabilities, already included within the easy to use UnityIS interface, include

Occupancy Control, First Man In/Last Man Out, and Granular Lockdowns.

With Occupancy Control, define limits within a specified area in a facility with alerts to maintain limited capacity. The First Man In/Last Man Out functionality provides a multitude of options that allow, for example, the unlocking of specified doors, turning on lights and HVAC upon a successful entry of designated personnel.

With UnityIS, manage lockdowns/unlocks remotely from a global level down to a single door. This granularity allows for a lockdown or unlock of a single room or multiple rooms, a department, a building, multiple buildings, the entire facility. All of which can be performed with a click of a single button within UnityIS.

UnityIS works with Bluetooth readers to provide a hands-free experience. Additionally, issue guest passes remotely via email straight to a visitor's mobile device, without using physical credentials.

To see how you can use the benefits of UnityIS in the cloud, visit the links below or contact support@imron.com to schedule a demo.

<https://imron.com>

IMRON
CORPORATION
UnityIS

Request more information: www.securityinfowatch.com/21121508



474

SDC Hands Free Door Solution: Never Touch a Door Again

SDC's Hands Free Door Solution™ is a common-sense answer to help businesses, schools and organizations to re-open or stay open during the pandemic crisis and provide peace of mind. A wave of the hand in front of the 474 Touchless Switch activates the Auto EntryControl™ Low Energy Swing Door Operator for access or egress. Never touch a door again on the way in or out of a facility or room. View the video: <https://solutions.sdcsecurity.com/sdcs-hands-free-door-solution-presentation>.

- Meet the immediate need to fight the spread of infection
- Provides customer and employees safety
- Reduces potential for liability
- Safe, simple, sanitary
- Easy to install
- No need for a separate power supply
- Low Energy operation for sustainability
- Bathrooms, Entrances, Offices: Almost Any Door

Shipping Now. Call 1-800-413-8783 or visit the links below.

<https://sdcsecurity.com/handsfree-solution.htm>

SDC
Security Door Controls

Request more information: www.securityinfowatch.com/21163709

THE ONE BOX SOLUTION FOR CYLINDRICAL LOCKS & DEADLATCHES



4200CC-10B-32D

- **Two Finishes** - One Box - NO Competition
- **Door Sag** – Tallest Latch – NO Problem
- **Worth It** – Compare Prices – NO Match

The Faceplate Solution

4200-32D



Four faceplates included for maximum versatility at the jobsite

Best Store Front Solution

4200CC7-10B-32D



Two 6-7/8" faceplates added for deadlock conversions

Request Information: www.SecurityInfoWatch.com/10215438

VERSATILITY THE COMPETITION CAN'T MATCH



Free Cell Technology
3G/CDMA Sunset
Solutions Classes
Online -

Every Thursday
at 10am EST/PST

Don't Wait Until It's Too Late

Save Lives & Money. Replace POTs lines on Fire Alarms Today with Leading Fire Cellular for All FACP's



- **Safeguard All Fire Alarms Now In Jeopardy Of Failing To Communicate as weather, events or Telephone Companies continue to cut off leased landlines – Tradeup to StarLink Cell Communicators for less**
- **Improve Alarm Response Times When Seconds Matter Most, Save Life And Property with StarLink Fire® cellular LTE reporting to any Monitoring Station**
- **Proven to Save \$1000's Of Annual Budget Dollars vs. POTs –** Each StarLink Fire LTE Cell Communicator replaces 2 leased landlines per FACP
- **AHJ-Friendly & Code Compliant: NFPA 72 2019, UL 864 10th Ed, CSFM, LAFD, NYC FD**
- **Supports All FACP brands, 12V or 24V, new or old –** StarLink Panel-Powered Technology installs in minutes; Low current draw, NO additional power supply & NO extra conduit. Dual Path Cell/IP now with EZ-Connect Telco jacks & self-supervised w/o modules
- **AT&T LTE or Verizon LTE StarLink models to choose from, proven to work, even where others won't,** using Signal Boost™ & twin dual diversity antennae for max. signal acquisition & null avoidance, *outperforming single stick antenna design models*

StarLink Fire LTE

1.800.645.9445 • www.StarLinkLTE.com

StarLink, StarLink Fire™, Signal Boost™ are trademarks of Napco. Other marks trademarks of their respective cos. †For model compliance listings always consult tech docs & AHJ.

Request information: www.SecurityInfoWatch.com/10215125



BIGBOOK

THE SECURITY INDUSTRY'S PRODUCT GUIDE ■ WINTER 2020



B6 Access Control & Door Hardware



B20 Video Surveillance



B24 Intercoms & Communications



B26 Alarms & Intrusion Detection



B28 Fire & Life Safety



B28 Power Supplies



B29 Keys, Key Controls & Automotive Accessories



B30 Installation Tools

Advertiser Name	Page	WebSite URL
Altronix Corporation	B25	www.securityinfowatch.com/10212790
ASSA ABLOY	B15	www.securityinfowatch.com/10212899
Banner Solutions	B19	www.securityinfowatch.com/12071932
D&D Technologies	B27	www.securityinfowatch.com/10929523
Detex Corporation	B4	www.securityinfowatch.com/10213445
DKS DoorKing Systems	B7	www.securityinfowatch.com/10213482
dormakaba Group	B13	www.securityinfowatch.com/12304402
DynaLock Corporation	B11	www.securityinfowatch.com/10213515
HID Global Corporation	B5	www.securityinfowatch.com/10213866
Medeco High Security Locks	B9	www.securityinfowatch.com/10214355
NAPCO Security Systems Inc	B3	www.securityinfowatch.com/10215125
SALTO Systems, Inc	B17	www.securityinfowatch.com/10225529
SDC-Security Door Controls	B31	www.securityinfowatch.com/10214991
Security Lock Distributors	B32	www.securityinfowatch.com/10215009
Select Products	B29	www.securityinfowatch.com/10215943
STRATTEC Security Corp.	B24	www.securityinfowatch.com/10215947
Top Notch	B23	www.securityinfowatch.com/12129499
Trine Access	B2	www.securityinfowatch.com/10215438
Viking Electronics	B21	www.securityinfowatch.com/10556843

This index is supplied as a service to our readers. The publisher assumes no liability for omissions or errors.

PUBLISHED BY



1233 Janesville Ave
Fort Atkinson WI 53538
920-563-6388; 800-547-7377

THE BIG BOOK

is a supplement to *Locksmith Ledger*, *Security Business* and *Security Technology Executive* magazines.

EDITORIAL

Editor, The Big Book | Paul Rothman
PO Box 366
1595 Peachtree Parkway, Suite 204
Cumming, GA 30041
(847) 454-2731
prothman@securitybusinessmag.com
Editorial director | Steve Lasky
(847) 454-2719
steveo@securityinfowatch.com
Editor, Locksmith Ledger | Gale Johnson
Editor, Security Business | Paul Rothman
Editor, Security Technology Executive | Steve Lasky
Editor, SecurityInfoWatch.com | Joel Griffin

SALES

Group Publisher | Nancy Levenson-Brokamp
(847) 454-2702
nancy@securityinfowatch.com

Northeast US & East Canada
SB, STE, SecurityInfoWatch | Janice Welch
(224) 324-8508
janice@securityinfowatch.com

Midwest
Locksmith Ledger, SB, STE,
SecurityInfoWatch | Brian Lowy
(847) 454-2724
brlowy@endeavorb2b.com

Western US & Western Canada
SB, STE, SecurityInfoWatch | Bobbie Ferraro
310-800-5252
bobbie@securityinfowatch.com
Display/classified | Kristy Dziukala
(920) 568-8324
kdziukala@endeavorb2b.com

PRODUCTION

Production Manager | Jane Pothlanski
jpothlanski@endeavorb2b.com

Audience Development Manager | Courtney Wethal
cwethal@endeavorb2b.com

Art Director | Bruce Zedler
bzedler@endeavorb2b.com

ENDEAVOR BUSINESS MEDIA, LLC

Chief Executive Officer | Chris Ferrell

Chief Revenue Officer/CMO | June Griffin

Chief Financial Officer | William Nurthen

Chief Operations Officer | Patrick Raines

Chief Administrative and Legal Officer | Tracy Kane

EVP Key Accounts | Scott Bieda

EVP/Group Publisher | Lester Craft

EVP Special Projects | Kristine Russell

VP Accounting | Angela Mitchell

VP Finance | Jessica Klug

VP Digital Business Development | Monique Leija

VP Marketing | Jacquie Niemiec

VP Production Operations | Curt Pordes

VP Technology | Glenn Scheithauer

Subscription Customer Service

Toll-Free 877-382-9187; Local 847-559-7598

Circ.SecDealer@omedia.com

Article Reprints • Brett Pettilo

Wright's Media 877-652-5295, ext. 118

bpettilo@wrightsmedia.com

Printed in the USA. Copyright 2020 Endeavor Business Media, LLC. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recordings or any information storage or retrieval system, without permission from the publisher.

Endeavor Business Media, LLC does not assume and hereby disclaims any liability to any person or company for any loss or damage caused by errors or omissions in the material herein, regardless of whether such errors result from negligence, accident or any other cause whatsoever. The views and opinions in the articles herein are not to be taken as official expressions of the publishers, unless so stated. The publishers do not warrant, either expressly or by implication, the factual accuracy of the articles herein, nor do they warrant any views or opinions offered by the authors of said articles.



NO MATTER THE WEATHER OR POWER, WE MAKE IT SECURE.

IMAGINE THAT.

OUTDOOR LATCH RETRACTION

Our solution lasts through the harshest conditions and stays locked from the pull side when power is lost. Assured security when electricity is far from a sure thing—that's the Detex effect.



DETEX.COM/LATCH1 . 800.729.8389

Request information: www.SecurityInfoWatch.com/10213445

Touchless Access Control Solutions. Protect your people. And their people.



TOUCHLESS ENTRY



MOBILE ACCESS



VISITOR MANAGEMENT



REAL-TIME LOCATION SERVICES

We're seeing our world a little differently now. The decisions you make affect more people than ever before. And HID Global is leading the industry with touchless security solutions that protect your workforce—and their families—holistically. From no-contact secure entries and over-the-air credentialing to occupancy control and social distance monitoring, our comprehensive solutions allow you to reassure your employees and ensure a safe, secure, successful return to work.

For a limited time, HID Global is offering new customers


50% OFF

 mobile IDs for one full-year subscription.

Learn more at hidglobal.com/touchless

Request information: www.SecurityInfoWatch.com/10213866

SDC EntryCheck E75 Privacy Lock



The SDC EntryCheck E75 Privacy is a low-cost, indoor/outdoor standalone electronic battery powered solution, providing controlled access for basic and multi-level high security requirements. It is perfect for new or retrofitting of fast food, service station or convenience store restroom facilities – it is battery powered (4 AA), so no wiring or power supplies required. It is also a cost-effective addition to educational or corporate campuses to provide a privacy function to board rooms, counseling rooms and meeting spaces.

Customers or employees can be provided an access code to enter on the keypad to access the room and simply push the inside red button when the door is closed to activate the privacy function. The red outside LED flashes to indicate room occupation. When turning the inside lever to leave, the privacy function is deactivated and the lock is ready again to accept another user.

Signage clearly indicates status and function, so no user instructions are required. An internal timer disengages the privacy function to make the room available for a new occupant, and an auxiliary relay signals management that the occupant has exceeded the time limit. Management can override the privacy function in case of emergency with a key or master code or to clear room occupants who have overstayed their welcome.


A prox reader version is also available. It is easy to install and retrofits to existing lock door prep. It is heavy duty ANSI Grade 1 and is weather and vandal resistant. For more information, call 1-800-413-8783 or visit the links below.



<https://sdcsecurity.com/E75-Privacy-Standalone-Electronic-Locksets.htm>

Request more information: www.securityinfowatch.com/21124868

LifeSaver Life Safety Locks from Marks USA



Used by leading institutions nationwide, LifeSaver Series of anti-ligature locksets, by Marks USA, meet or exceed today's patient safety standards for managed liability, accident prevention and security in behavioral and healthcare institutions and correctional facilities.

New to the LifeSaver series are the 5-Point Ligature-Resistant Slide Models. These Grade 1 anti-ligature locksets are available in cylindrical and mortise. The solid cast handle slides down freely in the locked or unlocked position and is tamper-proof through-bolted for durability and easy-installation. They comply with latest BHMA 156.34 Anti-Ligature trim standard, are accepted by OMH, NYS Office of Mental Health Patient Safety Standard and are JHACO approved. Also available with GermAway™ anti-microbial finish, a built-in germ barrier and special antimicrobial finish that inhibits microbial growth of dangerous microorganisms, mold, mildew and fungi.


With products that meet or exceed top BHMA® Grade 1 standards for durability by as much as 400%, Marks products are known for longevity, and are uniquely backed by the Marks exclusive Lifetime Mechanical Warranty.

For more information on Marks USA LifeSaver Series, call 1.800.645.9445, email info@marksusa.com, or visit the link below.

www.marksusa.com

Request more information: www.securityinfowatch.com/10836484

Precision Hardware 2110VI Exit Device from dormakaba



The new Precision Hardware Apex 2110VI Series from dormakaba is a code-compliant safe egress with visual and directional

indicators for faster and more efficient security lockdown designed for high-occupancy areas including classrooms, auditoriums or gymnasiums.

This panic device incorporates the ANSI "10" function, also referred to as the "Intruder Function," with new lock/unlock status. A directional indicator is integrated into the housing and contains reflective materials that may be seen in low-light conditions. It also features an embossed directional indicator that offers quarter-turn (90°) activation to enable faster lock down.

"The 'Intruder Function' enables the ability to lock the exterior exit device lever handle on the outside of the respective door from the interior side without the need for opening the door," said Michael McCoy, Product Manager. "Users can quickly determine if the outside lever is locked or unlocked. They don't have to open the door to verify, which would place personnel and students at greater risk."

A directional indicator feature provides the user a clear and concise understanding of what direction to rotate the key or thumb-turn for lock and unlock of the outside lever. The Apex 2110VI directional indicator is embossed within the assembly eliminating labels that can peel or fade.



<http://precisionhardware.com/products/apex2110vi>

Request more information: www.securityinfowatch.com/21134765

ASSA ABLOY IP-Enabled IN Series Access Control Locks



The IN Series from ASSA ABLOY Group brands Corbin Russwin and SARGENT brings you intelligent IP-enabled access control in a sleek, minimalist design. With both WiFi and Power-over-Ethernet options, you can leverage your existing IT infrastructure to deliver advanced access control to more locations, with the flexibility and security of HID® multiclass SE® technology, with the benefit of support for multiple credential types.

- Benefits include:
- Uses existing network infrastructure to reduce installation costs
 - Reduced energy consumption compared to traditional access control
 - Customizable — select only the features you need or add them as your requirements grow
 - Supports up to 10,000 users and a 10,000 event audit trail
 - Integrated ANSI/BHMA Grade 1 hardware in cylindrical, mortise, exit device, and multi-point platforms
 - Sleek, superior aesthetics, available with a wide range of finishes and decorative lever styles

Now, with even more credential options to choose from, including LenelS2 Blue-Diamond™ and a variety of other mobile options, ASSA ABLOY IN Series can help you future-proof your facility while planning for continuing credential support. Additionally, the IN Series is newly available with an optional push button keypad to support PIN-only usage or dual authentication needs.

<http://intelligentopenings.com>



Request more information: www.securityinfowatch.com/21154748

TRAFFIC CONTROL

DKS' latest innovations increases safety and lessens risks of damage. Developing its Loop Logic vehicular/pedestrian detection system, and lighted barrier arms for better visibility – DKS has also released a Break-away arm system to help avoid damage to vehicles and the operator / arm. Available as new systems, and also to retrofit existing 1601 DKS Barrier Gate systems.



When it comes to securing a high traffic gate in any location, or with unreliable power, DKS manufactures a full-size DC Gate Operator. With the ability to switch from AC to DC seamlessly and pull a full-size gate for hundreds of cycles from backup batteries, DC also means the operator can be completely off the grid with a solar power supply.

DC OPERATORS



DEVELOPING SOLUTIONS SINCE 1948

CELLULAR ENTRY SYSTEMS

DKS Telephone Access Systems have eliminated all the issues of trenching for installation to connecting via phone lines or cable. DoorKing's new Cloud Programming gives you the ability to program, manage and control your DKS Entry System on any computer, tablet, or smartphone from anywhere you have an internet or cellular connection. Team this with DKS' Wireless 900 MHz access expansion boards for a quick and easy installation at any location.



for more information doorking.com

800-673-3299 • info@doorking.com



- Access Control
- Gate Operators
- Traffic Control
- Telephone Entry

Member: AFA, DASMA, NAA, IDA, NOMMA, NPA, SIA, SSA, CANASA
Request information: www.SecurityInfoWatch.com/10213482



ASSA ABLOY SN Series Electronic Access Control Locks

The new ASSA ABLOY SN Series brings the latest in security and versatility to Integrated Wired access control. Featuring Signo™ reader technology from HID Global®, the SN Series is ideal for mixed credential environments and enables

easy migration to higher security credentials and mobile access.

Available with either keypad or non-keypad reader, the SN Series offers the convenience of using card or PIN for authentication or for added security, while card plus PIN allows dual factor authentication.

The SN200 is available with Wiegand communication protocol while the SN210 communicates via Open Supervised Device Protocol (OSDP) allowing for secure channel, serial communication between the reader and the Physical Access Control System (PACS). OSDP is rapidly becoming the industry standard thanks to its ability to continuously monitor end-to-end wiring – protecting against tampering and “man-in-the-middle” attacks. Featuring AES-128 encryption, OSDP provides supervised, bi-directional communication between the reader and the PACS, a requirement for U.S. Federal Government applications.

Backed by ANSI/BHMA Grade 1 certified hardware, the SN Series is available in configurations for mortise, cylindrical, exit devices and multi-point locks.

<http://intelligentopenings.com>

ASSA ABLOY

Request more information: www.securityinfowatch.com/21163718



Norton 6300 Low Energy Door Operator with WiFi Programming Interface

The Norton 6300 low energy door operator features one of the slimmest profiles in the industry, enabling it to fit into tight spaces while blending seamlessly with the door frame. Its modular design allows for one-person installation, for single and double door applications.

It also features the first-known programming interface offering step-by-step programming using any WiFi-enabled smart device – with no need to download an app. The 6300 WiFi interface makes it easy for facilities professionals to install and adjust at any time – no need to sign expensive installation and annual maintenance contracts.

Operator settings on one unit can be saved and ported over to other units for even faster setup and consistent operation across all doors.

This door operator features a modular design and includes a heavy-duty back plate that serves as a template to simplify and accelerate the installation process. The unit learns the door properties (approximate weight) during installation, so setup using a mobile device is easy. And to adjust settings, school personnel no longer need to set up a ladder and wrestle with the operator cover, they simply make adjustments using its WiFi interface.


The 6300 Series works with push buttons as well as wave-to-open switches for hands-free, touchless operation – a great solution to eliminate touchpoints and reduce germ transmission throughout facilities.

<http://Nortondoortcontrols.com/6300>

Norton
ASSA ABLOY

Request more information: www.securityinfowatch.com/21163719

Detex Tailgate Detection System



The Detex Tailgate Detection System ensures that only one individual enters a

secured doorway for each authorized card read. This unique and cost-effective optical security system, which uses unique algorithms and infrared sensor beams to detect tailgating, is perfectly suited for areas requiring tighter security, such as employee entrances, computer rooms, bank vaults, dorm entrances and card-required fitness facilities.

The level of intervention can be selected, whether it is an audible alarm or a video record of unauthorized entries. It is compatible with most computer controlled access systems, is cost-efficient and easy to retrofit, and can be used to monitor entry or exit. Its subtle design does not distract from interior aesthetics and it mounts easily on standard door frames.

The Detex Tailgate Detection System is available with standard alarm, remote alarm and voice alarm.

For more than a century, Detex has earned the trust of architects and owners who rely on Detex products for the life safety and security of people and property. A USA company, Detex designs, manufactures, markets and ships products from New Braunfels, Texas. Detex Corporation is known internationally for life safety and security door hardware, loss prevention and architectural hardware, integrated door security systems, and guard tour verification.



www.detex.com

Request more information: www.securityinfowatch.com/2115413

HID Signo Access Control Readers



The future of access control is here. Meet Signo, the signature line of access control readers by HID Global. HID Signo™ readers offer cutting-edge security technology within a sleek, upscale design.

Versatile – HID Signo readers are highly versatile, providing support for the widest range of credential technologies. This new line of readers is mobile ready with native support for BLE and NFC phones, wall switch or mullion form factors for readers and keypads, and enhanced contactless polling to support credentials in Apple Wallet. Easy to order and install, Signo delivers support for today’s credentials along with the ability to upgrade effortlessly.

Secure – Get best-in-class security and unparalleled efficiency with HID Signo with ultra-secure cryptographic keys on certified secure element hardware. Reliable in even adverse conditions with an IP65 outdoor rating and providing protection against brute force attacks, Signo provides optimized performance and read range for powerful access control and a superior user experience and the ability to reduce energy consumption with Intelligent Power Mode (IPM).

Connected – HID Signo readers feature market-leading hardware and are connected to the future out-of-the-box. Signo offers new capabilities through firmware upgrades. With OSDP support for secure bidirectional communication, Signo is designed to be connected and managed remotely. Easily migrate and access the choice and flexibility that comes along with the widest global network of channel partners.

Learn more about Signo at the links below.

www.hidglobal.com/signo



Request more information: www.securityinfowatch.com/21125128

Weatherproof + High Security

The All Weather Padlock exceeds expectations every time, withstanding extreme weather conditions and resisting physical attacks. Living up to its name, the AWP is made from extruded 303 solid stainless steel and subjected to stringent testing including IP68 water and dust ingress; MIL-STD-202G-201A vibration test; and ASTM F883-13 testing for tensile, shock, plug pull, plug torque, cutting and corrosion tolerance.

Available with electro-mechanical intelligent key cylinders that be integrated into comprehensive access control systems, the AWP offers access control and accountability in locations that were previously impossible. So go ahead, let it snow. The AWP has you protected.

Visit www.medeco.com/awp to learn more.



ALL WEATHER PADLOCK

medeco
ASSA ABLOY

Experience a safer and more open world



DynaLock Series 3101C-G2 Delayed Egress Lock

The redesigned, second-generation DynaLock Series 3101C-G2 Delayed Egress Lock incorporates a new, enlarged LED lock status indicator arrangement.

Rather than a single, T-1 ¾ bi-color LED mounted to the stamped aluminum housing cover of the original 3101C, the 3101-G2 utilizes a high-brightness SMT LED status indicator array, which projects through a wide translucent lens in the face of a new injection-molded polymer housing cover. This new flame-proof polymer cover comes in a standard matte black finish identical to our armature housing and features a recessed US28 satin aluminum finish faceplate. This faceplate may also be finished to match any of our optional special architectural finishes when a lock is ordered as such.


The 3101C-G2 also adds an optional new, redundant delay egress alarm relay output (AAO – Auxiliary Alarm Output Option). It provides an isolated set of SPDT, Form C output contacts, which duplicate the function of the standard Delay Egress Monitor output. All other mechanical, electronic and templating attributes remain unchanged from the original 3101C. Models configured for single and double out-swinging, double egress and single in-swinging doors are offered and backed by our DynaLife® PLUS lifetime warranty.

www.dynalock.com



Request more information: www.securityinfowatch.com/12410532

McKinney ElectroLynx® Quick Connect Electrified Hinge from ASSA ABLOY



The McKinney ElectroLynx® Quick Connect electrified hinge offers the perfect solution for door openings that use electrified hardware. Installer-friendly “plug and play” ElectroLynx® connectors take the guesswork out of wiring and offers a quick method for connecting power from the source through the hinge to the electrified hardware. The QC option is available on standard and heavy weight full mortise bearing hinges, swing clear and wide throw hinges.

- Electric hinges allow a constant flow of current from the power source through the hinge to electrified door hardware.
- No external wires can be seen, eliminating tampering and improving the aesthetics of the door opening.
- Brass eyelets on portal holes protects wires from chafing.
- UL Listed, ANSI/BHMA A156.1 Standard.

When retrofitting a door with ElectroLynx hinges, the wiring harness must also be ordered. Custom lengths are also available.

Doors, frames and hardware manufactured by ASSA ABLOY that utilize the ElectroLynx® QC connectors include Ceco, Curries, Corbin Russwin, Flemin, Rixson, Sargent and Yale Commercial.

www.assaabloydooraccessories.us ASSA ABLOY

Request more information: www.securityinfowatch.com/21163720



Medeco AWP - All Weather Padlock

The All Weather Padlock (AWP) offers the highest level of severe weather protection available from Medeco. The body is solid 303 stainless steel and is available with either a stainless steel or hardened boron alloy shackle.

A weatherproof cylinder seal cap, attached by a stainless steel cable, seals both mechanical and Intelligent Key cylinders from harsh environments. Multiple mechanical and intelligent key technologies are available, as well as different shackle sizes and lengths.

The AWP is not only weatherproof, it is also a high security padlock. Can be ordered with a choice of UL 437 listed and/or patent-protected mechanical cylinders to provide the benefit of key control and resistance to surreptitious attacks, or CLIQ and Medeco XT intelligent key cylinders to provide sophisticated audit and control features.


The AWP series is designed for installations requiring service in harsh weather conditions. Applications include outdoor perimeter security fencing (ideal for remote gates), off-site buildings, tool cabinets, storage trailers, and transportation cargo containers.

Technical features include: 300 Series extruded stainless steel body resists attack and corrosion; 5/16" and 7/16" diameter, stainless steel and boron alloy shackles; 1 7/8", 2 3/8", 2", and 2 1/2" shackle lengths; weatherproof cylinder seal cap attached by a stainless steel cable standard; key retaining cylinder; O-ring sealed cap, cylinder, and shackles resist grime and water freeze-up at low temperatures.

www.medeco.com/awp



Request more information: www.securityinfowatch.com/21115389



SDC Hands Free Door Solution: Never Touch a Door Again

SDC's Hands Free Door Solution™ is a common-sense answer to help businesses, schools and organizations to re-open or stay open during the pandemic crisis and provide peace of mind. A wave of the hand in front of the 474 Touchless Switch activates the Auto EntryControl™ Low Energy Swing Door Operator for access or egress. Never touch a door again on the way in or out of a facility or room. View the video: <https://solutions.sdcsecurity.com/sdcs-hands-free-door-solution-presentation>.

- Meet the immediate need to fight the spread of infection
 - Provides customer and employees safety
 - Reduces potential for liability
 - Safe, simple, sanitary
 - Easy to install
 - No need for a separate power supply
 - Low Energy operation for sustainability
 - Bathrooms, Entrances, Offices: Almost Any Door
- Shipping Now. Call 1-800-413-8783 or visit the link below.

<https://sdcsecurity.com/handsfree-solution.htm>



Request more information: www.securityinfowatch.com/21163709

DELAYED EGRESS HAS EVOLVED

evolution \ 'e-vuh-'lu-shen \ n 1 : The development of something from a simple to a more advanced form.



The 3101C Generation II Delay Egress Lock Series An Evolution in Product Advancement

- Refreshed appearance and fully updated electronics
- High-impact, flame-resistant polymer housing cover
- High-visibility lock and alarm status LED indicator
- Optional redundant egress alarm output relay
- Identical templating to legacy 3101C models
- Customizable sequencing parameters
- Lifetime replacement warranty
- Manufactured in the USA




www.dynalock.com

Request information: www.SecurityInfoWatch.com/10213515

Versatile BEST Door Closer Offers Premium Door Control Solutions

Door closers are the mainstay of a safe door. They protect people from doors swinging open too quickly or slamming shut. The new BEST series door closers include a portfolio of advanced door control solutions designed for a variety of applications.



The Grade 1 door closers utilize DIN226 and R14 corrosion-resistant aluminum to provide maximum protection against metal fatigue and abrasion. BEST door closers are compatible with 30 assorted specialty function arms, a variety of mounting plates and brackets and a wide range of painted or decorative architectural finishes.

BEST closers provide maximum protection against fatigue and abrasion. Built to meet the requirements of ANSI A156.4, comply with barrier-free requirements, these closers can be used with a wide-array of aluminum, wood, or hollow metal doors and frames.

The BEST Door Closers are ideal for high-use institutional settings where ADA compliance, safety, sanitation, and energy efficiency are top-of-mind.

www.bestaccess.com



Request more information: www.securityinfowatch.com/21135539

SARGENT 8200 Series Mortise Lock Status Indicator



SARGENT's newly designed occupancy / status indicator option for the 8200 Series mortise lock provides security and safety at a glance with more functionality than previous versions.

With the largest viewing window in the industry, a 180° visibility profile, reflective indicator materials and more color and text/graphic combinations to offer, the new status indicator

option ensures that the status indicator is clearly visible from a distance – providing assurance when you need it most.

These new indicators are available with both sectional and escutcheon trims and are used in a variety of applications to identify occupancy or display locked/unlocked status of a room.

Furthermore, upgrading to the latest mortise lock status indicators is quick and easy for facilities with existing 8200 Series mortise locks. Upgrade kits use the existing door preparation and hide all pre-existing holes.



www.sargentlock.com/8200indicator

Request more information: www.securityinfowatch.com/21115403

SARGENT 7300 Series Multi-Point Lock

SARGENT's 7300 Series multi-point lock is made of heavy-duty steel components that firmly secures the door along three latching points. Utilizing a mortise lock for the center latching point and concealed vertical rods for the top and bottom latches, this lock provides a nice aesthetic while keeping flexibility, simplicity, strength, and durability in mind. You can even customize the hardware to fit your look choosing both the trim design and finish.

This multi-point device serves a variety of markets and applications where safety and security are important. Available in multiple configurations, the 7300 Series has been tested to surpass blast/hurricane standards (BL7300) and tornadoes (FM7300).


Its durability also makes it perfect for community shelters, corporate and educational facilities, healthcare and government campuses, 911 call stations, and emergency operation centers.

www.sargentlock.com



Request more information: www.securityinfowatch.com/21163721

ANSI-ITL for the Best and Easiest Installation of Trine Electric Strikes



Trine's ANSI-ITL is the best way to install both 4-7/8" and 2-3/4" Trine Electric Strikes. Lean and efficient, it utilizes only two pieces each (screwed together) for the 4-7/8" and 2-3/4" cutouts, which means fewer lost parts. The installation tool can be used with the 4100, 4100DBDL, 4200, EN400, EN435, EN430 electric strikes as well as 478,

478X, 234, and 234X installations on the 3000 series.

Adjustments on the installation tool allow

for installation even on the lower cutout of the Schlage L series – for use with the 4100 and 4100 DBDL. Additionally, the tool includes a scribe pen for accurately marking the cut-out lines on the frame. Two mounting screws for the tool is also included.

Please note the ANSI-ITL replaces the older 478-ANSI-ITL model number.

The ANSI-ITL is fast, easy, and accurate. Ask your distributor how you can get yours today.

www.trineonline.com



Request more information: www.securityinfowatch.com/12385102

Trust makes choosing dormakaba simple.



BEST 9K



DORMA 8900



E-Plex 2000



DORMA ED900



PRECISION APEX 2000

The 2015 merger of DORMA and KABA and 2017 acquisition of BEST Access Systems have formed a leading supplier of trusted access solutions.

Our combined strengths have allowed us to broaden our product offerings to include a full range of architectural door hardware and electronic access

control solutions. From this position of strength we will dedicate more resources to develop innovative solutions that create trust and value for you, our customer. Because your trust is our most valuable asset.

www.dormakaba.us



Request information: www.SecurityInfoWatch.com/12304402



Rockwood Storefront Panic Device from ASSA ABLOY

Safeguard your store while emanating flawless design with the Rockwood Storefront Panic Device. Incorporating a patent pending flat security latch, the PDU8500 will ensure your doors remain locked and secure when your business is closed. With a selection of cylinder, pull, and finish choices, no concessions are needed.


- Top latching panic device with flat security latch provides additional strike engagement that inhibits doors from popping open
- Engraved latch lines ensures proper installation and alignment with the strike
- Dampener in actuator assembly suppresses bounce in the door
- Engraved push area and boundary grooves enhances visibility and tactility for a quick and easy exit
- Adjustable stops on strikes include set screws minimizes movement of stops and secures them in place
- Keyed and non-keyed options matches existing key system if required
- Dogging feature depresses and holds device into place, adding convenience during operating hours
- Post mount design with six standard exterior pull choices suites with Rockwood architectural pulls and accessories
- Offered for both medium and wide stile doors
- Strikes: single and double manual and electric
- ANSI/BHMA A156.3-2014, Grade 1 Certified (32 and 32D finishes only)
- UL305 CAN/ULC-S132-07
- ADA Compliant
- Patents Pending

www.assaabloydooraccessories.us



Request more information: www.securityinfowatch.com/21163723

IMRON UnityIS Cloud Access Control System



IMRON's UnityIS, in the cloud, addresses today's workplace requirements simply and efficiently, for any business security need.

With UnityIS, manage not only the fundamentals of access control such as credential management, monitor and control of all doors, advance reporting, real-time system event transactions and alerts, graphical device display, but also the advanced capabilities. These capabilities, already included within the easy to use UnityIS interface, include Occupancy Control, First Man In/Last Man Out, and Granular Lockdowns.

With Occupancy Control, define limits within a specified area in a facility with alerts to maintain limited capacity. The First Man In/Last Man Out functionality provides a multitude of options that allow, for example, the unlocking of specified doors, turning on lights and HVAC upon a successful entry of designated personnel.

With UnityIS, manage lockdowns/unlocks remotely from a global level down to a single door. This granularity allows for a lockdown or unlock of a single room or multiple rooms, a department, a building, multiple buildings, the entire facility. All of which can be performed with a click of a single button within UnityIS.

UnityIS works with Bluetooth readers to provide a hands-free experience. Additionally, issue guest passes remotely via email straight to a visitor's mobile device, without using physical credentials.

To see how you can utilize the benefits of UnityIS in the cloud, contact support@imron.com to schedule a demo.

<https://imron.com>



Request more information: www.securityinfowatch.com/21121508

DoorKing 6006 Swing Gate Actuator



The DoorKing model 6006 is a versatile swing gate operator system that can operate gates up to 1600 lbs., or up to 18 feet in length – making it ideal for both residential and light-duty commercial applications.

The actuator can be left- or right-hand mounted and can be set for pull-to-open or push-to-open operation. The 6006 actuator operates on 24 Volt DC power and features built-in limit switches that precisely control the start/stop speed and travel of the gate.

The microprocessor-based electronic control board provides many advanced features typically not found in operators in this class. The control box can be powered by 120 Volt AC, which is then converted to 24 Volt DC to power the actuator and control board. Two 120 Volt control boxes are available to choose from, Deluxe and Standard. The Deluxe control box includes three 120 VAC outlets to power accessory transformers.

Both include 3.5 Ah (Amp Hour) batteries for back-up power operation. You can also select our Solar Powered control box, which eliminates the need for high voltage power runs.

The 6006 is American made – designed and built at DoorKing's manufacturing facilities in Inglewood, Calif.



www.doorking.com/gate-operators/6006-swing-gate-actuator

Request more information: www.securityinfowatch.com/21135169

Corbin Russwin MP6600 Series Multi-Point Lock

The Corbin Russwin MP6600 Series provides flexibility, simplicity, strength, durability, and aesthetics, and is perfect for a wide variety of applications that do not require panic/exit devices. Its sturdy heavy-duty steel components firmly secure the door within the frame - at top, bottom, and center latch points - fortifying the opening during an event or to provide increased security to openings where needed.

The MP6600 Series offers an economical solution, while maintaining the security benefits of a three-point latching system. A more versatile product offering, it opens up increased functionality from a unique mortise lock-body to provide solutions for a variety of applications and expand the user interaction capabilities.

Bank safes, product storage units, prescription medicine storage, and museums are just some of the openings where these have been used.

This multi-point lock is also available for more stringent applications that require significant test standards.

The BL6600 Series is ideal for environments prone to high winds and excessive force as it has passed all blast and hurricane standards. The FE6600 Series is ideal for tornado shelters and complies with ICC500 2014, FEMA P-361 2015 and FEMA P-320 2014.

www.corbinrusswin.com



Request more information: www.securityinfowatch.com/21163726

Participating ASSA ABLOY Group brands:
CORBIN RUSSWIN | SARGENT




Security *you see* in an instant

Mortise Lock Status Indicators

Occupancy/status indicator options for ASSA ABLOY Group brand mortise locks provide *optimum clarity* on the locked/unlocked status of a door. Available as an upgrade option to existing applications or as complete lock orders for new installations, these indicators provide the largest viewing window in the industry, a 180° visibility profile, reflective indicator materials and multiple color and text/graphic combinations. The status indicator options are versatile for any application and provide *assurance* when you need it most.

For more information, visit corbinrusswin.com/ml2000indicator or sargentlock.com/8200indicator.



ASSA ABLOY
Opening Solutions

Experience a safer and more open world

Copyright © 2019, 2020 ASSA ABLOY Sales and Marketing Group, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Sales and Marketing Group, Inc. is prohibited.

Request information: www.SecurityInfoWatch.com/10212899

ML2000 Series Mortise Lock Status Indicator from Corbin Russwin



With a unique and highly visible window design, Corbin Russwin's new status indicator, available for the ML2000 Series mortise lock, provides clarity on the locked/unlocked status of a door. The patent-pending design enables users to easily and clearly see if a door is locked or unlocked;

if a room is vacant or occupied. With the largest viewing window in the industry, 180° visibility profile, reflective indicator materials and more color and text/graphic combinations to offer, the new status indicator options are available for use with a wide range of trim options and with a variety of functions.

The new mortise lock status indicators are versatile for any application and provide assurance when you need it most. Plus, upgrading to the latest mortise lock status indicators is quick and easy for facilities with existing ML2000 Series mortise locks.

The upgrade kit uses the existing door preparation and covers all pre-existing holes.



www.corbinrusswin.com/ml2000indicator

Request more information: www.securityinfowatch.com/21115396



SDC app with DoorSnap Door Control Retrofits Made Easy

Dealers, installers and integrators can use the DoorSnap function within the free SDCSecurity app on a smartphone to take a picture of a door opening and submit it to receive a cost-effective electrical access and egress solution recommendation from SDC, with product information links to retrofit the opening for access and egress control locking hardware.

The SDCSecurity app is available for iOS in the app store or for Android on Google Play.

For more details, call 1-800-413-8783 or visit the link below.

<https://sdcsecurity.com/sdc-app.htm>



Request more information: www.securityinfowatch.com/21163714

Adams Rite: An Exit Device for Every Opening



The new P8800 Pullman Rim Exit Device offers an exciting new solution for narrow stile aluminum applications requiring an exit device with a 3/4" Pullman latching solution. P8800 is Grade 1 certified for the ultimate in strength and security and is available with an array of essential mechanical and electrification options and a wide selection of compatible products to complete your solution. Simple installation and specifically designed for applications where access control is required and high performance is expected. With this addition to its legacy 8000 Series, Adams Rite now offers the most complete line of exit devices and related hardware for single or double doors.

www.adamsrite.com/exitsolutions

Request more information: www.securityinfowatch.com/21135534

SureClose CONCEALFIT Door Closer & Hinge Sets from D&D Technologies



SureClose CONCEALFIT Door Closer & Hinge Sets from D&D Technologies are high-quality, hydraulic units aimed at providing a concealed finish and a highly adjustable self-closing solution. They are ideal for interior and exterior wood, hollow-metal and aluminum doors and frames. When closed, the system cannot be seen or tampered with. They also provide burglary and vandalism resistance. Superb engineering and patented design allow total concealment of the hinge-closer unit in a remarkably small housing. The Hinge-Closer is easily adjustable in three dimensions (horizontal, vertical and in/out) for fine positioning and speedy door and gate alignment. It features fine controls for primary closing speed, latching speed and backcheck, plus UL10C fire-rating and has been tested to ADA and ANSI/BHMI Standards.

<http://us.ddtech.com>

Request more information: www.securityinfowatch.com/21135168



Software House iSTAR Edge G2 Access Controller

Tyco Software House iSTAR Edge G2 is a cyber-hardened IP edge access control device for up to four doors from Johnson Controls. It is OSDP compatible and supports embedded high assurance FICAM operation without additional third-party hardware, making it ideal for both government and commercial end-users. The product includes an optional Power over Ethernet (PoE) module that provides ample power for two doors, while also allowing the controller to leverage existing network infrastructure to reduce installation costs. Additionally, its firmware provides users an advanced access control feature set, including OSDP and peer-to-peer clustering and allowing a local database of up to one million cardholders.

Request more information: www.securityinfowatch.com/21153631

Dortronics 48900 Series Interlock Controller



The 48900 PLC Interlock Controller from Dortronics is a cost-effective solution for implementing door interlock and mantrap systems with up to nine doors. The fully integrated single-board solution provides installers with complete programming control of all operating and configuration options without the need and expense of complex software. Whether used in retail environments for high value merchandise or in clean room environments in bio-tech labs or pharmaceutical facilities, the product integrates with virtually any access control system utilizing dry contacts. Each door has a form-C SPDT dry contact output to mirror door status back to an access control panel or remote console.

Request more information: www.securityinfowatch.com/21162412

**WIRE-FREE.
DEADLATCH.**

**STOREFRONTS
WILL NEVER BE
THE SAME AGAIN.**



Introducing the XS4 One DL by SALTO. A revolutionary, wire-free, stand-alone, electronic lock designed for aluminum frame glass doors.

Packed with technology and compatible with all major deadlatch systems, the XS4 One DL is the most advanced smart lock for retail environments.

Learn more at salto.us or call (866) GO SALTO



Request information: www.SecurityInfoWatch.com/10225529



ACCESS CONTROL & DOOR HARDWARE



Alarm Lock Networkx Wireless Access Control Solutions

Networkx Wireless Access Control Solutions from Alarm Lock replace any standard lock on any door in less than an hour and provide a quick, easy, economical access system with advanced features and functions, such as automatic schedules, event logs and support for 2,000 doors and 5,000 existing Prox ID Cards/Badges – but with no wires to run, and no access panels or power supplies to buy or install. Networkx Wireless Access Control Solutions can be integrated within an enterprise security system platform, in real-time, as a single-door controller on Continental Access CA4K, and integrated as a Software House CCURE Connected Partner and Lenel OpenAccess Integration Partner.

www.alarmlock.com

Request more information: www.securityinfowatch.com/10216505

Securitron AQL Series Intelligent Power Supplies

Securitron AQL Series Intelligent Power Supplies offer a variety of relays and distribution boards in three, four, six and 10 Amp configurations.

This power system is network management ready and available in 12 or 24 VDC single, dual and multi-voltage (5-18 VDC) units. The Netlink™ Network Module allows you to remotely manage, control and test the power supply and batteries on an automated schedule or instantly with just one click. Live system alerts communicated via text and/or email let you know the health and status of the power supply. B100 Secondary Voltage Module easily adds an additional voltage to any Securitron AQL system in a single enclosure. Provides the odd voltage (5-18 VDC) required to power modems, routers and other IT or similar devices.



www.assaabloyesh.com

Request more information: www.securityinfowatch.com/21135535

Alarm Controls: Opening the Door to Affordable Access Control



Alarm Controls is your one-stop-shop for access control solutions at an exceptional value. Our offering of electromechanical products range from maglocks and accessories to push buttons and request to exit stations to specialty products for securing hazardous locations and supporting emergency panic stations. From the perimeter of your property to the interior openings, Alarm Controls offers a full line of affordable access control products to fit every need and secure and control your opening. From front gate to front desk we have your solution.

www.alarmcontrols.com/solutions

Request more information: www.securityinfowatch.com/10212738

Identiv Freedom Cloud ACaaS Platform

Freedom Cloud is the cloud-based Access Control as a Service (ACaaS) offering for Identiv's Freedom Access Control solution. It empowers users to control, manage, and maintain their physical access control system (PACS) via intuitive browser-based web administration. ACaaS combines the benefits of Software as a Service (SaaS) with on-premises access control devices: Access control hardware remains onsite, and software and servers are removed and stored at data centers, making it possible for users to control access remotely and backup and store data securely. The company has also released Freedom Mobile, allowing frictionless physical access directly from a mobile device, replacing a physical credential.

Request more information: www.securityinfowatch.com/21162026



SALTO XS4 One DL Escutcheon: The New Storefront is Wire-free and Totally Connected

Your retail and commercial customers want the benefits of smart locking technology without the expense and hassle of hardwiring main doors. Finally, there is a solution that brings together the convenience of an offline point - easy installation and no wires - with all the power and performance of an online point. The SALTO XS4 One DL escutcheon is a revolutionary stand-alone electronic lock which offers the security, control and convenience of electronic access control specifically designed for deadlatch locks on aluminum framed glass doors. Loaded with advanced technology: SALTO SVN and SALTO KS; SALTO BLUEnet wireless capable; BLE and NFC on board; SALTO JustIN Mobile App; SALTO KS Mobile Keys; and compatible with all major deadlatch systems.

www.salto.us

Request more information: www.securityinfowatch.com/21163708



SELECT Hinges Shim Stock

Doors stay square and gap-free for years when you use SELECT shim stock with geared continuous hinges to reduce the clearance between the door and frame – or, with full and half surface hinges to provide additional inset. It will keep your doors from sticking or binding for years. Choose from two materials: Translucent UHMW shim stock blends in with door and frame; comes with adhesive backing for fast-and-easy installations and removal; and is available in 100" rolls. Alternatively, choose the 95" clear anodized aluminum strips without holes. To add shim stock or other SELECT installation problem-solvers to your toolbox, contact your SELECT distributor or visit the links below.

www.selecthinges.com


Request more information: www.securityinfowatch.com/12437525

Access8 Door Access Control System from First Choice



The Access8 Door Access Control System provides easy-to-use door security. The system features a "plug-and-play" design that efficiently powers up to eight doors and card readers. In addition to state-of-the-art touchscreen technology, the equipment is simple to program and allows for an audit trail and access levels for truly robust control. With support for cards, key fobs and smartphones, the system is a flexible, yet powerful access solution for smaller buildings. The system works with all standard readers, keypads, key fobs, and smartphones, making a transition easy. On-board wiring diagrams are available for readers, RTE connections, maglocks, etc.

Request more information: www.securityinfowatch.com/21149995



STid Mobile ID Open Ecosystem

STid Mobile ID is a global, open ecosystem enabling end-to-end digitization of access control credentials in a single app to help manage physical access for employees and virtual access to workstations. It includes five identification options: badge, slide, tap-tap, remote, and hands-free. The system also includes an online platform that generates, distributes and administers dematerialized access badges. An Android- and iOS-compatible mobile application, its Virtual Visitor credentials allows users to temporarily grant access rights to visitors and contractors. Additionally, the system is now compatible with SIRI on iOS to open doors.

Request more information: www.securityinfowatch.com/12266354



With a hardware solution for every problem, Banner Solutions has you covered with every major brand in commercial, residential, and electronic access control hardware, in stock and ready to ship.

Our team of technical experts are dedicated to bringing you custom system design and support for mechanical and electronic access control solutions to tackle any project.

Redefine your expectations at: BannerSolutions.com



WE ARE NOW BANNER SOLUTIONS

Midwest Wholesale Hardware | Akron Hardware | HSI | SLD | Berg Wholesale | Specialized Builders Hardware

Request information: www.SecurityInfoWatch.com/12071932



Theia Technologies' Award-Winning 4K Lens Family

Theia Technologies' family of 4K lenses provides full 12 megapixel 300 lp/mm resolution performance for the most demanding applications such as traffic monitoring, ANPR/LPR, and analytics.

Two lenses cover a horizontal field of view of 7 to 112 degrees, with the SL/TL410 lens providing 4-10mm, while the SL/TL1250 telephoto lens offers a 12-50mm. Both have excellent IR correction with less than a 5µ focus shift in Near IR light for superior Day/Night performance. At f/1.4 the SL/TL410 lens offers excellent light gathering ability in low light conditions. The lenses are designed to cover the larger 1/1.7" 4K image sensors while at the same time resolving the smaller 1.55µ pixels of the 1/2.3" 4K sensors.

With both lenses measuring only 52mm long (64.5mm TTL) they are the most compact of comparable 1/1.7" format 4K lenses available on the market to facilitate use in domes, bullets, small enclosures, as well as on box cameras.

Both lenses feature a slip ring mount that allows the user to position thumb screws for convenient access to focus and focal range adjustments post-installation on the camera.

The lenses are offered in manual, motorized zoom, focus, IR cut filter and motor stops, with DC Auto-iris, P-iris, CS/C and D25 board mount combinations depending on the model.

For full specifications, drawings and CAD files visit the link below or email us at info@theiatech.com for pricing and availability.



www.theiatech.com/4k-resolution-lenses

Request more information: www.securityinfowatch.com/12399899

64-Channel Recorder (Model N64NR) from Speco



The N64NR 64-channel recorder from Speco Technologies is equipped with enhanced features that provide easy and efficient installation. Its P2P QR code-based network setup enables an integrator to quickly connect to the recorder by simply scanning a QR code with a mobile device, enabling the cameras to populate. The recorder features real-time recording up to 4K resolution, EZ Search 2.0, and EZ Mobile Setup through Speco's Blue app. It supports H.265 video compression, two-way audio communication, free US-based DDNS and P2P services along with easy video exporting. It is also equipped with smart analytics featuring line crossing, object detection and museum search.

Request more information: www.securityinfowatch.com/21163679



Genetec AutoVu SharpZ3 Mobile LPR System

Genetec's AutoVu SharpZ3 mobile license plate recognition system can help parking managers track the types of vehicle (car, van, truck, bus, motorcycle) in parking lots or around the city, and analyze the evolution of the mix of vehicle types over time. For law enforcement and security use, it enables patrols to flag vehicles based on vehicle type and color where no license plate was identified by a witness. Features include: Modular design and a third optical sensor that can accurately capture multiple plate designs in complex urban environments. It leverages Intel's latest machine learning and computer vision technology to improve LPR accuracy and record additional vehicle characteristics.

Request more information: www.securityinfowatch.com/21130245



Theia Telephotos for High Detail – Compact was Never so Powerful

Theia's SL940 9-40mm and SL1250 12-50mm telephoto lenses provide high performance at 5 megapixel and 4K resolution respectively for 1/2.3" and 1/1.7" sensors. These lenses are excellently IR-corrected to work with true Day/Night cameras, maintaining crisp resolution in near IR light. At only 50mm or 52mm long and 54mm in diameter, the lenses are very compact for telephotos, facilitating fit in domes, bullets, and tight spaces. The combination of high resolution performance, excellent IR correction, and compact size make them ideal for high-detail applications such as traffic monitoring and License Plate Recognition. The lenses are available in DC auto- and P-iris options in CS mount. Also offered in fully motorized versions. For full specifications, drawings and CAD files visit the link below or email us at info@theiatech.com for pricing and availability.

www.theiatech.com/telephoto-lenses

Request more information: www.securityinfowatch.com/21163705

Theia Technologies' Family of Ultra Wide No Distortion Lenses



Lenses made with Theia's patented Linear Optical Technology® are designed to cover wide areas without

distortion. This innovative technology offers an ultra-wide field of view while using all optical distortion correction to remove barrel distortion without using software, eliminating the latency inherent in software correction. The technology provides increased resolution at the image edge compared to other wide-angle lens technologies, improving the ability to identify, quantify, and characterize objects. The technology enables lenses with up to 135 degrees HFOV and 120 degrees VFOV with 5+ megapixel 200+lp/mm resolution and includes near IR corrected models with very low focus shift, maintaining high resolution for Day/Night cameras. For full specifications, drawings and CAD files visit the link below or email us at info@theiatech.com for pricing and availability.

www.theiatech.com/ultra-wide-lenses-1

Request more information: www.securityinfowatch.com/11327104

Eagle Eye Networks' Local Display Stations



The Eagle Eye Local Display Station from Eagle Eye Networks integrates with the company's Video Management System (VMS) to display up to 32 cameras on any standard TV display, and up to 164 cameras across multiple display pages. It is available in two models, the DS100, which supports a single display, and the DS200, which supports two displays. Both models provide ultra-low latency, crisp and clear video. The software provides high reliability and customizable layouts which are controlled and managed from the cloud. It is ideal for use in public areas or remote locations with less technical support staff.

Request more information: www.securityinfowatch.com/21155578



exacqVision Q-Series NVR

The exacqVision Q-Series from Johnson Controls supports up to 24 IP cameras and 16 analog cameras, giving users and integrators the flexibility to choose from IP-only or hybrid systems to incorporate legacy analog and IP cameras into the same system. Apart from its core function as an NVR, it doubles as a live monitoring station, where operators can watch 16 live, full-HD streams simultaneously at 15 frames per second. Running on an Intel-based full Ubuntu platform, the unit is regulatory and trade-friendly, with full NDAA compliance.

Request more information: www.securityinfowatch.com/21160732

It takes a Viking to... DEFEND YOUR CASTLE.



Let's face it, part-time security isn't good enough. You need it **24/7**. Day in and day out. Year after year. **You can't afford to mess around with wimpy security.**

That's why our rugged entry system and access control gear has been **battle-tested** to withstand the harshest elements and toughest intruders.

Our innovative designs, tough-as-nails craftsmanship, expansive product line, and best in class customer support have secured Viking's role as a **leader** in the security and communication industry for over 50 years.

YOU NEED A VIKING.

SECURE YOUR BUILDING FROM INTRUDERS.

VIKING

715.386.8861
VINGEELECTRONICS.COM

DESIGNED MANUFACTURED & SUPPORTED IN THE USA



High-Definition Wisenet X PTZ PLUS cameras

Hanwha Techwin's Wisenet X PTZ PLUS cameras feature AI-based object tracking, precise PTZ control, improved pre-set accuracy, adaptive IR illumination and enhanced cybersecurity. Designed for perimeter protection and large, open-area applications such as airports, parking lots, industrial estates, stadiums and city centers, the cameras are able to capture forensic-level image quality at a distance of up to 650 feet (200 meters). Compact and approximately 65% lighter than most PTZ domes, the camera-mount can be quickly and easily deployed, requiring a technician to simply 'mate 3 pins and twist'. A built-in wiper removes rain, sleet or snow, and an extended tilt range of up to 110° ensures that objects positioned above the cameras can be seen.

Request more information: www.securityinfowatch.com/21159564

Avigilon H5A Explosion-Protected Camera Line

The Avigilon H5A Explosion-Protected camera line from Motorola Solutions cameras bring video analytics including object detection and tracking, along with support for Avigilon Appearance Search, to the explosion-protected camera form factor. The camera is certified for hazardous locations according to applicable international standards, making it an efficient video security solution for markets such as oil and gas, mining, industrial and food production sites. The camera line also features new Unusual Activity Detection to provide site-wide intelligence with the ability to highlight abnormal activity such as the unusual location or the abnormal speed of a person's movement.

Request more information: www.securityinfowatch.com/21135787



Panasonic i-Pro BWC4000 Body-Worn Camera

The BWC4000 body-worn camera from Panasonic i-PRO Sensing Solutions Corporation of America features a unique 12-hour field-swappable battery, providing law enforcement and security officers with extended camera operation without having to deal with cumbersome charging cables. All they need to do is quickly and easily swap a discharged battery with a charged replacement if they remain in the field for more than 12 hours. It also features the ability to quickly tag videos with essential metadata using an easy-to-use LCD menu; MP4 file recording; H.264/H.265 video compression to maximize recording capacity; and 1080p, 720p or 360p HD resolution in either the 16:9 or 4:3 aspect ratio.

Request more information: www.securityinfowatch.com/21163684

VIVOTEK's VAST 2 (v2.9) Video Management Software

Vivotek's VAST 2 (v2.9) IP video management software is integrated with the company's LPR solution, cybersecurity management solution, Smart VCA and Smart Search II. Automatic configuration wizards significantly reduce the time and cost of installing multiple camera surveillance systems. With more advanced setup features such as logical tree, camera configuration, archive management and recording schedule backup solutions, it provides easy and intuitive UI with rich functionality. The latest version enables users to can now enable or disable each alarm in the alarm list individually instead of the need for repeated addition and deletion of alarms.

Request more information: www.securityinfowatch.com/21155273




FLIR Systems' Quasar 4K PTZ Camera

FLIR's Quasar 4K 31x IR PTZ offers 4K visible resolution with 31x optical zoom paired with long-range, infrared illumination (IR) for low-light coverage up to 200 meters in challenging environments. With an expanded operating temperature range, IP66 rating

for water and dust protection, and NEMA-4X (salt-tolerance) ratings, it is ideal for consistent operation in extreme weather conditions. Pan-Tilt de-icing and built-in lens wiper keep the camera functional and operational in remote or hard to access installations. The camera maintains open platform compatibility and can be used with a variety of VMS. It also includes industry standard security protocols and additional cybersecurity enhancements.

Request more information: www.securityinfowatch.com/21150951

VS-NVR and VS-A Storage Appliances from Quantum



Purpose-built and available in mini-tower and rack mount options from 4TB to 960TB, Quantum VS-NVRs support every camera project and are certified and pre-installed with the leading VMS packages for easy, fast deployments. Additionally, Quantum's VS-A Analytics and Applications servers include GPU to support the processing demands of video analytics, and deliver high availability with failover for access control, building management, and other applications. Proactive health monitoring ensures maximum uptime and reduced maintenance costs. Designed for surveillance and industrial IoT applications, security professionals can efficiently record and store surveillance footage and run an entire security infrastructure on a single platform.

Request more information: www.securityinfowatch.com/21151290



GANZbridge Analytics Appliance

GANZbridge is an all-in-one analytics appliance that enables

the rapid application of an advanced video analytics engine to compatible RTSP and ONVIF IP cameras, VMS, NVRs and PSIM servers. It supports four channels at 1080p and up to 16 channels at D1 resolution. It contains built-in plug-and-play support for a range of VMS, NVR and PSIM platforms. Supported analytics include object tracking, object detection, object counting and a variety of event rules, such as intrusion detection, tamper detection, enter and exit filters, people tracking, and more.

Request more information: www.securityinfowatch.com/21163672

Moog Mercury Camera System

Moog's Mercury medium-range camera system includes a continuous zoom mid-wave IR 550mm optic and a 500mm continuous zoom day/night camera. The continuous zoom NIR sensitive day/night camera offers enhanced features that support fog mitigation algorithms, black glass, and fast autofocus. Optional multi-algorithm video tracking ensures maximum target coverage without the need for external hardware or adapters. The camera is also equipped with an integrated Health and Usage Monitoring System (HUMS), which provides intelligence regarding the condition of payloads, allowing for preventative maintenance to extend the life of critical equipment. Ideal applications include c-UAS/drone tracking, border security, and perimeter intrusion detection.

Request more information: www.securityinfowatch.com/21152083



Top Notch Distributors, Inc.

ONE SOURCE. ONE ORDER. ONE SHIPMENT.

www.topnotchinc.com | 800-233-4210 | sales@topnotchinc.com



CONSULTING

Our sales consultants – with **an average of 20+ years experience** – will assist with your project and product selection.



ORDERING

We provide project and job quoting assistance with project job packing capabilities. We offer **same-day, error-free shipments over 99% of the time.**



SUPPORT

We are here for you with technical support and advice **12 hours a day, M-F, 7:30 AM - 7:30 PM EST.** Custom keying is offered at all of our distribution centers. We maintain keying records on custom orders.

Top Notch Distributors is Your Top Commercial Door Hardware Supplier.

We stock a complete assortment of commercial mechanical and electronic products from the brands your customers want. Order online at www.topnotchinc.com or call 800-233-4210.

SARGENT

Norton

Yale

Corbin Russwin

SCHLAGE

IVES

FALCON

VON DUPRIN

dormakaba

BEST

STANLEY

phi PRECISION

Request information: www.SecurityInfoWatch.com/12129499



Emergency Phone Panic Buttons from Viking

Viking's Emergency Phone Panic Buttons are designed to mount discretely under a desk or countertop to provide a quick and reliable way to make a silent emergency call. The called party can silently monitor the situation or engage in two-way handsfree communication by entering a touch tone "#". The Panic Buttons dial up to five emergency numbers, and all programming parameters are stored in non-volatile memory. Model PB-3 is telephone line-powered and connects to any standard analog telephone line, analog phone system station or FXS port. Model PB-3-IP functions as a SIP endpoint connecting from your POE switch and can be programmed from any PC on the same LAN or remotely using a static IP address.

www.vikingelectronics.com

Request more information: www.securityinfowatch.com/21115426



Aiphone IX-EA IP Video Door Station

Aiphone's IX-EA IP video door station intercom is a surface mount, weather-resistant IP video door station equipped with a 1.23-megapixel fixed color camera that can be programmed to call up to 20 different stations with three different call level selections. Additionally, video from the IX-EA can be streamed to third-party devices using ONVIF Profile S or RTSP. Features include: SIP 2.0 compliance; white LED for low light illumination; compliance with 802.3af PoE; and 600Ω audio output for paging or communication. For additional customization, sound files can be uploaded for custom messages to be played during certain scenarios.

Request more information: www.securityinfowatch.com/21163669



Janet purchased an **Aftermarket Remote** from her locksmith.

Tina chose a genuine **STRATTEC Remote**.

As a locksmith, you certainly have choices.

Choosing STRATTEC Remotes will ensure you always wind up with Tina ... *a happy customer for life.*

QUALITY – Upholds the same rigorous standards that OE manufacturers demand.

RELIABILITY – Our replacement products have a solid reputation ensuring locksmiths a happy, satisfied customer.

SUPPORT – Generations of locksmiths have come to rely on our technical support and product information.

Contact your STRATTEC authorized distributor for GM, Ford, Toyota, Honda, Acura, Nissan, Infiniti, Subaru, Mitsubishi and Hyundai products.

STRATTEC... DESIGNED TO LAST.



[Like us on Facebook!](#)

aftermarket.strattec.com

Request information: www.SecurityInfoWatch.com/10215947



TCIV+ Video Intercom from Zenitel

Zenitel's TCIV+ (Turbine Compact Intercom Video) Station employs a 10W speaker, matching 10W class D amplifier, and digital MEMS microphone to provide open, duplex, hands-free communication. With the ability to be used as a public address speaker, the station is well protected from damage and destruction thanks to a solid aluminum, die-cast frame. Cyber defensibility is addressed using integrated IEEE 802.1X network access control. Its wide-angle lens delivers excellent performance, day or night, with a field of view feature that captures more of the area around the station, and a 30-per-second frame rate. For performance, a 4x Cortex-A53 CPU core, 512MB LPDDR4 RAM, and 1 Gb flash memory ensure fast data processing speeds.

Request more information: www.securityinfowatch.com/21159644

THE NEXT STEP IN ACCESS POWER



TANGO IS THE REVOLUTIONARY ACCESS POWER SOLUTION THAT TRULY LEVERAGES THE COST-EFFICIENCY AND VERSATILITY OF PoE. CHOREOGRAPHED BY ALTRONIX – YOUR LEAD PARTNER IN POWER AND DATA TRANSMISSION. ...A PERFORMANCE WORTHY OF A STANDING OVATION.



4PPoE Driven Power with LiFePO4 Backup



MADE IN THE U.S.A.

ALTRONIX.COM

LIFETIME WARRANTY

Request information: www.SecurityInfoWatch.com/10212790

M1 Security & Automation Controls from ELK Products

Are you searching for a new security control? It is time to discover M1 Controls from ELK. M1 is a rock-solid security & life safety system with comprehensive detection capabilities and flexible reporting options via

telephone, IP, and/or cellular pathways. Programming M1 is easy! English text menus guide installers through keypad programming, eliminating the need to learn complicated programming codes. The ELKRP2 software makes it even easier with multiple-choice dropdowns, checkboxes, and text fields. M1 combines security with smart automation and flexible integration for intelligent scheduling and control of lights, thermostats, locks, water valves, and more. Superior encryption and multi-level authentication ensure secure remote connectivity so users can safely control the M1 from popular smart devices.

www.elkproducts.com/why-m1

Request more information: www.securityinfowatch.com/10929437

Wireless 360° PIR Motion Sensor from ELK Products

The ELK-319PIRC is the latest addition to ELK's 319 Series wireless sensors. It is ideal for ceiling-mount applications and provides a detection area of 14-40 feet, depending on the mounting height. This supervised motion sensor features selectable sensitivity and a built-in tamper switch. Utilizing the 319.5 MHz operating frequency, the ELK-319PIRC is compatible with many popular systems, including ELK's M1 Controls. This new 360° Wireless Motion Sensor, along with ELK's full line of 319.5 MHz wireless sensors, are ideal for existing Interlogix systems in need of replacement sensors.

www.elkproducts.com/319wireless

Request more information: www.securityinfowatch.com/21124054

DMP DualCom and CellCom Alarm Communicators

DMP's DualCom and CellCom dual path communicators deliver free network communication, plus customers get smart home automated actions, cameras and more from the Virtual Keypad app. Fully manage old

Honeywell or DSC systems with both fire and non-fire options. This expands an integrator's opportunities for easy takeovers and the ability to upgrade 3G panels. Customers can also use Virtual Keypad to remotely manage user codes, arm and disarm, Z-Wave capabilities, as well as the ability to bypass zones and view zone status.

Request more information: www.securityinfowatch.com/21151322

Napco iSecure All-Inclusive Cellular Alarm Systems

iSecure all-inclusive cellular alarm systems by NAPCO give dealers the ability to add new RMR-accounts with low equipment cost and one-hour professional installation. The system is available in three different kits. Options include: Wireless keypad; 4- or 7-inch touchscreen with Z-Wave control; 50-foot wireless PIR; two door transmitters; smart app and notifications; 85dB siren; and RF-receiver. The system also includes the Go-Anywhere Hub with built-in StarLink Cellular/IP LTE alarm reporting, which can be positioned anywhere for best signal reception and less vulnerability to smashing.

Request more information: www.securityinfowatch.com/21125148



Wireless Outdoor Siren

Alula's Wireless Outdoor Siren is an extended perimeter warning device that produces high volume alert sounds and visual strobing. The device provides an early warning to summon help in the event of burglary, smoke or carbon monoxide alarm conditions. The siren's volume and strobe lights are adjustable through AlulaConnect to accommodate any installation scenario, and the siren can be incorporated into home automation routines through Alula's Scenes engine. The RE636 includes a multi-cadence siren, 2-5 year battery life (batteries included), and IP56 water resistant enclosure.

Request more information: www.securityinfowatch.com/21154607



7007P-M IntelliNet 2.0 Burglary Subscriber from AES Corp.

The 7007P-M IntelliNet 2.0 Burglary Subscriber from AES corporation includes four zones with integrated onboard local annunciator and Multiple Communication Technologies (MCT). It comes in a durable, gray polymer enclosure with power and trouble LEDs, and a backlit LCD display. The product transmits consolidated alarm, trouble and supervisory signals, and it is easy to program with a laptop, phone or tablet. It is UL approved for security certifications: UL 1610, UL 365, and UL Household Security 1023; UL Household Fire, and UL 985.

Request more information: www.securityinfowatch.com/21163666



Manitou Alarm Monitoring Software from Bold Group

Manitou is alarm monitoring software that seamlessly integrates intrusion, video, access control, lone-worker protection, and GPS into a single, web-based user interface. Improve operator efficiency with a customizable dashboard for easier navigation, enhanced action patterns to deliver step-by-step instructions for consistency, and a video control center that seamlessly integrates video and alarm handling. Administrative productivity is improved through accounting integrations and an intuitive customer wizard for data entry accuracy. Your valuable assets are protected with real-time, UL/ULC listed database replication, and the platform is available on-premises or hosted in the Cloud.


Request more information: www.securityinfowatch.com/21151287



Calipsa False Alarm Filtering Platform

Using the latest artificial intelligence and machine learning technologies, Calipsa's cloud-based False Alarm Filtering Platform removes over 90% of false alarms; recognizing the cause and filtering out those not caused by human or vehicle movement. Calipsa's deep learning algorithms evolve with each alarm received, become more precise every time. Calipsa integrates seamlessly into existing monitoring operations and has formed key partnerships with leading central alarm monitoring platforms and camera manufacturers. The Calipsa solution improves monitoring station efficiency, enabling central station operators to concentrate on true alarms to enhance the security response. And management can expand operations without adding staff.

Request more information: www.securityinfowatch.com/21152439



PB-IN-100AT "Anticrawl" Photoelectric Beam from Takex

The PB-IN-100AT "Anticrawl" photoelectric beam from Takex is part of its Intelligent-Quad series. It is designed with high-security applications in mind, where attempts to crawl through a portion of the beam result in an alarm condition. Through CPU processing, the upper receiver selects the beam from the upper transmitter and the lower receiver selects the beam from the lower transmitter, creating an AND/OR-gated type detection system. Transmitters project double modulated beams that differ in pulse pattern from upper and lower parts. It is designed for distances up to 100m (330ft) outdoor/200m (660ft) indoor.

Request more information: www.securityinfowatch.com/21163653



Optex QX Infinity (QXI) Series PIR Sensors

The Optex QX Infinity Series (QXI) high- or low-mount outdoor PIR and dual-technology sensors provide a 120-degree wide, 40-foot detection area. The sensors feature the new Quad-Element technology, as well as the supplier's sensing analytics, called the Super Multi-Dimensional Analysis (SMDA), to reduce noise created by the environment. The series includes four models: QXI-ST and Dual-Tech QXI-DT (hardwired) and QXI-R and QXI-RDT (wireless).

Request more information: www.securityinfowatch.com/21163645



2GIG eSeries Security and Control Ecosystem

2GIG encrypted systems provide peace of mind against hacking, while also offering sleek control panels and ultra-intuitive interfaces. Dealers get the added benefit of protecting their business and their RMR by reducing the threat of takeovers. These enhanced security upgrades are no additional cost. Compatible encrypted 2GIG sensors include the Standard D/W Sensor, Motion Sensor, Glass Break Sensor, Key Fob Sensor, Recessed D/W Sensor and CO Detector Sensor. Additionally, the GC3e exclusively includes the 2GIG Smart Areas feature, a new functionality that enables security panel partitioning that makes it easier than ever to set up 'zone groups' in homes.

Request more information: www.securityinfowatch.com/21069604

Locks & Unlocks From Both Sides Of The Gate

The quickest and easiest through post installation of any product on the market.
Drill one hole through post - included template & self aligning features do the rest.

Accommodates posts from 1 1/2" to 6"

New LokkLatch® 3 Plus features a revolutionary patented pending installation process.
Ball and joint connector rod snaps firmly into place, reducing potential for error. Includes 5" & 6" connector rods.

Interconnected locks provide locking/unlocking from either side of the gate

- Keyed-alike or keyed different
- Vertical adjustment to 1/2"
- Constructed of UV stabilized metal replacement polymer and stainless steel components
- Won't rust, bind, sag or stain
- Reversible mounting (right or left handed installation)
- Available in black and white

EchoStream Single Input Fire RF Transmitter from Inovonics

The Inovonics EH1115EOL EchoStream single-input fire RF transmitter is designed to monitor water flow and pressure in piping and post indicator valves to send an alert when a fire protection system has been activated. The product can be used with any standard contact or sensor. A 2.2K ohm end of line resistor is included with the unit, and is required for operation. Other features include: End-of-line resistor supervision; UL 864 10th Edition listed; and screw closure housing and wall tamper switch for additional security.

www.inovonics.com

Request more information: www.securityinfowatch.com/21086632



Two-Way Wireless Heat & Smoke Detectors from ELK Products

ELK Products offers two new life safety products: The ELK-6052 Sound All™ Smoke & Heat Detector and the ELK-6053 Sound All™ Heat Detector. The ELK-6052 utilizes photoelectric smoke detection, while both the ELK-6052 and ELK-6053 provide rapid rate-of-rise and fixed temperature heat detection. Both detectors feature ELK's Two-Way Wireless technology to ensure reliability with encrypted communications, signal acknowledgement, and frequency hopping. ELK's Sound All™ technology provides wireless interconnectivity of the built-in sounders. In the event of a fire alarm, two-way communication with the detectors allows the ELK M1 Control to activate the built-in sounders of all enrolled smoke and heat detectors during the alarm.

www.elkproducts.com/two-way-wireless

Request more information: www.securityinfowatch.com/21149991



AVIOTEC IP Fire Detection Camera from Bosch

The AVIOTEC IP starlight 8000 fire detection camera from Bosch Building Technologies enables the early detection of fires, even in low light conditions. Both flames and smoke are reliably detected down to an ambient lighting level of 2 lux. For this purpose, Bosch has extended its proven video analytics in the camera by artificial intelligence, which processes the results of more than 20 algorithms and makes an alarm decision on this basis. Suitable for areas with very low light, such as warehouses and production plants at night, saving costs for planning, installation and operation of lighting.

Request more information: www.securityinfowatch.com/21137141



Honeywell Connected Life Safety Services (CLSS)

Honeywell's new suite of Connected Life Safety Services (CLSS) forms an all-in-one cloud platform for fire safety systems, enabling systems integrators and facilities management firms to access the data within a fire system from anywhere, without necessarily being physically at the control panel. Through application of digitization principles and Industrial Internet of Things technology, the tools make it easier to design, install, test and commission fire systems while helping eliminate errors and manual data entry throughout the designing, commissioning and maintenance processes. They are currently available via Honeywell Fire brands including Gent, Notifier and Esser.

Request more information: www.securityinfowatch.com/21163624




Medeco Intelligent Key Cabinet from ASSA ABLOY

The Medeco IKC (Intelligent Key Cabinet) is a key management system ideal for keys and other assets that require a high level of security and accountability. A complete storage and control solution, the IKC is an electronically controlled steel cabinet that restricts access to keys, and can only be opened by authorized personnel using PIN, Biometric Fingerprint, or Prox Card authentication (optional). Exclusive iFob technology allows storage of all types of keys.

The IKC electronically keeps a record of key removals and returns - by whom and when, with a complete audit trail and reporting by user and key activity. User accountability reduces lost keys, and fewer lost keys leads to lower expenses and improved security. Personnel can retrieve keys quickly without waiting for a manager. System software shows what keys are in, what keys are out, and to whom they are issued. Upon checkout, the appropriate key is indicated on the panel by flashing LEDs. In addition, the IKC system allows the return of any key to any location in the cabinet, and then learns the key's new location.

An essential addition to a Medeco XT Intelligent Key system, it securely locks in place and charges Medeco XT keys so they are always ready for use. By adding an optional Medeco XT IPD programming device, XT keys can also receive programming updates as they charge.

Request more information: www.securityinfowatch.com/21151280



Request more information: www.securityinfowatch.com/21151280

Remote Keyless Entry Fobs and Remote Headed Keys from Strattec



For 2021 STRATTEC is offering new Acura, Mazda, Mitsubishi, BMW and Volkswagen Remote Keyless Entry Fobs and Remote Headed Keys. There are six for Acura, seven for Mazda, two for Mitsubishi, three for BMW and one for Volkswagen. These products will be available in Mid-November. To see all the applications for remote keyless entry fobs and remote headed keys, and on-board programming, visit the link below. Don't forget to use our new and improved vehicle match for all your Acura, Mazda, Mitsubishi, BMW and Volkswagen needs. You can also download the updated remote brochure from the website.

<http://aftermarket.strattec.com>

Request more information: www.locksmithledger.com/21164113

POWER SUPPLIES

Altronix NetWay Spectrum Series Ethernet to Fiber Media Converters

Altronix's NetWay Spectrum Series takes fiber and power to a new level. Indoor and outdoor models include hardened PoE switches optimized with LiFePO4 battery backup and multi-port media converters with or without integral power. Units can be deployed with conventional single or multi-mode fiber - or composite cable, which combines fiber with copper to simultaneously deliver power and data. NetWaySP8A and NetWaySP16A Ethernet to Fiber media converters support eight or sixteen fiber cables, facilitating the deployment of Altronix remote PoE switches/media converters, transmitting data at longer distances. Altronix products are proudly made in the U.S.A. and are backed by a lifetime warranty.

www.altronix.com

Request more information: www.securityinfowatch.com/12369584

LifeSafety Power's FlexPower FPO Generation 2

FlexPower FPO Generation 2 from LifeSafety Power includes the OutSmart visual voltage indication across all boards, which visually shows a technician the output voltage of the power supply boards and each distributed output. Optional RS-485 capability on FPO and M8 devices allow larger managed systems on fewer network drops with the company's NLX NetLink module. Other enhancements including selectable sealed lead acid (SLA) or Lithium Iron Phosphate (LFP) battery charging, remote main output shutdown on FPO, built-in control relays on NLX and even deeper E4 and E8 enclosures.

Request more information: www.securityinfowatch.com/21129070



DynaLock Power Supply Products

DynaLock Power Supply products operate on 120-240 VAC input, are UL294 Listed, FCC and CE compliant, and carry additional model/build-specific agency listings for burglar alarm, fire alarm and access control systems. These products replace the former 5025, 5500 and 5600 Series models. Model 5725 outputs up to 1.5 Amps of continuous current at 12 or 24 VDC; 5800 Series Power Supply/Chargers output 12 or 24 VDC at up to 3 Amps continuous; and 5900 Series Power Supply/Chargers deliver up to 6 Amps at 12 or 24 VDC. All models are backed by a lifetime warranty.

Request more information: www.securityinfowatch.com/21124674



Ditek DTK-LC2 Power Line Conditioner

Ditek's DTK-LC2 Line Conditioning Surge Protective Device combines 120V power filtering with reliable protection from unnecessary damage caused by electrical surge events. This combination simplifies implementation of indoor point-of-use surge protection for sensitive electronic systems while ensuring that protection is operating correctly. Its convenient plug-in design does not require an electrician for installation and can be wall-mounted or set on any convenient surface. As an additional benefit, a single channel of Ethernet/PoE protection is provided for network connections. If protection is compromised, it alerts with both a strong audible alarm and a confirmation LED to make sure that vital equipment does not remain unprotected.

Request more information: www.securityinfowatch.com/21139221



Remote Keyless Entry Fobs and Remote Headed Keys from Strattec

For 2021, Strattec is introducing 43 new remote keyless entry fobs and remote headed keys to our existing lines. We have added two to Ford, 16 to Toyota/Lexus, one to Nissan, 16 to Honda and 8 to Subaru. These products will be available in Mid-November. To see all the applications for remote keyless entry fobs and remote headed keys, and on-board programming, visit the link below. Don't forget to use our new and improved vehicle match for all your Ford, Toyota/Lexus, Honda, Nissan and Subaru needs. You can also download the updated remote brochure from the website.

<http://aftermarket.strattec.com>

Request more information: www.locksmithledger.com/21164112



Touchless & Anti-Microbial Key Control from Morse Watchmans

Morse Watchmans has added touchless facial recognition access and an anti-microbial powder coating to its KeyWatcher systems to fight the spread of microbes and bacteria to help combat the COVID-19 pandemic and other potential threats to personnel health. The anti-microbial powder coating is now a standard feature at no added cost. Designed to resist the spread of microbes, the new coating retains its highly effective anti-microbial properties through regular cleanings, while providing durability and scratch resistance. A touchless facial recognition access option reduces the chance for cross-contamination and disease transmission.

Request more information: www.securityinfowatch.com/21139054



Equip your toolbox with SELECT problem-solvers

Speed up installations with these new solutions.

Whether you're renovating high-traffic entryways or putting in new frames and doors, you want your job to go faster and easier. Now there are three ways to simplify installing SELECT geared continuous hinges:

- HB375 DRILL BIT**
No center punch needed. SELECT's .375-inch drill bit is designed specifically to speed up installation of our geared continuous hinges.
- PIVOT HINGE HOLE COVERS**
Instant improvement. Mask the unsightly holes left by previous pivot hinge preps with SELECT's self-adhesive covers. Block out insects, dirt and water, too.
- SHIM STOCK**
Make invisible adjustments. Square up doors and frames without ruining their appearance. SELECT's shim stock comes in clear anodized aluminum strips or 100-foot rolls of translucent UHMW.

SELECT HINGES™
800-423-1174
select-hinges.com/accessories

Request information: www.SecurityInfoWatch.com/10215943

Trine's 4850ITL Electric Strike Installation Tool

Trine Access Technology has developed the ultimate tool for installing electric strikes used with rim panic devices. As with all Axion strikes from Trine, this tool was designed to install the entire 4800 series line of strikes quickly and accurately the first time making the best installation available today.

The 4850ITL is not just a template, it is made from actual production parts giving the installer the ability to adjust for common door issues such as sagging and misalignment. By placing the ITL on the frame, it allows the installer to "feel" the strike working with the door and panic device allowing for fine adjustments before holes are drilled.

The flexibility and therefore accuracy of the 4850-ITL is derived from our patent pending magnetic holding system built into the body of the tool.

Combine this with a custom center punch that is included with every 4850-ITL used to make perfectly centered marks on the frame, this tool is a must for every installer of electric strikes. See the video by searching "4850ITL" on Youtube!

Request more information: www.trineonline.com



Request more information: www.securityinfowatch.com/11416079

Universal Cover Plate from ELK Products

Retrofitting keypads and other system interfaces can be frustrating, especially when it requires patching a wall. The ELK-CPL Universal Cover Plate solves this problem for faster installations and a clean finished look. This versatile plate has a low-profile design with rounded corners for a clean look. The ELK-CPL features quality wood construction and a durable, scratch resistant white varnish finish. Installation is easy with a pre-drilled 1" center hole and electrical box mounting knockouts. Plate size: Size: 7.375" x 6" x .125". Sold in packages of five.

www.elkproducts.com/products/elk-cpl-universal-cover-plate

Request more information: www.securityinfowatch.com/21163693



Triplet CTX200P RJ45/Coax Tester

Triplet's CTX200P RJ45/Coax Tester performs a TIA568 test on CAT5/6 network cable (RJ45) with instant PASS/FAIL results for opens/shorts, reversals, split pairs, and continuity. It is ruggedized and cushioned for toolbox use with a hidden drawer for remote storage. It traces various types of cables including: twisted pair, LAN, multi-conductor, telephone/alarm and unpowered electrical wire. Each pair's status is highlighted. The unit also includes a built-in tone generator for tracing and troubleshooting. Each unit comes with tracer probe, BNC patch cable, CAT 6 RJ45 patch cable, BNC terminator, (2) 9V batteries, belt clip and case, and includes a one-year warranty.

Request more information:

www.securityinfowatch.com/21163499



JackEasy 4-Pair Termination Tool from ICC

ICC's JackEasy 4-Pair Termination Tool is a one-tool solution compatible with

all CAT 6A/6/5e/3 or voice-grade connectors for faster and improved handheld jack termination. The single-handed 4-pair modular connector termination tool terminates 8 wires and cuts excess wire in one squeeze, reducing installation time and improving terminations for increased performance and reduced callbacks. It works with EZ and HD style modular voice and data connectors. Features include: Ergonomic grip for effortless application and rugged construction. It is only compatible with ICC branded EZ and HD modular keystone jacks.

Request more information: www.securityinfowatch.com/21163512

LightBow Fiber Termination System from Siemon

With its patented termination tool and pre-polished mechanical splice connectors, the LightBow Fiber Optic Termination System from The Siemon Company significantly reduces termination time, prevents fiber end face contamination and air gaps, and enables easy verification of termination quality. The Kit includes the termination tool, cleaver, Visual Fault Locator and everything else to quickly and securely terminate Siemon LightBow system components. The patented, easy-to-use termination tool dramatically reduces termination time while ensuring reliability.

Request more information: www.securityinfowatch.com/21163518



IP Camera Tester from SecurityTronix

The ST-HDoC-TEST-MINI2 from SecurityTronix is a 4.3-inch IP camera tester with an 960x540 capacitive touchscreen designed for the installation of analog, IP, HD-TVI, HD-CVI and AHD cameras. With an ONVIF PTZ controller, this meter supports more than 40 customized IP camera protocols, mobile apps to view IP camera images and contains built-in WiFi to receive network images and data. Its PoE 24W power supply can power IP cameras and test PoE voltage while the DC12V2A power output will power most analog

cameras. Additional features include: USB 5V 2A power output to mobile phones, PoE port finder, link monitoring, IP camera ping testing, IP address scan and a BNC input and output.


Request more information: www.securityinfowatch.com/21163507

Platinum Tools ezEX RJ45 Starter Kit



The ezEX RJ45 Starter Kit (p/n 90188) from Platinum Tools contains: EXO Crimp Frame with EXO-EX Die; ezEX38 connector (25pcs.); ezEX44 connector (50pcs.); ezEX48 connector (25pcs.); and ezEX strain reliefs in assorted colors (20pcs.). The patented EXO Crimp Frame with interchangeable EXO-EX Die is designed to terminate the patented, pass-through ezEX-RJ45 connectors. This new series of connectors will cover a wide range of insulation diameters (conductors) and cable jacket diameters, making it easy to select the right connector for a cable. All three sizes are rated for 10 Gig and PoE+ and can be used for Cat6A, Cat6, and Cat5e, covering a full insulation diameter range of 0.83mm - 1.22mm.


Request more information: www.securityinfowatch.com/21151466



BUILT-IN POWER & PROFITS

S4000E Grade 1 Electrified Exit Device With Motorized Latch Retraction Pre-Installed!

The SDC **S4000E** is a **Low-Profile**, High Value Electrified Exit Device with stainless steel construction. Not all exterior doors have adequate overhang protection, exposing them to weather and rust. The S4000E is **corrosion resistant** and comes with **motorized electric latch retraction and REX pre-installed**, enabling electric access control and dogging of the exit device.



- For Hollow Metal, Wood and Mineral Core Door Applications
- Compact Design for Commercial & Industrial Applications
- Pre-Installed Electric Latch Retraction & REX
- Stainless Steel Construction - Corrosion Resistant
- Grade 1 Durability
- Trim Options Available

www.sdcsec.com/S4000E


Request information: www.SecurityInfoWatch.com/10214991



the lock behind the system

SDCSecurity.com • 800.413.8783





YOU NEED
the Power Supply.



YOU NEED
the Electric Strike.



YOU NEED
the Stocking Door
Hardware Expert.

**Everything you need to
get the job done.**

From our unmatched in-stock inventory of premium brands, to the unparalleled knowledge and experience of our technical sales team, we deliver the door hardware products and expertise you need.



SECLOCK.COM | 800-847-5625

ASSA ABLOY

ASSA ABLOY ELECTRONIC SECURITY HARDWARE
HES | Securiton

Request information: www.SecurityInfoWatch.com/10215009